INDEX TO VOLUME 96

*Author index**

A

Abramowsky CR, 739
Abramson SJ, 249
Abu-Osba YK, 219
Adamski GB, 694
Adashi EY, 443
Adelman RD, 68, 151
Ahronheim GA, 426
Ali MA, 20
Allen AC, 898, 903
Ament ME, 407, 1098
Anand SK, 66, 697
Andersen J, 943
Anderson HR, Jr, 205
Ansell BM, 346
Appel TC, 960
Arasu TS, 798
Ariagno RL, 318, 951
Armstrong DL, 1057
Auld PAM, 99
Aur RJA, 403
Aylsworth AS, 662

B

Bada HS, 494, 1091
Baehner RL, 262
Bailie MD, 178, 789
Baker CJ, 787
Baker DL, 112
Baker L, 257
Balboa de Paz F, 153
Balin A, 683
Balistreri WF, 582
Ballantine TVN, 262
Ballard ET, 569
Ballinger WE, 694
Baluarte HJ, 635
Baluarte J, 335
Bancalari E, 1060
Barber N, 950
Barbero G, 421
Bard H, 470
Bargman GJ, 393
Barkin RM, 1015
Barr HM, 974
Barr O, 1120
Barr RC, 41
Barzilay Z, 683
Bass JW, 173, 431, 500, 872
Bates TR, 1087
Baublis JV, 437
Bauman L, 641
Baylen BG, 540
Bayston R, 785
Beauregard WG, 876
Bechinger D, 921
Beck DE, 1094
Beck RD, 769
Beckwith DG, 954
Bégin R, 968
Beli EF, 452, 460
Benawra R, 1069
Bender JW, 167
Bennett EJ, 860
Benson DW Jr, 41
Benzing G III, 623
Berman JL, 953
Bernstein B, 657
Bernstein J, 178
Berry G, 62
Berry PL, 774
Berseth CL, 951
Berthiaume Y, 968
Bertino JS Jr, 927
Best GK, 1035
Bethenod M, 691
Bhatia J, 284
Biagtan J, 735, 879
Bienvenu J, 691
Bingol N, 77
Birenbaum E, 683
Bisno AL, 775
Bistrian BR, 13
Bjornson AB, 259
Blackburn GL, 13
Blackston D, 132
Blaser MJ, 343
Bloomgarden ZT, 148
Blumenfeld TA, 301
Bock GH, 142
Boeckx RL, 1120
Book LS, 194
Borowiecki B, 645
Borriello SP, 787
Botez MI, 774
Bourgeois J, 691
Bove KE, 545
Bowden RA, 60
Boxerbaum B, 689
Boyer KM, 1047
Bradley WG, 1067
Brann AW Jr, 114
Brann AW Jr, 447
Breitweser JA, 535
Brish M, 683
Brodersen R, 349
Brodeur GM, 439
Bromberg K, 874
Bromberger PI, 104
Brook I, 1000
Brooke MH, 885
Brookman RR, 746
Brouillette RT, 219
Brown DM, 701
Brown EG, 779
Brown KH, 20
Bruce DA, 687
Bruguera M, 435
Bruhn FW, 173, 872
Bucci G, 468
Bucciarelli RL, 295
Buchanan GR, 264
Buckley RH, 417
Buimovici-Klein E, 869
Bull MJ, 1071
Bureau MA, 968
Burgert EO Jr, 829
Burkel GM, 425
Burket RL, 746
Burns S, 933
Burr IM, 590
Bybee DE, 500
Byrne WJ, 407, 1098

C

Cabal LA, 705
Cabot HM, 746
Cabrera J, 435
Callenbach JC, 249
Cannon RA, 1098
Caralps JM, 435
Cardin MJ, 431, 500
Carey JC, 955
Carey WB, 423
Carroll JE, 885
Carroll N, 635
Casado de Frias E, 153
Casewell MW, 787
Cashore WJ, 521
Cassady G, 289
Castaneda AR, 630
Caston D, 842
Catterton WZ, 711
Catterton Z, 737
Chandler B, '04
Chase HP, 421
Chatasingh S, 490
Chavers BM, 136
Chavez CJ, 784
Chen I-W, 305
Chen M, 305
Chenut B, 1037
Cheskin HS, 301
Chesney RW, 393
Chiba K, 479
Chiozza L, 950
Chiumello G, 362
Chowdhury AMAK, 20
Chrenka B, 739
Christensen RD, 316
Christian JC, 990
Chung D, 1060
Chung KJ, 552
Cifuentes RF, 252
Clahsen J, 767
Clark BS, 930
Clark R, 721
Clausen K, 669
Clayden GS, 787
Cleary TG, 757
Clyman RI, 94
Cohen DJ, 978
Cohen HJ, 276
Collins FS, 429
Collu R, 1009
Colón AR, 64
Cooke N, 226
Cooney DR, 824
Copeland KC, 1079
Corbett DP, 1005
Cornet JA, 669
Cotton RB, 711
Cotton RGH, 854

*January, pp 1-178; February, pp 179-348; March, part 1, pp 349-518; March, part 2, pp 519-610; April, pp 611-788; May, pp 789-960; June, pp 961-1124.

Cottrill CM, 716
Cox KL, 407
Craft WH, 397
Criley JM, 540
Cruzi FG, 669
Cullen SJ, 437
Cunningham MD, 716
Cupps RE, 829
Curatolo P, 286
Cuskey WR, 742

D

Dajani AS, 814
Dallapiccola B, 286
Daniel A, 837
Danks DM, 854
David RJ, 641
Davis H, 731
De Caro A, 412
de Cosen RH, 168
Dearth JC, 829
Deinard A, 510
Del Guercio MJ, 362
DeLuca HF, 701
Dennis JE, 824
DePhilip R, 605
Desai NS, 716
Devaskar U, 705
Dhaliwal RS, 68
Dianese G, 516
DiLiberti J, 635
Dillon T, 552
Dillon TR, 623
Dinner M, 917
DiSessa T, 79
Dodson WE, 279
Donat JF, 956
Donato H, 168
Done AK, 957
Donnelly WH, 295, 357
Donovan EF, 305
Donner A, 1081
Donzelli F, 950
Doshi N, 699
Draznin MB, 887
Driscoll SG, 1067
Ducharme JR, 1009
Duffell DR, 1069
Dupont C, 1037
Durack DT, 775
Durbin WA, 57
Durie PR, 862
Dussault JH, 385
Dyrenfurth I, 301

E

Edidin DV, 1123
Edson JR, 390
Edwards D, 79
Edwards MS, 787
Edwards SB, 41
Egelard B, 510
Eigen H, 282, 798
Eliot RJ, 311
Elzouki A, 635
Emami A, 1005
Emmanouilides G, 705
Emmanouilides GC, 540
Eng G, 889
Engel AG, 889
Entwistle L, 175
Ermocilla R, 289
Etzioni A, 959
Euler AR, 321
Evans GW, 32
Evans H, 735
Evans HE, 879

F

Fanaroff A, 739, 842, 914, 927
Fanaroff AA, 781
Farrell MK, 545
Fefferman R, 171
Feinstein AR, 751
Felder RA, 64
Feldman RA, 170
Fennell RS, 1094
Ferguson WT, 876
Ferrieri P, 681
Ferro R, 468
Ferry PC, 961
Feusner JH, 112
Fields AI, 274
Figarella C, 412
Finberg L, 51, 240
Finegold DN, 257
Finer NN, 170, 175
Finkelstein GZ, 669
Finkelstein J, 1081
Firlit CF, 771
Fishaut M, 179
Fisher DA, 172, 311
Fisher M, 517
Fishman MA, 516
Fitzgerald JF, 798
Fleisher G, 782
Flicker S, 735
Foley TP Jr, 605
Fonkalsrud EW, 1098
Foreman JW, 62, 845
Forstner GG, 862
Fort P, 36
Fost N, 54
Fowler JW, 47
Fowler WM, 958
Fox WW, 908
Franken EA, 798
Fransson G-B, 242, 380
Fraser DW, 775
Freeman RM, 466
French JW, 318
French WJ, 540
Friedman N, 1123
Friedman WF, 79
Frogel M, 517
Frost M, 837
Fuchs M, 77
Fulginiti VA, 912

G

Gadzala CA, 1047
Gagnon N, 968
Gall DG, 862
Gallagher JJ, 41
Garg BP, 1071
Garin EH, 694
Gastanaduy AS, 374
Gates B, 1098
Gavan TL, 927
Geary D, 1094
Gebara E, 168
Geiser CF, 72
Georgeson KE, 920
Gerber MA, 374
Germann DR, 249
Gershwin ME, 958
Gezon H, 104
Ghavimi F, 923
Gilchrist GS, 829
Ginsburg CM, 340, 767
Gioseffi O, 168
Gittenberger-de Groot AC, 88
Glasgow AM, 889
Glass RI, 447
Glicklich M, 433
Gluck L, 79
Goddard J, 1057
Godfrey S, 649
Goetzman BW, 727
Goff JR, 205
Goldberg RN, 1060
Goldman AS, 244
Goldman H, 780
Goldman SL, 1060
Goldmann DA, 57
Goldsmith M, 132
Gonzalez-Crussi F, 47
Gotoff SP, 1047
Graham JM Jr, 1052
Graham TP, 711
Grand RJ, 57
Grassi A, 325
Gratton TL, 528
Gray B, 737
Gray JC, 452
Graziano JH, 214
Greene HL, 590
Greenslade T, 771
Gresham EL, 1071
Griffith JF, 518
Grillo GP, 1074
Gromisch DS, 77
Grosfeld JL, 262, 798
Gross S, 575, 842, 952
Gross SJ, 641
Grundy D, 860
Grunnet M, 669
Grushkin CM, 697
Gruskin AB, 335, 635
Gürsel T, 287
Gurwitz D, 596
Guthrie R, 653
Gutman L, 779
Guyda H, 385

H

Haberfellner H, 346
Haddow JE, 104
Hall RT, 249, 1063
Haller JS, 485
Hambraeus L, 242
Hamilton JK, 669
Hammerberg O, 26
Hammersen G, 778
Hammond MA, 940
Hansen RC, 473
Hansen TN, 995
Hanson V, 657
Harden LB, 431
Harinck E, 88
Harlan EA, 1074
Harlan WR, 348, 1074
Harris JA, 635
Harris VJ, 517
Harrison HL, 635
Harrison HR, 177
Harrison MR, 878
Hasegawa DK, 390
Hatano S, 255
Haughey DB, 325
Hawkins E, 669
Hayden GF, 869
Hayles AB, 783
Heldt GP, 995
Hendeles L, 344
Herbst JJ, 194
Herman CS, 974
Hermansen MC, 344
Heroman WM, 500
Herrell N, 914
Herrmann KL, 869
Herson J, 266
Heubi JE, 582
Heuser E, 697
Heymann MA, 94
Hieber JP, 1089
Higginbottom MC, 687
Higgins GR, 502

Hilgartner MW, 214
Hill HR, 345
Hilligoss DM, 325
Hilton PK, 545
Hilty MD, 1035
Hiner LB, 335
Hobel CJ, 311
Hodges JM, 403
Hodgman JE, 705
Hoecker JL, 757
Hoffman GL, 564
Holbrook PR, 274
Holmes LB, 1067
Hood JL, 662
Howell JT, 244
Hubbard VS, 421
Hug A, 879
Hunt CE, 893
Hurley LS, 242
Hutton NM, 1071
Huwe BB, 367
Hyams JS, 57
Hyman PE, 959

I

Illig R, 515
Inwood RJ, 893
Iosub S, 77
Isaacs H, 502
Ishizaki T, 479
Islam A, 20
Islam S, 20
Iyer R, 266
Iyngkaran N, 515

J

Jackson AH, 518
Jacob J, 79
Jacobs R, 545
James HE, 687
James LS, 301
Janos GG, 623
Jaworski MA, 426
Jayaram RM, 635
Jelliffe EFP, 1122
Jhaveri R, 735
Jimenez M, 145
Johanson AJ, 685, 887
John E, 289
Johnson DE, 681
Johnson DG, 194
Johnson GL, 716
Johnsonbaugh RE, 500
Johnston D, 466
Jolley SG, 194
Jona J, 433
Jones JF, 912
Jones KL, 687
Jordan WE, 957
Josephs SH, 417
Juratsch CE, 540

K

Kabir AKMI, 20
Kahn AJ, 879
Kaiser KK, 885
Kamen B, 842
Kamen BA, 1045
Kanto WP Jr, 447
Kaplan EL, 367, 374, 775
Kaplan S, 535, 552, 623
Kasell J, 41
Kattan M, 596
Kattwinkel J, 865
Kaul TN, 808
Keen CL, 242
Keller MA, 177
Kerley SM, 731
Kessler DL Jr, 140
Khan P, 879
Khanna NN, 494, 1091
Khoury K, 968
Kilbride HW, 1121
Kimble KJ, 318
King K, 657
Kirsch IR, 276
Kisker CT, 569
Kitson HF, 145
Kjellstrand CM, 136, 142
Klebanoff MA, 75
Klein JO, 1081
Klein M, 867
Klein NJ, 958
Kliegman R, 781
Kliegman RM, 788, 927
Klimek JJ, 1087
Klionsky B, 699
Kohl S, 757
Komp D, 266
Kooh SW, 252
Korfhagen JC, 552
Kornreich HK, 657
Kosmidis HV, 814
Krakaur R, 108
Kramer MS, 857
Kramer WG, 757
Krauss AN, 99
Kravath RE, 645
Krieger I, 32
Krishnamurthy C, 171
Kulig JW, 746
Kulkarni PB, 249
Kulkarni R, 178
Kulovich M, 79
Kumar A, 786
Kurlinski J, 79
Kusmiesz H, 1089
Kutner M, 132
Kwong MS, 917

L

La Franchi S, 172
Laberge C, 385
Lackman L, 26
Lafleur L, 26
Lam R, 311
Lambiase R, 362
Lampkin BC, 259, 569
Landing B, 669
Landing BH, 697
Lang P, 630
Langston JW, 205
Lau SO, 390
Laurenti F, 468
LaVeck B, 940
LaVeck GD, 940
Leake RD, 311
Lee PA, 169
Lees MH, 675, 983
Leffert F, 1
Le Guennec J-C, 470
Lehman GA, 798
Lehman TJA, 657
Lehmann WB, 1087
Leichtman LG, 950
Lemons JA, 1071
Lemons R, 1043
Lerman SJ, 271
Letarte J, 385, 470, 1009
Leupold D, 412
Levin DL, 721
Levine LS, 214
Levison H, 596
Levitsky LL, 1123
Lewis RM, 1057
Lewy P, 771
Li FP, 954
Libert J, 662
Libutti G, 286
Lieberman E, 66, 697
Liebman WM, 278
Lifshitz F, 36
Liljenquist JE, 148
Lilly JR, 1015
Linshaw MA, 635
Lindstrom DP, 711
Linnemann CC Jr, 781
Litt IF, 742
Little RE, 974
Lobel JS, 259
Lönnerdal B, 242, 380
Lorini R, 1120
Louis FJ, 443
Lozoff B, 1122
Luban NLC, 1120
Lundström U, 1040
Lusher JM, 814
Lyerly WH Jr, 431

M

McArthur RG, 783
McBride DC, 174
McClung HJ, 769
McCormick KL, 874
McCracken GH Jr, 119, 331, 340
McCrossin RB, 145
McDevitt SC, 423
McIlroy MB, 995
McIntosh K, 179
McIntosh S, 199
McKay C, 374
McParland FA, 505
MacDonald HM, 898, 903
Magnus PD, 165
Mahmoud AA, 575
Mahoney MJ, 466
Makker SP, 762
Malhotra C, 110
Malone JI, 357
Malouf N, 662
Mangurten HH,1069
Mantovani JF, 279
Marc J, 867
Margolis CZ, 1123
Markenson AL, 214
Marker SC, 786
Marks MI, 26
Marshall RE, 731
Martin RJ, 914
Marton P, 933
Marzetti G, 468
Mathew OP, 475
Mathieu M, 691
Mathis RK, 142
Matlak ME, 194
Mattioli LF, 789
Mauer SM, 136, 142
Maur PR, 559
Mauray F, 94
Maurer HS, 669
Maze A, 318
Mazess RB, 393
Mehta J, 209
Mehta P, 209
Mellins RB, 943
Menchini M, 362
Merritt RJ, 13
Merritt TA, 79, 1020, 1121
Merritt WT, 173, 872
Meschi F, 362
Meyer RA, 535, 552, 623
Middleton A, 145
Migeon CJ, 169
Miles J, 1039
Miller A, 605
Miller DR, 923
Miller ME, 1052
Miller RW, 1031
Milsap RL, 99

Mims LC, 284
Minagawa K, 479
Minde K, 933
Miser AW, 930
Miser JS, 930
Mitchell C, 681
Mitchell JE, 869
Mitchell M, 172
Miura H, 479
Mock DM, 878
Moffatt MEK, 426
Moller JH, 960
Monzon C, 1039
Moomjian AS, 908
Moore DH, 882
Moorthy B, 762
Moran JR, 590
Moriartey RR, 170
Morrow G III, 425
Morrow JD, 865
Moulaert AJMG, 88
Moylan FMB, 106
Mulligan JC, 898, 903
Munson D, 681
Murphy RJC, 110
Myers TF, 99

N

Nagappan N, 515
Nahmias AJ, 114
Nahmias AJ, 447
Naidich TP, 279
Nankervis GA, 786
Narasimhan SL, 61
Navarro F, 435
Navarro J, 1037
Naylor EW, 653
Neff JM, 75
Nelson JD, 119, 331, 1089
Nelson RM, 295
Nelson WE, 1032
Neufeld MR, 685
New MI, 214
Newman AJ, 346
Newth CJ, 862
Newton B, 178
Nieburg PI, 869
Nightingale C, 1087
Nishi Y, 255
Noonan JA, 716
Norwood WI, 630
Nussbaum M, 517, 867
Nyhan WL, 1020

O

O'Connor M, 1098
O'Donnell M, 407
O'Donoghue PA, 903
Oestreich AE, 343
Ogra PL, 808
Oh W, 452, 460, 679
Oldham HN, 41
Oliveira MA, 775
Olness K, 505
Olsen GD, 983
Olson DL, 697
Olsson T, 711
O'Neill JA, 148
O'Neill PJ, 439
Opitz JM, 775
Orda S, 683
Orenstein DM, 952
Ortega JA, 502
Oski FA, 70
Özsoylu S, 165, 166, 287

P

Pachman LM, 226
Pai CH, 26
Painter MJ, 903
Palacio Mestres C, 153
Pang EJM, 166
Paquin LA, 669
Paré C, 435
Parke JC Jr, 429
Partin JC, 545
Patil KD, 271
Paul TD, 653
Pavlakis SG, 874
Pearson HA, 199, 466, 857, 1045
Peckham GJ, 176
Pelton SI, 1081
Pereira WV, 403
Pérez Martinez A, 153
Perkin RM, 721
Perman JA, 878
Perricelli A, 605
Peter G, 874, 946
Peterson DR, 784
Pettett G, 174
Pickering LK, 757
Piper J, 505
Pitlick P, 318
Pittard WB, 781
Pohlandt F, 921
Poley JR, 412
Polinsky MS, 335
Pollack MM, 274
Pollak CP, 645
Polmar S, 575
Polychronakos C, 1009
Powell DA, 268
Powers P, 769
Prebis J, 635
Prensky AL, 279
Preston D, 635
Provisor AJ, 669
Purtilo DT, 669
Putnam TI, 808
Puzzovio M, 362

Q

Quintiliani R, 1087
Qureshi IA, 470

R

Rabe EF, 485
Radde IC, 252
Raifman MA, 517
Raju TNK, 860
Ramsay NKC, 1027
Rao S, 166
Rauh JL, 746
Ravindranath Y, 814
Ray CG, 177, 912
Reed TP, 274
Reichert TJ, 731
Reitz BA, 318
Reveri M, 171
Reidenberg MM, 99
Rhodes KH, 824
Rhodes PG, 249
Richards GA, 1094
Riddlesberger K, 808
Riha M, 711
Riley JP, 559
Riley WJ, 347, 357, 918
Ripley J, 933
Ritchey AK, 199
Roberts GD, 824
Robertson WC, 956
Robinow M, 685, 952
Robinson JD, 1094
Robinson RG, 66
Robson AM, 882
Rodés J, 435
Roesel RA, 284
Rogers LW, 148
Romshe CA, 127
Rooks Y, 199, 857
Root AW, 168
Rose GM, 882
Rose PG, 393
Rosen G, 923
Rosenbloom AL, 347, 357, 918
Rosenfeld W, 735, 879
Rosenfield RL, 347, 783
Rosenthal P, 278, 878
Rosman NP, 235
Rosselin G, 1037
Rossetti F, 950
Rossini M, 468
Roth KS, 845
Rothman R, 845
Rothstein G, 316
Rothstein RRL, 171
Royal JE, 243
Rudd S, 742
Rudman D, 132
Rudolph AM, 94
Ruebner B, 68
Russo JC, 65, 151
Ryan TM, 64

S

Sack DA, 20
Saenger P, 214
Sagy M, 683
Salassa RM, 783
Salazar D, 735
Sample WF, 407
Sandborg C, 66
Sann L, 691
Sansa M, 289
Santos JI, 345
Sarnaik S, 1005
Sarti DA, 407
Say B, 950
Scanlon JW, 108
Schaad UB, 119
Schaeffer H, 735
Schanler RJ, 679
Schechter MS, 1124
Schentag JJ, 325
Schick JB, 727
Schiffman G, 264
Schmidt H, 778
Schochet SS Jr, 244
Schoen EJ, 171
Schreiner RL, 1071
Schubert W, 952
Schubert WK, 519
Schut L, 687
Schwartz E, 214
Schwartz JG, 908
Schwartz RP, 429
Scott PH, 282
Seehan MB, 249
Seeler RA, 243
Segal S, 62
Segal S, 441, 845
Segall ML, 727
Seldin EB, 106
Sell EJ, 473
Sellers B Jr, 737
Selstam U, 711
Setzer ES, 289
Severi F, 1120
Shackelford PG, 882
Shaffer TH, 908
Shannon DC, 106
Shapcott D, 968
Shapira Y, 165
Shaw A, 952
Shaywitz BA, 978

Shaywitz SE, 978
Shenker IR, 867
Sherman JM, 952
Shigeoka AO, 345
Shih VE, 72
Shope TC, 814
Shore RM, 393
Shosenberg N, 933
Shulman ST, 694
Schumate JB, 885
Shurin PA, 1081
Shutack JG, 908
Siassi B, 705
Siddiqui AR, 798
Siegel SE, 502
Siimes MA, 1040
Silink M, 145
Silka M, 952
Silva-Sosa M, 266
Simon FA, 785
Singer DB, 946
Singer JI, 559
Singer WD, 485
Singh M, 1020
Singsen BH, 657
Siriez J-Y, 470
Sirinavin S, 331
Slonim AE, 590
Slovis TL, 1005
Smith AL, 140
Smith B, 699
Smith DW, 777, 1052
Smith MF, 787
Smith PB, 559
Snodgrass PJ, 441
Snyder JD, 170
Snyder RD, 820
Sokol RJ, 60
Somani SM, 494, 1091
Sondheimer JM, 804
Sotelo-Avila C, 47
Sotos JF, 127
Spach MS, 41
Spanger J, 776
Speck WT, 927
Speert DP, 681
Sperling MA, 535
Sperling O, 850
Spitzer RE, 564
Sreissguth AP, 974
Stahnke N, 176
Stanley CA, 257
Stark RI, 301
Starling KA, 266
Starshak RJ, 344
Starshak RJ, 433
Statter M, 165
Steichen JJ, 305, 528
Stein R, 635
Steinherz PG, 923
Steinhoff MC, 611
Stelling MW, 887
Stephan MJ, 1052
Stern RC, 952
Steuber CP, 669
Stewart SR, 958
Stitzel AE, 564
Stockalosky JJ, 701
Stoll BJ, 114, 447
Stovring J, 820
Straub E, 776
Strauss RG, 345
Strayer FH, 569
Strub RJ, 305
Struck-Pierce S, 473
Stunkard AJ, 187
Sty JR, 344
Suchy FJ, 582
Sullivan JL, 669
Summer GK, 429
Summers CP, 1045
Sun M, 808
Sundell H, 148
Sureeratanan J, 490
Suskind RM, 13
Sweet AY, 110, 779
Sweetman L, 1020

T

Tanaka Y, 255
Tanphaichitr D, 490
Tanphaichitr P, 490
Taylor PM, 898, 903
Taylor R, 958
Tebbi CK, 575
Telander RL, 829
Thach BT, 219
Thach BT, 475
Thaler MM, 878
Thibadoux GM, 403
Thoene JG, 1043
Thomas GH, 662
Thompson E, 205
Thompson J, 933
Thompson T, 142
Thompson TR, 681
Tkachuck JY, 390
Todres ID, 106
Töllner U, 921
Tomarelli RM, 641
Tonkin I, 289
Tooley WH, 995
Torres C, 860
Trauner DA, 1020
Trefz FK, 778
Trueworthy RC, 266
Truog WE, 112
Tsang RC, 305, 528, 535
Tubergen D, 179
Tunnessen WW Jr, 751
Turner E, 68
Turner G, 837

U

Ulstrom RA, 701
Underwood LE, 397, 1079
Usui T, 255
Urban MD, 169

V

Vadapalli M, 879
Vain NE, 920
van Ertbruggen I, 88
Van Wyk JJ, 397, 1079
Vasquez M, 443
Vaughn B, 510
Vaze D, 346
Venglarcik JS, 1035
Vido L, 950
Vidyasagar D, 860
Vigneswaran R, 1121
Vileisis RA, 893
Visser VE, 1063
Vogel LC, 1047

W

Wagaman MJ, 908
Wald BR, 502
Walker DH, 268
Wang W-LL, 343
Wannamaker LW, 374, 681
Washington LA, 857
Waters SM, 36
Waxman M, 187
Weaver DD, 990
Weber FT, 357
Weetman RM, 262
Weinberger M, 344
Weinstein AJ, 61
Weinstein MR, 452, 460
Weiss E, 1123
Weiss KE, 869
Weitz R, 850
Weitzman ED, 645
Welliver RC, 808
Wells DH, 170
Wells HH, 865
Wells RJ, 262
Werlin SL, 344
Werlin SL, 433
White CL, 1121
Whitfield JM, 1121
Whitsett JA, 600
Whitten CF, 1005
Wickliffe C, 114
Wiegand C, 142
Wiener F, 958
Wilimas J, 205
Wilimas JA, 439
Williams JC, 279
Williams KO, 502
Williams ML, 70
Williams RG, 630
Willig RP, 176
Willis J, 235
Wilson JL, 174
Wilson R, 170
Wilson SL, 219
Wilson TA, 685
Wong DL, 956
Wong KY, 569
Woodrum DE, 140
Wright PF, 271
Wyllie R, 798

Y

Yadav M, 515
Yang W, 441, 845
Yawn D, 669
Ying W, 923
Yogev R, 771, 778
Yoshida Y, 540
Yost RL, 1094
Yudkoff M, 62
Yudkoff M, 441
Yunis JJ, 1027

Z

Zacchello F, 950
Zachmann M, 515
Zeller RS, 1057
Zellweger H, 674
Ziemniak JA, 1087

*Subject index**

A

Abscess, brain, and cystic fibrosis (Sherman et al) (Letter), 952
Abstracts, Midwest Society for Pediatric Research, 156, 1105
Abuse, child—uncommon type of (Simon) (Letter), 785
Acetaminophen and aspirin, dosage of (Schechter) (Letter), 1124
Achondroplasia, choanal atresia with (Letter), (Oestreich), 343
Acid, folic, deficiency and hypotonia (Özsoylu) (Letter), 165; (Magnus) (Letter), 165; (Shapira and Statter) (Reply), 165
  response, serum bile, to test meal stimulus: Sensitive test of ileal function (Balistreri et al), 582
Acidemia, biotin-responsive organic: Holocarboxylase synthetase deficiency (Roth et al), 845
  vitamin B_{12}-responsive methylmalonic—long-term management of patient with (Morrow and Burkel) (BCLO), 425
Acidosis associated with dietotherapy of maple syrup urine disease (Foreman et al) (BCLO), 62
  diabetic—cerebral hypoxia from bicarbonate infusion in (Bureau et al), 968
Aciduria, glutaric, type II (Sweetman et al), 1020
  neonatal argininosuccinic—survival after early diagnosis and dietary management (Collins et al) (BCLO), 429
Acrodermatitis enteropathica without hypozincemia: Therapeutic effect of pancreatic enzyme preparations due to zinc-binding ligand (Krieger and Evans), 32
ACTH therapy—effect on infantile spasms (Singer et al), 485
Adenocarcinoma of colon following Wilms tumor (Opitz) (Letter), 775
Adenoma, β-cell, in neonate—somatostatin treatment of insulin excess due to (Kitson et al) (BCLO), 145
Adenovirus infection and pertussis-like syndrome (Keller) (Letter), 177; (Harrison and Ray) (Reply), 177
Adenylate deaminase deficiency in hypotonic infant (Shumate et al) (BCLO), 885
Adolescence—secondary sex characteristics of girls 12 to 17 years of age: U.S. Health Examination Survey (Harlan et al), 1074
Adolescent(s) and children with Turner syndrome—carbohydrate intolerance in (Polychronakos et al), 1009
  pediatric patients, obese—consequences of modified fasting in. I. Protein-sparing modified fast (Merritt et al), 13
  at risk identified for noncompliance with contraceptive therapy (Litt et al), 742
  population—experience with copper 7 intrauterine device in (Kulig et al), 746
  with diabetes—malignant external otitis in (Merritt et al) (BCLO), 872
Adrenal suppression and cushingoid changes secondary to dexamethasone nose drops (Heroman et al) (BCLO), 500
Age(s) at which values become equivalent to those of term infants: Red blood cell values in LBW infants (Lundström and Siimes) (BCLO), 1040
  dependent sensitivity of lamb ductus arteriosus to indomethacin and prostaglandins (Clyman et al), 94
Agglutination, latex—rapid detection of neonatal group B streptococcal infections by (Bromberger et al) (BCLO), 104
  test, latex, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
  for sensitivity and specificity of antibodies to streptococcal extracellular antigens: Quantitative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
Aicardi syndrome in a male infant (Curatolo et al) (BCLO), 286
  vs congenital infection: Diagnostic considerations (Willis and Rosman), 235
Airway obstruction disease, reversible, from cough suppression complicating childhood depression (Andersen and Mellins) (BCLO), 943
Alcoholic mothers—behavior and learning difficulties in children of normal intelligence born to (Shaywitz et al), 978
  women who abstained during pregnancy—decreased birth weight in infants of (Little et al), 974
Alkaline phosphatase activity, leukocyte, re infection (Bender) (Letter), 167; (Donato et al) (Reply), 168
Alkalosis, hypochloremic, associated with soy protein formula (Linshaw et al), 635
Amikacin—successful treatment of *Nocardia asteroides* infection with (Yogev et al) (BCLO), 771
Amino acid solutions containing multivitamins—effect of phototherapy on (Bhatia et al) (BCLO), 284
Amniotic fluid fluorescence polarization value as a predictor of respiratory distress syndrome (Stark et al), 301
Ampicillin compared with sulfamethoxazole-trimethoprim in treatment of acute otitis media (Shurin et al), 1081
  sensitive and ampicillin-resistant *H. influenzae* from blood—simultaneous recovery of (Letter) (Beckwith), 954
Anemia, Heinz body hemolytic, from use of methylene blue in neonates (Kirsch and Cohen) (BCLO), 276
  iron deficiency—Factor VIII procoagulant activity in (Özsoylu and Gürsel) (BCLO), 287
  sickle cell, and SLE (Luban et al) (Letter), 1120
    —antibody responses to polyvalent pneumococcal vaccine in infants with (Buchanan and Schiffman) (BCLO), 264
    —pre- and postnatal growth and development in (Kramer et al) (BCLO), 857

*January, pp 1-178; February, pp 179-348; March, part 1, pp 349-518; March, part 2, pp 519-610; April, pp 611-788; May, pp 789-960; June, pp 961-1124.

Anemia, sickle cell—Cont'd
stroke, and transfusion—commentary (Seeler and Royal) (Editor's Column), 243
using ultrasonic gray-scale techniques—incidence of cholelithiasis in (Sarnaik et al), 1005
Anesthesia and intubation in infants—intracranial pressure during (Raju et al) (BCLO), 860
Anemia, hemolytic, following a wasp sting (Monzon and Miles) (BCLO), 1039
hyperleukocytosis, and metabolic abnormalities in patient with leukemia—exchange transfusion as treatment for (Kamen et al) (BCLO), 1045
A/New Jersey/76 influenza virus immunization, antibody decline following (Lerman et al) (BCLO), 271
Anion gap, cerebrospinal fluid, in meningitis (Pavlakis et al) (BCLO), 874
Aniridia-Wilms tumor syndrome with deletion 11p13-14.1—familial occurrence of (Yunis and Ramsay), 1027
Anomalies, associated, and choanal atresia (Friedman et al) (Letter), 1123
limb reduction, and early in utero limb compression (Graham et al), 1052
minor congenital, and behavior in different home environments (LaVeck et al) (BCLO), 940
other, and cyclopia following maternal infestion of salicylates (Benawra et al) (BCLO), 1069
Anorexia nervosa, cerebral atrophy in (Nussbaum et al) (BCLO), 867
Antibody(ies), anti-glomerular basement membrane—diagnosis of hereditary nephritis by failure of glomeruli to bind (Olson et al) (BCLO), 697
decline following A/New Jersey/76 influenza virus immunization (Lerman et al) (BCLO), 271
response to primary and secondary infection with respiratory syncytial virus: Kinetics of class-specific responses (Welliver et al), 808
to polyvalent pneumococcal vaccine in infants with sickle cell anemia (Buchanan and Schiffman) (BCLO), 264
role of, directed against double-stranded DNA in manifestations of systemic lupus erythematosus (Lehman et al), 657
thyroid—lack of influence on thyroid function in newborn infant and on mass screening program for congenital hypothyroidism (Dussault et al), 385
to streptococcal extracellular antigens—sensitivity and specificity of agglutination test for: Quantitative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
type-specific group B streptococcal—prevalence in pregnant women (Vogel et al), 1047
Antidiuretic hormone, inappropriate secretion of, and effect of lithium in its treatment (Casado de Frias et al) (BCLO), 153
Antigen(s), group B streptococcal—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
streptococcal extracellular—sensitivity and specificity of agglutination test for antibodies to: Quantitative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
Antithrombin III and plasminogen deficiencies and nephrotic syndrome associated with plasminogenuria and antithrombinuria (Lau et al), 390
Antithrombinuria and plasminogenuria—antithrombin III and plasminogen deficiencies in nephrotic syndrome associated with (Lau et al), 390
Aplasia cutis congenita: Cutaneous marker of occult spinal dysraphism (Higginbottom et al) (BCLO), 687
Apnea, idiopathic, of prematurity—low-dose theophylline therapy in (Myers et al), 99
obstructive sleep, and death associated with surgical correction of velopharyngeal incompetence (Kravath et al), 645
Appendicitis, neonatal, masquerading as necrotizing enterocolitis (Kwong and Dinner) (BCLO), 917
Arginine stimulation in diabetic children, C-peptide response to (Menchini et al), 362
Argininosuccinic aciduria, neonatal—survival after early diagnosis and dietary management (Collins et al) (BCLO), 429
Arterial oxygen tension during nasogastric feeding in preterm infant (Herrell et al) (BCLO), 914
Arteriosus, ductus, in preterm infant: Histologic and clinical observations (Gittenberger-de Groot et al), 88
patent ductus—contribution in neonate with severe RDS (Jacob et al), 79
impedance cardiographic assessment of symptomatic (Cotton et al), 711
outcome following closure in preterm infants (Kilbride et al) (Letter), 1121; (Merritt and White) (Reply), 1121
Artery catheterization, bedside pulmonary (Pollack et al) (BCLO), 274
temporal—neurologic complications following (Bull et al) (BCLO), 1071
catheters, umbilical—new graph for insertion of (Rosenfeld et al) (BCLO), 735
distention, main pulmonary: Potential mechanism for acute pulmonary hypertension in human newborn infant (Baylen et al), 540
Arthritis, episodic, in cystic fibrosis (Vaze) (Letter), 346; (Newman and Ansell) (Reply), 346
Arthrogryposis multiplex congenita and primary pulmonary phyoplasia (Leichtman et al) (Letter), 950
Aseptic meningitis, enteroviral, epidemic of—management of CNS infections during (Singer et al), 559
Asphyxia, neonatal. I. Relationship of obstetric and neonatal complications to neonatal mortality in 38,405 consecutive deliveries (MacDonald et al), 898
II. Neonatal mortality and long-term sequelae (Mulligan et al), 903
perinatal, and mycocardium (Lees) (Editor's column), 675
in preterm infants—cardiogenic shock associated with (Cabal et al), 705
Aspiration, duodenal, stool examinations, and pediatric Enterotest for giardiasis—comparative study of (Rosenthal and Liebman) (BCLO), 278
percutaneous transtracheal, in diagnosis and treatment of aspiration pneumonia (Brook), 1000
syndromes, perinatal—thrombocytopenia and pulmonary hypertension in (Segall et al), 727
Aspirin and acetaminophen, dosage of (Schechter) (Letter), 1124
dosage of (Wong) (Letter), 956; (Done) (Reply), 957
Asthma, acute severe—management of (Leffert), 1

Asthmaticus, status—corticosteroids in (Kattan et al), 596
Atresia, biliary, and Kasai operation: Continuing care (Barkin and Lilly), 1015
choanal, and associated anomalies (Friedman et al) (Letter), 1123
with achondroplasia (Letter), (Oestreich), 343
pyloric, and cutaneous scarring—unusual case of epidermolysis bullosa hereditaria letalis (Adashi et al) (BCLO), 443
Atrioventricular pathway, accessory, in infant; Prediction of location with body surface maps and ablation with cryosurgery (Benson et al), 41
Atrophy, cerebral, in anorexia nervosa (Nussbaum et al) (BCLO), 867
Auditory function in newborn intensive care unit patients revealed by auditory brain-stem potentials (Marshall et al), 731
Autopsy population, neonatal, papillary muscle necrosis in: Incidence and associated clinical manifestations (Setzer et al), 289

B

Bacitracin disc on primary throat culture plate—identification of group A streptococci with (Lyerly et al) (BCLO), 431
Bacteremia, oxacillin-tolerant staphylococcal (Hilty et al) (BCLO), 1035
Salmonella, in first year of life (Hyams et al) (BCLO), 57
Bacterial endocarditis, failure of prophylaxis for: American Heart Association registry (Bisno et al) (Letter), 775
meningitis—computed tomography in (Stovring and Snyder), 820
toxin and neonatal necrotizing enterocolitis (Stoll et al) (BCLO), 114
Bactericidal activity of PMNs of neonates (Letter), (Strauss), 345; (Reply) (Shigeoka et al), 345
Bacteriologic, clinical, and epidemiologic features—prospective study of: Yersinia enterocolitica gastroenteritis (Marks et al), 26
Basement membrane antibodies, anti-glomerular—diagnosis of hereditary nephritis by failure of glomeruli to bind (Olson et al) (BCLO), 697
Beckwith-Wiedemann syndrome, complete and incomplete forms of: Their oncogenic potential (Sotelo-Avila et al), 47
Behavior and learning difficulties in children of normal intelligence born to alcoholic mothers (Shaywitz et al), 578
minor congenital anomalies in different home environments (LaVeck et al) (BCLO), 940
β cell adenoma to neonate—somatostatin treatment of insulin excess due to (Kitson et al) (BCLO), 145
thalassemia, depressed serum somatomedin activity in (Saenger et al), 214
Bethanechol used in treatment of gastroesophageal reflux (Euler), 321
Bicarbonate infusion in diabetic acidosis—cerebral hypoxia from (Bureau et al), 968
Bile acid response, serum, to test meal stimulus: Sensitive test of ileal function (Balistreri et al), 582
Biliary atresia and Kasai operation: Continuing care (Barkin and Lilly), 1015
Bilirubin concentrations, free, and bilirubin-binding affinity in term and preterm infants (Cashore), 521
transport in the newborn infant, reviewed with relation to kernicterus (Brodersen), 349
Biochemical and ultrasonic diagnosis of pancreatitis (Cox et al), 407
Biofeedback: New modality in management of children with fecal soiling (Olness et al), 505
Biopsy, skin, in diagnosis of Rocky Mountain spotted fever (Linnemann) (Letter), 781; (Fleisher) (Reply), 782
Biotin-responsive organic acidemia: Holocarboxylase synthetase deficiency (Roth et al), 845
Birth defects and cancer due to small chromosomal deletions (Miller) (Editor's column), 1031
Blood cell values, red, in LBW infants: Ages at which values become equivalent to those of term infants (Lundström and Siimes) (BCLO), 1040
hemoglobin SC—death following transfusion with (Murphy et al) (BCLO), 110
pressure—radial nerve palsy in premature infant following long-term measurement of (Töllner et al), 921
simultaneous recovery of ampicillin-sensitive and ampicillin-resistant *H. influenzae* from (Letter) (Beckwith), 954
Body surface maps, prediction of location with, and ablation with cryosurgery: Accessory atrioventricular pathway in infant (Benson et al), 41
Bolus versus no bolus: low-dose insulin infusion in treatment of diabetic ketoacidosis (Fort et al), 36
Bone mineral status in growth hormone deficiency (Shore et al), 393
Brain abscess and cystic fibrosis (Sherman et al) (Letter), 952
dead, research on (Fost) (Editor's column), 54
Brain-stem potentials, auditory—auditory function in newborn intensive care unit patients revealed by (Marshall et al), 731
Breast milk—neonatal hypernatremia associated with elevated sodium concentration of (Anand et al) (BCLO), 66
obtained from mothers of premature infants as compared to breast milk obtained from donors—composition of (Schanler and Oh) (BCLO), 679
Bronchial obstruction, selective, for treatment of bullous interstitial emphysema (Mathew and Thach) (BCLO), 475
Bronchomalacia, segmental, associated with pectus excavatum (Godfrey), 649
Bronchus, left mainstem, in newborn infants—intubation of: New technique (Georgeson and Vain) (BCLO), 920
Budd-Chiari syndrome due to membranous obstruction of inferior vena cava (Cabrera et al) (BCLO), 435
Bullous interstitial emphysema—selective bronchial obstruction for treatment of (Mathew and Thach) (BCLO), 475

C

Caffeine and theophylline: Serum/CSF correlation in premature infants (Somani et al) (BCLO), 1091
serum, and theophylline concentrations in premature infants—use of salivary concentrations in prediction of (Khanna et al), 494
Calcified nodules on heel: Complication of neonatal intensive care (Sell et al) (BCLO), 473
Calcium cholecystitis, milk of (Beauregard and Ferguson) (BCLO), 876
homeostasis and parathyroid hormone, effect on: Neonatal hypermagnesemia (Donovan et al), 305
supplemented very low-birth-weight infant, vitamin D deficiency in (Cifuentes et al) (BCLO), 252
Caloric intake and expenditure of obese boys (Waxman and Stunkard), 187

Campylobacter infections in human beings (Blaser and Wang) (Letter), 343
Cancer and birth defects due to small chromosomal deletions (Miller) (Editor's column), 1031
colon, after Wilms tumor (Li) (Letter), 954
Carbohydrate intolerance in children and adolescents with Turner syndrome (Polychronakos et al), 1009
Carbon dioxide–ventilatory response of infants following chronic prenatal methadone exposure (Olsen and Lees), 983
Cardiac septal hypertrophy in hyperinsulinemic infants (Breitweser et al), 535
surgery, corrective–hemodynamic effects of dopamine in infants after (Lang et al), 630
Cardiogenic shock associated with perinatal asphyxia in preterm infants (Cabal et al), 705
Cardiographic assessment, impedance, of symptomatic patent ductus arteriosus (Cotton et al), 711
Care, infant: Cache or carry (Jelliffe) (Letter), 1122; (Lozoff) (Reply), 1122
neonatal intensive–complication of: Calcified nodules on heel (Sell et al) (BCLO), 473
unit, newborn intensive, patients–auditory function revealed by auditory brain-stem potentials (Marshall et al), 731
Carnitine deficiency, systemic, simulating recurrent Reye syndrome (Glasgow et al) (BCLO), 889
Caroli disease, diagnosis of (Starshak et al) (Letter), 344
Catecholamine concentrations, plasma, in infants at birth and during first 48 hours of life (Eliot et al), 311
Catheterization, bedside pulmonary artery (Pollack et al) (BCLO), 274
temporal artery–neurologic complications following (Bull et al) (BCLO), 1071
umbilical–unusual complication of: Wharton jelly embolism (Abramowsky et al) (BCLO), 739
Catheters, umbilical artery–new graph for insertion of (Rosenfeld et al) (BCLO), 735
Cefaclor and cefadroxil: Commentary on their properties and possible indications for use in pediatrics (Ginsburg and McCracken) (Commentary), 340
Cefadroxil and cefaclor: Commentary on their properties and possible indications for use in pediatrics (Ginsburg and McCracken) (Commentary), 340
Cefazolin in renal insufficiency (Hiner et al), 335
Cell(s) anemia, sickle, using the ultrasonic gray-scale technique–incidence of cholelithiasis in (Sarnaik et al), 1005
and SLE (Luban et al) (Letter), 1120
antibody responses to polyvalent pneumococcal vaccine in infants with (Buchanan and Schiffman) (BCLO), 264
pre- and postnatal growth and development in (Kramer et al) (BCLO), 857
stroke and transfusion–commentary (Seeler and Royal) (Editor's column), 243
β-, adenoma in neonate–somatostatin treatment of insulin excess due to (Kitson et al) (BCLO), 145
disease, sickle–abnormalities of platelet aggregation in (Mehta and Mehta), 209
and cerebrovascular accidents–efficacy of transfusion therapy for 1-2 years with (Wilimas et al), 205
during painful crisis and asymptomatic periods–humoral components of host defense in (Bjornson et al) (BCLO), 259
fever in young children with (McIntosh et al), 199
Cell(s)–Cont'd
human milk–chemotaxis and random migration of (Khan et al) (BCLO), 879
red blood–sodium influx into: Liddle syndrome (Etzioni) (Letter), 959; (Hyman) (Reply), 959
values, red blood, in LBW infants: Ages at which values become equivalent to those of term infants (Lundström and Siimes) (BCLO), 1040
Cellular, extra-, antigens, streptococcal–sensitivity and specificity of agglutination test for antibodies to: Quantitative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
response to respiratory viruses with particular reference to children with disorders of cell-mediated immunity (Fishaut et al), 179
Cellulitis, erysipelas-like scalp, due to *H. influenzae* type B (Sokol and Bowden) (BCLO), 60
scrotal, and enterocolitis in Hirschprung disease (Donzelli et al) (Letter), 950
Cerebral atrophy in anorexia nervosa (Nussbaum et al) (BCLO), 867
edema complicating diabetic ketoacidosis (Rosenbloom et al), 357
gigantism and thyrotoxicosis (Wilson et al) (BCLO), 685
hypoxia from bicarbonate infusion in diabetic acidosis (Bureau et al), 968
Cerebrospinal fluid anion gap in meningitis (Pavlakis et al) (BCLO), 874
/serum correlation in premature infants: Caffeine and theophylline (Somani et al) (BCLO), 1091
shunt infections; rifampin for (Bayston) (Letter), 785; (Marker) (Reply), 786
Cerebrovascular accidents and sickle cell disease–efficacy of transfusion therapy for 1-2 years in patients with (Wilimas et al), 205
Charcoal-column hemoperfusion–treatment of infant with severe chloramphenicol intoxication using (Mauer et al), 136
Chemotaxis and random migration of human milk cells (Khan et al) (BCLO), 879
neutrophil, in preterm infants with infections (Laurenti et al) (BCLO), 468
Chemotherapy, chylophosphamide, dactinomycin, and vincristine, for recurrent metastatic Wilms tumor in previously treated children (Ortega et al) (BCLO), 502
effect of lithium carbonate on leukopenia after (Steinherz et al), 923
radiation nephritis with hypertension and hyperreninemia following: Cure by nephrectomy (Dhaliwal et al) (BCLO), 68
Chlorambucil in histiocytosis X: Southwest Oncology Group study (Starling et al) (BCLO), 266
Chloramphenicol intoxication, severe–treatment of infant with charcoal-column hemoperfusion (Mauer et al), 136
preparations, two–clinical pharmacology of: Sodium succinate (iv) and palmitate (oral) esters (Pickering et al), 757
toxicity in neonate treated with exchange transfusion (Kessler et al) (BCLO), 140
Choanal atresia and associated anomalies (Friedman et al) (Letter), 1123
with achondroplasia (Letter) (Oestreich), 343
Cholangitis, sclerosing (Werlin et al) (BCLO), 433

Cholecysitis, calcium–milk of (Beuregard and Ferguson) (BCLO), 876
Cholelithiasis in 2-year-old child with reflex esophagitis and hiatus hernia (Mock et al) (BCLO), 878
incidence in sickle cell anemia using the ultrasonic gray-scale technique (Sarnaik et al), 1005
Cholera, oral therapy in: Comparison of sucrose and glucose electrolyte solutions (Sack et al), 20
Cholestatic jaundice, parenteral nutrition–associated–prospective controlled study of: Effect of protein intake (Vileisis et al), 893
Chromosomal deletions, cancer and birth defects due to (Miller) (Editor's column), 1031
Chromosome, X, abnormalities–effect of growth hormone and oxandrolone singly and together on growth rate in girls with (Rudman et al), 132
Cilia, respiratory, in immotile cilia syndrome–discovery of defects in (Goldman et al) (Editor's column), 244
Circulation, persistent fetal–hyperventilation in treatment of (McBride et al) (Letter), 174; (Finer and Entwistle) (Letter) 175; (Peckham) (Reply), 176
syndrome of persistent fetal, and hemorrhagic disease associated with fetal hydantoin syndrome (Truog et al) (BCLO), 112
Clitoral size in infancy (Riley and Rosenbloom) (BCLO), 918
Clostridia–role as pathogens in neonatal necrotizing enterocolitis (Smith et al) (Letter), 787; (Kliegman) (Reply), 788
CME, model for–Lee Forrest Hill: Lesson recorded (Nelson) (Editor's column), 1032
Coagulation, acquired inhibitors of, in nonhemophiliac children (Brodeur et al) (BCLO), 439
Colon, adenocarcinoma of, following Wilms tumor (Optiz) (Letter), 775
cancer after Wilms tumor (Li) (Letter), 954
Computed cranial tomography (Ferry), 961
tomography in childhood bacterial meningitis (Stovring and Snyder), 820
Congenital anomalies, minor, and behavior in different home environments (LaVeck et al) (BCLO), 940
hypothyrodism–lack of influence of thyroid antibodies on thyroid function in newborn infant and on mass screening program for (Dussault et al), 385
screening for (Schoen and Fefferman) (Letter), 171; (Fisher et al) (Reply), 172
Congenital infection vs Aicardi syndrome: Diagnostic considerations (Willis and Rosman), 235
pancreatic lipase deficiency (Figarella et al), 412
pericarditis due to maternal lupus erythematosus (Doshi et al) (BCLO), 699
rubella infection, subclinical, associated with maternal rubella vaccination in early pregnancy (Hayden et al) (BCLO), 869
Congestive heart failure–vasodilator therapy for (Dillon et al), 623
Contraceptive therapy–identifying adolescents at risk for noncompliance with (Litt et al), 742
Contractures in newborn infant of mother with myasthenia gravis (Holmes et al) (BCLO), 1067
Convulsions, benign, in infancy (Gross et al) (Letter), 952
Copper deficiency, nutritional, in Japanese infant on formula (Tanaka et al) (BCLO), 255
7 intrauterine device in adolescent population, experience with (Kulig et al), 746
Cord serum from infants with intrauterine growth retardation–low somatomedin activity in (Foley et al), 605
Corticosteroids and racemic epinephrine with IPPB in treatment of croup (Bass et al) (Letter), 173
in status asthmaticus (Kattan et al), 596
Cough suppression complicating childhood depression–reversible airway obstructive disease from (Andersen and Mellins) (BCLO), 943
C-Peptide response to arginine stimulation in diabetic children (Menchini et al), 362
Cranial, intra-, hypertension and histiocytosis X (Jackson and Griffith) (Letter), 518
pressure during intubation and anesthesia in infants (Raju et al) (BCLO), 860
radiation–effects on hearing in children with acute lymphocytic leukemia (Thibadoux et al), 403
tomography, computed (Ferry), 961
Craniopharyngioma and Silver-Russell syndrome (Draznin et al) (BCLO), 887
precocious puberty after surgery for (Zachmann and Illig) (Letter), 515
Croup–corticosteroids and racemic epinephrine with IPPB in treatment of (Bass et al) (Letter), 173
definition of (Margolis) (Letter), 1123
steroid controversy: Analytic review of methodologic problems (Tunnessen and Feinstein), 751
Cryosurgery, ablation with, and prediction of location with body surface maps: Accessory atrioventricular pathway in infant (Benson et al), 41
CSF/serum correlation in premature infants: Caffeine and theophylline (Somani et al) (BCLO), 1091
CT abnormalities and pseudotumor cerebri, presentation with: MSUD (Mantovani et al) (BCLO), 279
scans–significance showing enlarged ventricles and sulci (Donat) (Letter), 956; (Reply) (Robertson), 956
C3/C3b regulatory protein in normal human serum, catheterization of (Spitzer et al), 564
Culture plate, primary throat–identification of group A streptococci with bacitracin disc on (Lyerly et al) (BCLO), 431
Cushing disease, growth retardation in (Rosenfield) (Letter), 783; (McArthur et al) (Reply), 783
Cushingoid changes and adrenal suppression secondary to dexamethasone nose drops (Heroman et al) (BCLO), 500
Cutaneous marker of occult spinal dysraphism: Aplasia cutis congenita (Higginbottom et al) (BCLO), 687
per-, transtracheal aspiration in diagnosis and treatment of aspiration pneumonia (Brook), 1000
scarring and pyloric atresia–unusual case of epidermolysis bullosa hereditaria letalis (Adashi et al) (BCLO), 443
Cyclophosphamide, dactinomycin, and vincristine chemotherapy for recurrent metastatic Wilms tumor in previously treated children (Ortega et al) (BCLO), 502
Cyclopia and other anomalies following maternal ingestion of salicylates (Benawra et al) (BCLO), 1069
Cystathioninuria and its origin in children with hepatoblastoma (Geiser and Shih) (BCLO), 72
Cystic fibrosis and brain abscess (Sherman et al) (Letter), 952
selenium (Hubbard et al) (Editor's column), 421
episodic arthritis in (Vaze) (Letter), 346; (Newman and Ansell) (Reply), 346
isolation of rapidly growing mycobacteria in patients with (Boxerbaum) (BCLO), 689

Cystic fibrosis—Cont'd
malabsorption of medium-chain triglycerides in infants with: Correction with pancreatic enzyme supplements (Durie et al) (BCLO), 862
Cystine depletion of cystinotic tissues by phosphocysteamine (WR638) (Thoene and Lemons) (BCLO), 1043.

D

Dactinomycin, vincristine, and cyclophosphamide chemotherapy for recurrent metastatic Wilms tumor in previously treated children (Ortega et al) (BCLO), 502
DDAVP—effects of swimming on diabetes insipidus treated with (Haberfellner) (Letter), 346; (Riley and Rosenbloom) (Reply), 347
Death syndrome, sudden infant, in infants of drug-dependent mothers (Peterson) (Letter), 784; (Chavez) (Reply), 784
Defects, birth, and cancer due to small chromosomal deletions (Miller) (Editor's column), 1031
Dentition, defective primary, in survivors of neonatal mechanical ventilation (Moylan et al) (BCLO), 106
Deoxyribonuclease B, anti-, and anti-streptolysin O tests—quantitative analysis and comparison of Streptozyme test with: Sensitivity and specificity of agglutination test for antibodies to streptococcal extracellular antigens (Kaplan and Huwe), 367
Depression, childhood—reversible airway obstructive disease from cough suppression complicating (Andersen and Mellins) (BCLO), 943
Dermatomyositis, juvenile: Clinical and immunologic study (Pachman and Cooke), 226
Development and growth, pre- and postnatal, in sickle cell anemia (Kramer et al) (BCLO), 857
normal—ornithine transcarbamylase deficiency in boy with (Yudoff et al) (BCLO), 441
of splenic reticuloendothelial function in neonates (Freedman et al) (BCLO), 466
Dexamethasone nose drops—adrenal suppression and cushingoid changes secondary to (Heroman et al) (BCLO), 500
Diabetes, adolescent with—malignant external otitis in (Merritt et al) (BCLO), 872
insipidus treated with DDAVP, effects of swimming on (Haberfellner) (Letter), 346; (Riley and Rosenbloom) (Reply), 347
Diabetic acidosis—cerebral hypoxia from bicarbonate infusion in (Bureau et al), 968
children—C-peptide response to arginine stimulation in (Menchini et al), 362
ketoacidosis complicated by cerebral edema (Rosenbloom et al), 357
low-dose insulin infusion in treatment of: Bolus versus no bolus (Fort et al), 36
Diapers to diaper rashes, relationship of (Jordan) (Letter), 957; (Klein) (Letter), 958; (Wiener) (Reply), 958
Diarrhea, lactose-intolerance, in rats—effect of kaolin-pectin absorbent on stool losses of sodium, potassium, and fat during (McClung et al) (BCLO), 769
Dietary management and early diagnosis, survival after—neonatal argininosuccinic aciduria (Collins et al) (BCLO), 429
Dietotherapy of maple syrup urine disease—acidosis associated with (Foreman et al) (BCLO), 62
DiGeorge syndrome, spectrum of (Carey) (Letter), 955
1,25-Dihydroxycholecalciferol, end-organ unresponsiveness to: Vitamin D–resistant rickets (Sockalosky et al) (BCLO), 701
Diphenylhydantoin, Michaelis-Menten pharmacokinetics of, and application in pediatric patient (Chiba et al), 479
Disease *see* specific disease
Distention, main pulmonary artery: Potential mechanism for acute pulmonary hypertension in human newborn infant (Baylen et al), 540
DNA, double-stranded, in manifestations of systemic lupus erythematosus—role of antibodies directed against (Lehman et al), 657
Dopamine—hemodynamic effects in infants after corrective cardiac surgery (Lang et al), 630
Drug-dependent mothers, SIDS in infants of (Peterson) (Letter), 784; (Chavez) (Reply), 784
Ductus arteriosus in preterm infant: Histologic and clinical observations (Gittenberger de Groot et al), 88
lamb, age-dependent sensitivity to indomethacin and prostaglandins (Clyman et al), 94
shunts, right-to-left, and serum salicylate levels in newborn infants with persistent pulmonary hypertension (Perkin et al), 721
Duodenal aspriation, stool examinations, and pediatric Entero-Test for giardiasis—comparative study of (Rosenthal and Liebman) (BCLO), 278
Dysautonomia, familial, associated with recurrent osteomyelitis in a non-Jewish girl (Klebanoff and Neff) (BCLO), 75
Dysraphism, occult spinal—cutaneous marker of: Aplasia cutis congenita (Higginbottom et al) (BCLO), 687
Dystrophpy, osteo-chondro-muscular (Schwartz-Jampel syndrome), immunologic profile of (Stewart et al) (Letter), 958

E

Ear fluid, middle, with chronic serous otitis media—penetration characteristics of trimethoprim-sulfamethoxazole in (Klimek et al) (BCLO), 1087
Echocardiography in hypoxemic neonatal pulmonary disease (Johnson et al), 716
—management of infective endocarditis using (Dillon et al), 552
Edema, cerebral, complicating diabetic ketoacidosis (Rosenbloom et al), 357
Educational program—evaluation on compliance of medication regimens with renal transplants (Beck et al), 1094
Electrolyte-glucose solutions, oral—role in hydration for children—international and domestic aspects (Finberg) (Editor's column), 51
solutions, glucose and sucrose, compared: Oral therapy with cholera (Sack et al), 20
Embolism, Wharton jelly: Unusual complication of umbilical catheterization (Abramowsky et al) (BCLO), 739
Emphysema, bullous interstitial—selective bronchial obstruction for treatment of (Mathew and Thach) (BCLO), 475
Endobronchitis, nontuberculous mycobacterial (Powell and Walker) (BCLO), 268
Endocarditis, bacterial—failure of prophylaxis for: American Heart Association registry (Bisno et al) (Letter), 775
infective, due to a nutritionally deficient streptococcus (Narasimhan and Weinstein) (BCLO), 61

Endocarditis, infective—Cont'd
—management of, using echocardiography (Dillon et al), 552
Enterocolitis and scrotal cellulitis in Hirschprung disease (Donzelli et al) (Letter), 950
necrotizing—epidemiology of: Case control study (Stoll et al), 447
—incidence of (Wilson et al) (Letter), 170; (Wells) (Letter), 170; (Finer and Moriartey) (Reply), 170
—neonatal appendicitis masquerading as (Kwong and Dinner) (BCLO), 917
neonatal necrotizing, and bacterial toxin (Stoll et al) (BCLO), 114
—role of clostridia as pathogens in (Smith et al) (Letter), 787; (Kliegman) (Reply), 788
Entero-Test, pediatric, duodenal aspriation, and stool examinations for giardiasis—comparative study of (Rosenthal and Liebman) (BCLO), 278
Enteroviral aseptic meningitis, epidemic of—management of CNS infections during (Singer et al), 559
Environment(s), different home—minor congenital anomalies and behavior in (LaVeck et al) (BCLO), 940
thermal—effects on heat balance and insensible water loss in LBW infants (Bell et al), 452
Enzyme preparations, pancreatic, due to zinc-binding ligand—therapeutic effect of: Acrodermatitis enteropathica without hypozincemia (Krieger and Evans), 32
supplements, pancreatic—corrections with: Malabsorption of medium-chain triglycerides in infants with cystic fibrosis (Durie et al) (BCLO), 862
Eosinophils in graulopoiesis, role of. I. Eosinophilia in neutropenic patients (Tebbi et al), 575
Epidemic influenza myopathy in Cincinnati in 1977 (Farrell et al), 545
of enteroviral aseptic meningitis—management of CNS infections during (Singer et al), 559
Epidemiologic, clinical, and bacteriologic features, prospective study of: *Yersinia enterocolitica* gastroenteritis (Marks et al), 26
Epidemiology of necrotizing enterocolitis: Case control study (Stoll et al), 447
Epidermolysis bullosa hereditaria letalis, unusual case of, with cutaneous scarring and pyloric atresia (Adashi et al) (BCLO), 443
Epiphysis, slipped capital femoral, and hypothyroidism (Fisher et al) (Letter), 517; (Harris) (Reply), 517
Epinephrine, racemic, and corticosteroids with IPPB in treatment of croup (Bass et al) (Letter), 173
Eponyms—in defense of chaos (Robinow and Shaw) (Letter), 952
Erysipelas-like scalp cellulitis due to *H. influenzae* type b (Sokol and Bowden) (BCLO), 60
Esophageal pH, distal—continuous monitoring of: Diagnostic test for gastroesophageal reflux in infants (Sondheimer), 804
Esophagitis, reflux, and hiatus hernia—cholelithiasis in 2-year-old child with (Mock et al) (BCLO), 878
Esters, sodium succinate (iv) and palmitate (oral): Clinical pharmacology of two chloramphenicol preparations (Pickering et al), 757
Ethical dilemmas in perinatal medicine (Berseth and Ariagno) (Letter), 951
Exchange transfusion as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patient with leukemia (Kamen et al) (BCLO), 1045
—chloramphenicol toxicity in neonate treated with (Kessler et al) (BCLO), 140
hyperkalemia following (Scanlon and Krakaur) (BCLO), 108
in neonates—pharmacokinetics during (Kliegman et al) (BCLO), 927
with hemoglobin SC blood, death following (Murphy et al) (BCLO), 110
Exercise performance of survivors of hyaline membrane disease (Heldt et al), 995
Expiratory resistance, external—effect on lung volume and pulmonary function in neonate (Moomjian et al), 908
Eyes of infants, examination of (Letter) (Moller) 960; (Reply) (Appel), 960

F

Factor VIII procoagulant activity in iron deficiency anemia (Özsoylu and Gürsel) (BCLO), 287
Familial dysautonomia associated with recurrent osteomyelitis in a non-Jewish girl (Klebanoff and Neff) (BCLO), 75
nesidioblastosis (Hammersen et al) (Letter), 778
occurrence of aniridia-Wilm tumor syndrome with deletion 11p13-14.1 (Yunis and Ramsay), 1027
variation of head size and adjustment for parental head circumference (Weaver and Christian), 990
Fanconi, Guido—1892-1979 (Zellweger) (Editor's column), 674
syndrome, gentamicin-induced (Russo and Aldelman) (BCLO), 151
Fasting, modified—consequences in obese pediatric and adolescent patients. I. Protein-sparing modifed fast (Merritt et al), 13
Fat, sodium, and potassium during lactose-intolerance diarrhea in rats—effect of kaolin-pectin absorbent on stool losses of (McClung et al) (BCLO), 769
Febrile seizures, treatment of (Dianesse) (Letter), 516; (Fishman) (Reply), 516
Fecal soiling—new modality in management of children with: Biofeedback (Olness et al), 505
Feeding(s), human milk, and NEC (Brown and Sweet) (Letter), 779; (Goldman) (Letter), 780; (Kliegman et al) (Reply), 781
nasogastric, in preterm infant—arterial oxygen tension during (Herrell et al) (BCLO), 914
nocturnal intragastric—five years of management with: Type I glycogen storage disease (Greene et al), 590
Femoral epiphysis, slipped capital, and hypothyroidism (Fisher et al) (Letter), 517; (Harris) (Reply), 517
Fetal circulation, persistent—hyperventilation in treatment of (McBride et al) (Letter), 174; (Finer and Entwistle) (Letter) 175; (Peckham) (Reply), 176
syndrome of persistent, and hemorrhagic disease associated with fetal hydantoin syndrome (Truog et al) (BCLO), 112
Fever in young children with sickle cell disease (McIntosh et al), 199
Rocky Mountain spotted—skin biopsy in diagnosis of (Linnemann) (Letter), 781; (Fleisher) (Reply), 782

Fissure size, palpebral—revisited (Fuchs et al) (BCLO), 77
Fluorescence polarization value, aminoitic fluid, as a predictor of respiratory distress syndrome (Stark et al), 301
Folate compartments during gestational maturation (Gross et al), 842
deficiency and hypotonia (Botez) (Letter), 774
Folic acid deficiency and hypotonia (Özsoylu) (Letter), 165; (Magnus) (Letter), 165; (Shapira and Statte,) (Reply, 165
Formula, nutritional copper deficiency in Japanese infant on (Tanaka et al) (BCLO), 255
soy protein—hypochloremic alkalosis in infants associated with (Linshaw et al), 635

G

Gastric, intra-, nocturnal feeding—five years of management with: Type I glycogen storage disease (Greene et al), 590
Gastroenteritis, *Yersinia enterocolitica:* Prospective study of clinical, bacteriologic, and epidemiologic features (Marks et al), 26
Gastroesophageal reflux and respiratory symptoms—surgery with (Jolley et al), 194
Gastroesophageal reflux—comparative accuracy of diagnostic methods (Arasu et al), 798
in infants—diagnostic test for: Continuous monitoring of distal esophageal pH (Sondheimer), 804
—use of bethanechol for treatment of (Euler), 321
Gentamicin dosage, determining, in renal failure (Sirinavin et al), 331
induced Fanconi syndrome (Russo and Aldelman) (BCLO), 151
pharmacokinetics during exchange transfusion in neonates (Kliegman et al) (BCLO), 927
two-compartment, in premature neonates: A comparison to adults with decreased glomerular filtration rates (Haughey et al), 325
Gestational maturation—folate compartments during (Gross et al), 842
Giardiasis—comparative study of stool examinations, duodenal aspiration, and pediatric Entero-Test for (Rosenthal and Liebman) (BCLO), 278
Gigantism, cerebral, and thyrotoxicosis (Wilson et al) (BCLO), 685
Glomerular filtration rates, decreased—comparison to adults with: Two-compartment gentamicin pharmacokinetics in premature neonates (Haughey et al), 325
Glomeruli to bind anti-glomerular basement membrane antibodies—diagnosis of hereditary nephritis by failure of (Olson et al) (BCLO), 697
Glucagon—glycemic response during fasting hypoglycemia: Aid in diagnosis of hyperinsulinism (Finegold et al) (BCLO), 257
plus somatostatin—treatment of intractable neonatal hypoglycemia with (Bloomgarden et al) (BCLO), 148
Glucose and sucrose electrolyte solutions compared: Oral therapy with cholera (Sack et al), 20
electrolyte solutions, oral—role in hydration for children—international and domestic aspects (Finberg) (Editor's column), 51
6-phosphatase in type IB glycogenosis—in vivo evidence for defective activity of (Sann et al) (BCLO), 691
Glutaric aciduria type II (Sweetman et al), 1020
Glycemic response to glucagon during fasting hypoglycemia: Aid in diagnosis of hyperinsulinism (Finegold et al) (BCLO), 257
Glycogen storage disease, type I: Five years of management with nocturnal intragastric feeding (Greene et al), 590
Glycogenosis, type IB—in vivo evidence for defective activity of glucose-6-phosphatase in (Sann et al) (BCLO), 691
Gonorrhea—cultures at time of delivery (Rothstein) (Letter), 171; (Reveri and Krishnamurthy) (Reply), 171
Granulopoiesis, role of eosinophils in. I. Eosinophilia in neutropenic patients (Tebbi et al), 575
Growth and development, pre- and postnatal, in sickle cell anemia (Kramer et al) (BCLO), 857
hormone and oxandrolone—combined effect in growth hormone deficiency (Romshe and Sotos), 127
—effect singly and together on growth rate in girls with X chromosome abnormalities (Rudman et al), 132
deficiency, bone mineral status in (Shore et al), 393
retardation in Cushing disease (Rosenfield) (Letter), 783; (McArthur et al) (Reply), 783
intrauterine—low somatomedin activity in cord serum from infants with (Foley et al), 605

H

Haemophilus influenzae, ampicillin-sensitive and ampicillin-resistant—simultaneous recovery from blood (Letter) (Beckwith), 954
type b—erysipelas-like scalp cellulitis due to (Sokol and Bowden) (BCLO), 60
—use of trimethoprim-sulfamethoxazole against (Yogev) (Letter), 778; (Gutman) (Reply), 779
Head size and adjustment for parental head circumference, familial variation of (Weaver and Christian), 990
Hearing in children with acute lymphocytic leukemia—effects of cranial radiation on (Thibadoux et al), 403
infections—disseminated herpes simplex associated with (Jaworski et al) (BCLO), 426
Heart Association, American, registry: Failure of prophylaxis for bacterial endocarditis (Bisno et al) (Letter), 775
failure, congestive—vasodilator therapy for (Dillon et al), 623
Heat balance and insensible water loss in LBW infants—effects of thermal environment on (Bell et al), 452
in premature infants: Comparative effects of convectively heated incubator and radiant warmer, with and without plastic heat shield (Bell et al), 460
Heel, calcified nodules on: Complication of neonatal intensive care (Sell et al) (BCLO), 473
Heinz body hemolytic anemia from use of methylene blue in neonates (Kirsch and Cohen) (BCLO), 276
Hemodynamic effects of dopamine in infants after corrective cardiac surgery (Lang et al), 630
Hemoglobin SC blood, death following transfusion with (Murphy et at) (BCLO), 110
Hemolytic anemia following a wasp sting (Monzon and Miles) (BCLO), 1039
Heinz body, from use of methylene blue in neonates (Kirsch and Cohen) (BCLO), 276
uremic syndrome following pneumococcal infection (Berry) (Letter), 774

Hemoperfusion, charcoal-column—treatment of infant with severe chlormaphenicol intoxication using (Mauer et al), 136
Hemophiliac, non-, children—acquired inhibitors of coagulation in (Brodeur et al) (BCLO), 439
Hemorrhage, intraventricular, associated with rapid volume expansion in preterm infant (Goldberg et al) (BCLO), 1060
in newborn beagle model—moderate, rapidly induced hypertension as cause of (Goddard et al), 1057
Hemorrhagic disease and syndrome of persistent fetal circulation associated with fetal hydantoin syndrome (Truog et al) (BCLO), 112
Hepatoblastoma—cystathioninuria and its origin in children with (Geiser and Shih) (BCLO), 72
Hereditary nephritis diagnosed by failure of glomeruli to bind anti-glomerular basement membrane antibodies (Olson et al) (BCLO), 697
renal hypouricemia—isloated tubular defect of urate reabsorption (Weitz and Sperling), 850
Hernia, hiatus, and reflux esophagitis—cholelithiasis in 2-year-old child with (Mock et al) (BCLO), 878
Herpes simplex, disseminated, associated with *H. influenzae* infection (Jaworski et al) (BCLO), 426
Hiatus hernia and reflux esophagitis—cholelithiasis in 2-year-old child with (Mock et al) (BCLO), 878
Hiccups in infants: Characteristics and effects on ventilation (Brouillette et al), 219
Hill, Lee Forrest—model for CME: Lesson recorded (Nelson) (Editor's column), 1032
Hirschprung disease—entercolitis and scrotal cellulitis in (Donzelli et al) (Letter), 950
Histiocytosis X and intracranial hypertension (Jackson and Griffith) (Letter), 518
chlorambucil in: Southwest Oncology Group study (Starling et al) (BCLO), 266
Histologic and clinical observations: Ductus arteriosus in preterm infant (Gittenbergerde Groot et al), 88
Hodgkin disease, stages I-III—management of (Dearth et al), 829
Holocarboxylase synthetase deficiency: Biotin-responsive organic acidemia (Roth et al), 845
Homeostasis, calcium, and parathyroid hormone, effect on: Neonatal hypermagnesemia (Donovan et al), 305
Hormone, antidiuretic, inappropriate secretion of, and effect of lithium in its treatment (Casado de Frias et al) (BCLO), 153
deficiency, growth—bone mineral status in (Shore et al), 393
growth, and oxandrolone—combined effect in growth hormone deficiency (Romshe and Sotos), 127
—effect singly and together on growth rate in girls with X chromosome abnormalities (Rudman et al), 132
parathyroid, and calcium homeostasis, effect on: Neonatal hypermagnesemia (Donovan et al), 305
Host defense in sickle cell disease during painful crisis and asymptomatic periods—humoral components of (Bjornson et al) (BCLO)), 259
Humoral components of host defense in sickle cell disease during painful crisis and asymptomatic periods (Bjornson et al) (BCLO), 259
Hyaline membrane disease—exercise performance of survivors of (Heldt et al), 995
Hydantoin syndrome, fetal—association of hemorrhagic disease and syndrome of persistent fetal circulation with (Truog et al) (BCLO), 112
Hydration for children, role of oral electrolyte-glucose solutions in—international and domestic aspects (Finberg) (Editor's column), 51
Hyperammonemia, life-threatening—management of: Comparison of several therapeutic modalities (Wiegand et al) (BCLO), 142
transient, in early preterm infant (Le Guennec et al) (BCLO), 470
Hyperinsulinism, aid in diagnosis of: Glycemic response to glucagon during fasting hypoglycemia (Finegold et al) (BCLO), 257
Hyperkalemia following exchange transfusion (Scanlon and Krakaur) (BCLO), 108
Hyperleukocytosis, anemia, and metabolic abnormalities in patient with leukemia—exchange transfusion as treatment for (Kamen et al) (BCLO), 1045
Hypermagnesemia, neonatal: Effect on parathyroid hormone and calcium homeostasis (Donovan et al), 305
Hypernatremia, neonatal, associated with an elevated sodium concentration of breast milk (Anand et al) (BCLO), 66
Hyperphenylalaninmia, early diagnosis of, due to tetrahydrobiopterin deficiency (malignant hyperphenylalaninemia) (Danks and Cotton) (Editor's column), 854
Hyperreninemia and hypertension following chemotherapy—radiation nephritis with: Cure by nephrectomy (Dhaliwal et al) (BCLO), 68
Hypertension, acute pulmonary, in human newborn infant—potential mechanism for: Main pulmonary artery distention (Baylen et al), 540
and hyperreninemia following chemotherapy—radiation nephritis with: Cure by nephrectomy (Dhaliwal et al) (BCLO), 68
intracranial, and histiocytosis X (Jackson and Griffith) (Letter), 518
moderate, rapidly induced, as cause of intraventricular hemorrhage in newborn beagle model (Goddard et al), 1057
persistent pulmonary—serum salicylate levels and right-to-left ductus shunts in newborn infants with (Perkin et al), 721
pulmonary, and thrombocytopenia in perinatal aspiration syndromes (Segall et al), 727
rebound, following minoxidil withdrawal (Makker and Moorthy), 762
Relationships between pathophysiology and therapy (Bailie and Mattioli), 789
Hypertrophy, cardiac septal, in hyperinsulinemic infants (Breitweser et al), 535
Hyperventilation in treatment of persistent fetal circulation (McBride et al) (Letter), 174; (Finer and Entwistle) (Letter) 175; (Peckham) (Reply), 176
Hypochloremic alkalosis associated with soy protein formula (Linshaw et al), 635
Hypoglycemia, fasting—glycemic response to glucagon during: Aid in diagnosis of hyperinsulinism (Finegold et al) (BCLO), 257
intractable neonatal, treated with somatostatin plus glucagon (Bloomgarden et al) (BCLO), 148

Hyponatremia in hypothyroidism (Lorini and Severi) (Letter), 1120
Hypopituitarism, idiopathic—high incidence of perinatal insult in (Craft et al), 397
Hypoplasia, primary pulmonary, and arthrogryposis multiplex congenita (Leichtman et al) (Letter), 950
Hypothyroidism and slipped capital femoral epiphysis (Fisher et al) (Letter), 517; (Harris) (Reply), 517
congenital—lack of influence of thyroid antibodies on thyroid function in newborn infant and on mass screening program for (Dussault et al), 385
screening for (Schoen and Fefferman) (Letter), 171; (Fisher et al) (Reply), 172
hyponatremia in (Lorini and Severi) (Letter), 1120
Hypotonia and folate deficiency (Botez) (Letter), 774
folic acid deficiency (Öszsoylu) (Letter), 165; (Magnus) (Letter), 165; (Shapira and Statter) (Reply), 165
Hypotonic infant—adenylate deaminase deficiency in (Shumate et al) (BCLO), 885
Hypouricemia, hereditary renal—isolated tubular defect of urate reabsorption (Weitz and Sperling), 850
Hypoxemic neonatal pulmonary disease, echocardiography in (Johnson et al), 716
Hypoxia, cerebral, from bicarbonate infusion in diabetic acidosis (Bureau et al), 968
Hypozincemia, acrodermatitis enteropathica without: Therapeutic effect of pancreatic enzyme preparations due to zinc-binding ligand (Krieger and Evans), 32

I

Idiopathic hypopituitarism—high incidence of perinatal insult in (Craft et al), 397
IgD, serum, concentrations in normal infants, children, and adults, and in patients with elevated IgE (Josephs and Buckley), 417
IgE, elevated—serum IgD concentrations in normal infants, children, and adults and in patients with (Josephs and Buckley), 417
Ileal function, sensitive test of: Serum bile acid response to test meal stimulus (Balistreri et al), 582
Immersion accidents involving pails of water in home (Scott and Eigen) (BCLO), 282
Immotile cilia syndrome—discovery of defects in respiratory cilia in (Goldman et al) (Editor's column), 244
Immunity, cell-mediated—cellular response to respiratory viruses with particular reference to children with disorders of (Fishaut et al), 179
Immunization, A/New Jersey/76 influenza virus—antibody decline following (Lerman et al) (BCLO), 271
Immunodeficient children, two—parainfluenza type 3 parotitis in (Cullen and Baublis) (BCLO), 437
Immunoelectrophoresis, countercurrent, and latex agglutination test for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
Immunoglobulins in human milk (Yadav et al) (Letter), 515
Immunologic and clinical study: Juvenile dermatomyositis (Pachman and Cooke), 226
profile of Schwartz-Jampel (osteo-chondro-muscular dystrophy) syndrome (Stewart et al) (Letter), 958
Immunologic—Cont'd
response to group A streptococcal upper respiratory tract infections in very young children (Gerber et al), 374
Impedance cardiographic assessment of symptomatic patent ductus arteriosus (Cotton et al), 711
Incubator, convectively heated, and radiant warmer—comparative effects with and without plastic heat shield: Heat balance in premature infants (Bell et al), 460
Indomethacin and prostaglandins—age-dependent sensitivity of lamb ductus arteriosus to (Clyman et al), 94
—inulin clearance in premature infant receiving (Catterton and Sellers) (BCLO), 737
Infection re leukocyte alkaline phosphatase activity (Bender) (Letter), 167; (Donato et al) (Reply), 168
see specific infection
Infective endocarditis, management using echocardiography (Dillon et al), 552
Influenza myopathy, epidemic, in Cincinnati in 1977 (Farrell et al), 545
virus immunization, A/New Jersey/76—antibody decline following (Lerman et al) (BCLO), 271
Infusion, bicarbonate, in diabetic acidosis, Cerebral hypoxia (Bureau et al), 968
continuous intravenous, of morphine sulfate for control of severe pain with terminal malignancy (Miser et al) (BCLO), 930
low-dose insulin, in treatment of diabetic ketoacidosis: Bolus versus no bolus (Fort et al), 36
Insulin excess due to β-cell adenoma in neonate—somatostatin treatment of (Kitson et al) (BCLO), 145
infusion, low-dose, in treatment of diabetic ketoacidosis: Bolus versus no bolus (Fort et al), 36
Insulinemic, hyper-, infants—cardiac septal hypertrophy in (Breitweser et al), 535
Insulinism, hyper-, aid in diagnosis of: Glycemic response to glucagon during fasting hypoglycemia (Finegold et al) (BCLO), 257
Intelligence, normal, of children born to alcoholic mothers—learning difficulties and behavior in (Shaywitz et al), 978
Interstitial emphysema, bullous—selective bronchial obstruction for treatment of (Mathew and Thach) (BCLO), 475
pneumonia, diffuse—pulmonary leukemia presenting as (Wells et al) (BCLO), 262
Intestinal content, VIP—modifications associated with abnormal nervous myenteric plexus: A biologic feature of chronic intestinal obstruction (Dupont et al) (BCLO), 1037
Intoxication, severe chloramphenicol—infant treated with charcoal-column hemoperfusion (Mauer et al), 136
Intrauterine device, copper 7, in adolescent population—experience with (Kulig et al), 746
growth retardation—low somatomedin activity in cord serum from infants with (Foley et al), 605
Intravenous infusion, continuous, of morphine sulfate for control of severe pain with terminal malignancy (Miser et al) (BCLO), 930
Intraventricular hemorrhage associated with rapid volume expansion in preterm infant (Goldberg et al) (BCLO), 1060
tubation and anesthesia in infants—intracranial pressure during (Raju et al) (BCLO), 860

Intubation—Cont'd
of left mainstem bronchus in newborn infants: New technique (Georgeson and Vain) (BCLO), 920
Inulin clearance in premature infant receiving indomethacin (Catterton and Sellers) (BCLO), 737
Iodide containing theophylline products (Hendeles and Weinberger) (Letter), 344
IPPB in treatment of croup—corticosteroids and racemic epinephrine with (Bass et al) (Letter), 173
Iron deficiency anemia, Factor VIII procoagulant activity in (Özsoylu and Gürsel) (BCLO), 287
in human milk (Fransson and Lönnerdal), 380
supplementation of milk, new perspectives on (Lönnerdal et al) (Editor's column), 242
Ischemic papillary muscle necrosis in stressed newborn infants (Donnelly et al), 295

J

Jaundice, parenteral nutrition-associated cholestatic—prospective controlled study of: Effect of protein intake (Vileisis et al), 893
Juvenile dermatomyositis: Clinical and immunologic study (Pachman and Cooke), 226

K

Kanamycin: Pharmacology and lack of toxicity of increased dosage regimen (Hieber et al) (BCLO), 1089
Kaolin-pectin absorbent on stool losses of sodium, potassium, and fat during a lactose-intolerance diarrhea in rats, effect of (McClung et al) (BCLO), 769
Kasai operation and biliary atresia: Continuing care (Barkin and Lilly), 1015
Kernicterus, reviewed with relation to bilirubin transport in the newborn infant (Brodersen), 349
Ketoacidosis, diabetic, complicated by cerebral edema (Rosenbloom et al), 357
—low-dose insulin infusion in treatment of: Bolus versus no bolus (Fort et al), 36
Kinetics of class-specific responses: Antibody response to primary and secondary infection with respiratory syncytial virus (Welliver et al), 808

L

Lactose-intolerance diarrhea in rats—effect of kaolin-pectin absorbent on stool losses of sodium, potassium, and fat during (McClung et al) (BCLO), 769
Latex agglutination, rapid detection of neonatal group B streptococcal infections by (Bromberger et al) (BCLO), 104
test and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
Learning difficulties and behavior in children of normal intelligence born to alcoholic mothers (Shaywitz et al), 978
Leukemia, acute—idiopathic thrombocytopcenic purpura with (Özsoylu) (Letter), 166; (Rao and Pang) (Reply), 166
lymphocytic—effects of cranial radiation on hearing with (Thibadoux et al), 403
clinical and occult testicular, in long-term survivors of acute lymphoblastic leukemia (Wong et al), 569
Leukemia, acute—Cont'd
—exchange transfusion as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patient with (Kamen et al) (BCLO), 1045
pulmonary, presenting as diffuse interstitial pneumonia (Wells et al) (BCLO), 262
Leukemic children, infections in: Prospective analysis (Kosmidis et al), 814
Leukocyte alkaline phosphatase activity re infection (Bender) (Letter), 167; (Donato et al) (Reply), 168
Leukocytosis (hyper), anemia, and metabolic abnormalities in patient with leukemia—exchange transfusion as treatment for (Kamen et al) (BCLO), 1045
Leukopenia after chemotherapy—effect of lithium carbonate on (Steinherz et al), 923
Levamisole, treatment of nephrotic syndrome with (Tanphaichitr et al), 490
Liddle syndrome: Sodium influx into RBC (Etzioni) (Letter), 959; (Hyman) (Reply), 959
Limb reduction anomalies and early in utero limb compressor (Graham et al), 1052
Lipase deficiency, congenital pancreatic (Figarella et al), 412
Lithium carbonate—effect on leukopenia after chemotherapy (Steinherz et al), 923
—effect in treatment of inappropriate secretion of antidiuretic hormone (Casado de Frías et al) (BCLO), 153
Lumbar puncture in evaluation of suspected neonatal sepsis (Visser and Hall)(BCLO), 1063
Lung volume and pulmonary function in neonate—effect of external expiratory resistance on (Moomjian et al), 908
Lupus erythematosus, maternal—congenital pericarditis due to (Doshi et al) (BCLO), 699
systemic, and sickle cell anemia (Luban et al) (Letter), 1120
—role of antibodies directed against double-stranded DNA in manifestations of (Lehman et al), 657
Lymphoblastic leukemia, acute—clinical and occult testicular leukemia in long-term survivors of (Wong et al), 569
Lymphocytic leukemia, acute—effects of cranial radiation on hearing with (Thibadoux et al), 403
Lymphoproliferative syndrome, x-linked—registry report (Hamilton et al), 669

M

Macroamylasemia (Colón et al) (BCLO), 64
Macro-orchidism, X-linked mental retardation, and X 27 fragile site (Turner et al), 837
Malabsorption of medium-chain triglycerides in infants with cystic fibrosis: Correction with pancreatic enzyme supplements (Durie et al) (BCLO), 862
Malignancy, terminal—continuous intravenous infusion of morphine sulfate for control of severe pain of (Miser et al) (BCLO), 930
Malignant external otitis in adolescent with diabetes (Merritt et al) (BCLO), 872
hyperphenylalaninemia (early diagnosis of hyperphenylalaninemia due to tetrahydrobiopterin deficiency) (Danks and Cotton) (Editor's column), 854
Maple syrup urine disease—acidosis associated with dietotherapy of (Foreman et al) (BCLO), 62

Maple syrup urine disease—Cont'd
Presentation with pseudotumor cerebri and CT abnormalities (Mantovani et al) (BCLO), 279
Marihuana smoking and pubertal arrest (Copeland et al) (BCLO), 1079
Marrow neutrophils, mature—exhaustion in neonates with sepsis (Christensen and Rothstein) (BCLO), 316
Maturation, gestational—folate compartments during (Gross et al), 842
Measuring infant temperament (Carey and McDevitt) (Editor's column), 423
temperament in pediatric practice (Vaughn et al), 510
Membrane(s) antibodies, anti-glomerular basement—diagnosis of hereditary nephritis by failure of glomeruli to bind (Olson et al) (BCLO), 697
disease, hyaline—exercise performance of survivors of (Heldt et al), 995
plasma, of human placenta, specializations in (Whitsett), 600
Membranous obstruction of inferior vena cava—Budd-Chiari syndrome due to (Cabrera et al) (BCLO), 435
Meningitis, bacterial—computed tomography in (Stovring and Snyder), 820
cerebrospinal fluid anion gap in (Pavlakis et al) (BCLO), 874
enteroviral aseptic, epidemic of—management of CNS infections during (Singer et al), 559
Mental retardation, X-linked, macro-orchidism, and Xq27 fragile site (Turner et al), 837
Metabolic abnormalities, anemia, and hyperleukocytosis in patient with leukemia—exchange transfusion as treatment for (Kamen et al) (BCLO), 1045
disease in newborn infants—urine screening for (Paul et al), 653
Metastatic Wilms tumor, recurrent, in previously treated children—vincristine, dactinomycin, and cyclophosphamide chemotherapy for (Ortega et al) (BCLO), 502
Methadone exposure, chronic prenatal—ventilatory response to carbon dioxide of infants following (Olsen and Lees), 983
Methylene blue—Heinz body hemolytic anemia from use of (Kirsch and Cohen) (BCLO), 276
Methylmalonic acidemia, vitamin B_{12}-responsive—long-term management of patient with (Morrow and Burkel) (BCLO), 425
Michaelis-Menten pharmacokinetics of diphenylhydantoin and application in pediatric age patient (Chiba et al), 479
Migration, random, and chemotaxis of human milk cells (Khan et al) (BCLO), 879
Milk, breast—neonatal hypernatremia associated with elevated sodium concentration of (Anand et al) (BCLO), 66
obtained from others of premature infants as compared to breast milk obtained from donors—composition of (Schanler and Oh) (BCLO), 679
cells, human—chemotaxis and random migration of (Khan et al) (BCLO), 879
feedings, human, and NEC (Brown and Sweet) (Letter) 779; (Goldman) (Letter, 780; (Kliegman et al) (Reply), 781
human—immunoglobulins in (Yadav et al) (Letter), 515
—iron in (Fransson and Lönnerdal), 380
—phosphate—depletion syndrome in premature infant fed (Sagy et al) (BCLO), 683
Milk—Cont'd
new perspectives on iron supplementation of (Lönnerdal et al) (Editor's column), 242
nutritional composition of, produced by mothers delivering preterm (Gross et al), 641
of calcium cholecystitis (Beauregard and Ferguson) (BCLO), 876
one for all—not ever likely and certainly not yet (Editor's column) (Finberg), 240
Mineral status, bone, in growth hormone deficiency (Shore et al), 393
Minoxidil withdrawal, rebound hypertension following (Makker and Moorthy), 762
Monitoring, continuous, of distal esophageal pH: Diagnostic test for gastroesophageal reflux in infants (Sondheimer), 804
Morphine sulfate—continuous intravenous infusion for control of severe pain with terminal malignancy (Miser et al) (BCLO), 930
Mortality, neonatal, and long-term sequelae. II. Neonatal asphyxia (Mulligan et al), 903
in 38,405 consecutive deliveries—relationship of obstetric and neonatal complications to. I. Neonatal asphyxia (MacDonald et al), 898
MSUD: Presentation with pseudotumor cerebri and CT abnormalities (Mantovani et al) (BCLO), 279
Mumps infection, perinatal (Jones et al) (BCLO), 912
Muscle necrosis, ischemic papillary—in stressed newborn infants (Donnelly et al), 295
papillary, in neonatal autopsy population: Incidence and associated clinical manifestations (Setzer et al), 289
Myasthenia gravis, contractures in newborn infant of mother with (Holmes et al) (BCLO), 1067
Mycobacteria, rapidly growing, isolated in cystic fibrosis (Boxerbaum) (BCLO), 689
Mycobacterial endobronchitis, nontuberculous (Powell and Walker) (BCLO), 268
Mycobacterium chelonei septicemia in premature infant (Speert et al) (BCLO), 681
Myenteric plexus, abnormal nervous—modifications of VIP intestinal content associated with: Biologic feature of chronic intestinal obstruction (Dupont et al) (BCLO), 1037
Myocardium and perinatal asphyxia (Lees) (Editor's column), 675
Myopathy, epidemic influenza, in Cincinnati in 1977 (Farrell et al), 545
Myositis, generalized nonsuppurative, with staphylococcal septicemia (Adamski et al) (BCLO), 694

N

Nasogastric feeding in preterm infant—arterial oxygen tension during (Herrell et al) (BCLO), 914
Nausea and vomiting—evaluation of trimetho-benzamide hydrochloride (Tigan) suppositories for treatment of (Ginsburg and Clahsen) (BCLO), 767
Necrosis, ischemic papillary muscle—in stressed newborn infants (Donnelly et al), 295
papillary muscle, in neonatal autopsy population: Incidence and associated clinical manifestations (Setzer et al), 289

Necrotizing enterocolitis and human milk feedings (Brown and Sweet) (Letter), 779; (Goldman) (Letter), 780; (Kliegman et al) (Reply), 781
epidemiology of: Case control study (Stoll et al), 447
incidence of (Wilson et al) (Letter), 170; (Wells) (Letter), 170; (Finer and Moriartey) (Reply), 170
neonatal, and bacterial toxin (Stoll et al) (BCLO), 114
appendicitis masquerading as (Kwong and Dinner) (BCLO), 917
role of clostridia as pathogens in (Smith et al) (Letter), 787; (Kliegman) (Reply), 788
Nephrectomy, cure by: Radiation nephritis with hypertension and hyperreninemia following chemotherapy (Dhaliwal et al) (BCLO), 68
Nephritis, hereditary, diagnosed by failure of glomeruli to bind anti-glomerular basement membrane antibodies (Olson et al) (BCLO), 697
radiation, with hypertension and hyperreninemia following chemotherapy: Cure by nephrectomy (Dhaliwal et al) (BCLO), 68
Nephroblastomatosis progressing to Wilms tumor (Kulkarni et al) (Letter), 178
Nephrotic syndrome associated with plasminogenuria and antithrombinuria—antithrombin III and plasminogen deficiencies in (Lau et al), 390
recurrent pneumococcal sepsis and defective opsonization after pneumococcal capsular polysaccharide vaccine with (Moore et al) (BCLO), 882
treated with levamisole (Tanphaichitr et al), 490
Nerve palsy, radial, in premature infant following long-term measurement of blood pressure (Töllner et al), 921
Nervous myenteric plexus, abnormal—modifications of VIP intestinal content associated with: Biologic feature of chronic intestinal obstruction (Dupont et al) (BCLO), 1037
system, central, infections—management during epidemic of enteroviral ascptic meningitis (Singer et al), 559
Nesidioblastosis, familial (Hammersen et al) (Letter), 778
Neurologic complications following temporal artery catheterization (Bull et al) (BCLO), 1071
Neutropenic patients, eosinophilia in. I. Role of eosinophils in granulopoiesis (Tebbi et al), 575
Neutrophil(s) chemotaxis in preterm infants with infections (Laurenti et al) (BCLO), 468
mature marrow—exhaustion in neonates with sepsis (Christensen and Rothstein) (BCLO), 316
of neonates, bactericidal activity of (Letter) (Strauss), 345; (Reply) (Schigeoka et al), 345
New books received, 116, 248, 478, 704, 892
NICU patients—auditory function revealed by auditory brain stem potentials (Marshall et al), 731
Nocardia asteroides infection successfully treated with amikacin (Yogev et al) (BCLO), 771
Nodules, calcified, on heel: Complication of neonatal intensive care (Sell et al) (BCLO), 473
Nose drops, dexamethasone—adrenal suppression and cushingoid changes secondary to (Heroman et al) (BCLO), 500
Nosocomial *Rhizopus* infection (zygomycosis) (Dennis et al), 824
Nursery, premature—self-help groups in: Controlled evaluation (Minde et al), 933
Nutrition, home parenteral, in infants (Cannon et al), 1098
Nutrition—Cont'd
—parenteral associated cholestatic jaundice—prospective controlled study of: Effect of protein intake (Vileisis et al), 893
Nutritional composition of milk produced by mothers delivering preterm (Gross et al), 641
copper deficiency in Japanese infant on formula (Tanaka et al) (BCLO), 255
Nutritionally deficient streptococcus—infective endocarditis due to (Narasimhan and Weinstein) (BCLO), 61

O

Obese boys—caloric intake and expenditure of (Waxman and Strunkard), 18
pediatric and adolescent patients—consequences of modified fasting in. I. Protein-sparing modified fast (Merritt et al), 13
Obstetric and neonatal complications to neonatal mortality in 38, 405 consecutive deliveries—relations of. I. Neonatal asphyxia (MacDonald et al), 898
Obstruction, selective bronchial, for treatment of bullous interstitial emphysema (Mathew and Thach) (BCLO), 475
Oncogenic potential: Complete and incomplete forms of Beckwith-Wiedemann syndrome (Sotelo-Avila et al), 47
Ondine's curse—control of ventilation in (Wells et al) (BCLO), 865
Opsonization, defective, and recurrent pneumococcal sepsis after pneumococcal capsular polysaccharide vaccine with nephrotic syndrome (Moore et al) (BCLO), 882
Ornithine transcarbamylase deficiency in male with normal development (Yudkoff et al) (BCLO), 441
Osteo-chondro-muscular dystrophy (Schwartz-Jampel syndrome), immunologic profile of (Stewart et al) (Letter), 958
Osteomyelitis, recurrent, associated with familial dysautonomia in a non-jewish girl (Klebanoff and Neff) (BCLO), 75
Osteopenia of prematurity: Cause and possible treatment (Steichen et al), 528
Otitis, malignant external, in adolescent with diabetes (Merritt et al) (BCLO), 872
media, acute—trimethroprim-sulfamethoxazole compared with ampicillin in treatment of (Shurin et al), 1081
chronic serous—penetration characteristics of trimethoprim-sulfamethoxazole in middle ear fluid with (Klimek et al) (BCLO), 1087
Oxacillin-tolerant staphylococcal bacteremia (Hilty et al) (BCLO), 1035
Oxandrolone and growth hormone—combined effect in growth hormone deficiency (Romshe and Sotos), 127
—effect singly and together on growth rate in girls with X chromosome abnormalities (Rudman et al), 132
used in Turner syndrome (Root) (Letter), 168; (Urban et al) (Reply), 169
Oxygen tension, arterial, during nasogastric feeding in preterm infant (Herrell et al) (BCLO), 914

P

Pain, severe, with terminal malignancy—continuous intravenous infusion with morphine sulfate for control of (Miser et al) (BCLO), 930

Palpebral fissure size revisited (Fuchs et al) (BCLO), 77
Palsy, radial nerve, in premature infant following long-term measurement of blood pressure (Töllner et al), 921
Pancreatic enzyme preparations due to zinc-binding ligand, therapeutic effect of: Acrodermatitis enteropathica without hypozincemia (Krieger and Evans), 32
supplements, corrections with: Malabsorption of medium-chain triglycerides in infants with cystic fibrosis (Durie et al) (BCLO), 862
lipase deficiency, congenital (Figarella et al), 412
Pancreatitis, biochemical and ultrasonic diagnosis of (Cox et al), 407
Papillary muscle necrosis in a neonatal autopsy population: Incidence and associated clinical manifestations (Setzer et al), 289
ischemic, in stressed newborn infants (Donnelly et al), 295
Parainfluenza type 3 parotitis in two immunodeficient children (Cullen and Baublis) (BCLO), 437
Parathyroid hormone and calcium homeostasis, effect on: Neonatal hypermagnesemia (Donovan et al), 305
Parenteral nutrition–associated cholestatic jaundice, prospective controlled study of: Effect of protein intake (Vileisis et al), 893
home, in infants (Cannon et al), 1098
Parotitis, parainfluenza type 3, in two immunodeficient children (Cullen and Baublis) (BCLO), 437
Patent ductus arteriosus–contribution in neonate with severe RDS (Jacob et al), 79
–outcome following closure in preterm infants (Kilbride et al) (Letter), 1121; (Merritt and White) (Reply), 1121
symptomatic–impedance cardiographic assessment (Cotton et al), 711
Pathophysiology and therapy, relationships between: Hypertension (Bailie and Mattioli), 789
Pectus excavatum associated with segmental bronchomalacia (Godfrey), 649
Peptide, C-, response to arginine stimulation in diabetic children (Menchini et al), 362
Pericarditis, congenital, due to maternal lupus erythematosus (Doshi et al) (BCLO), 699
Perinatal medicine, ethical dilemmas in (Berseth and Ariagno) (Letter), 951
Pertussis-like syndrome and adenovirus infection (Keller) (Letter) 177; (Harrison and Ray) (Reply), 177
pH, distal esophageal–continuous monitoring of: Diagnostic test for gastroesophageal reflux in infants (Sondheimer), 804
Pharmacokinetics of gentamicin during exchange transfusion in neonates (Kliegman et al) (BCLO), 927
Michaelis-Menten, of diphenylhydantoin and application in pediatric age patient (Chiba et al), 479
two-compartment gentamicin, in premature neonates: Comparison to adults with decreased glomerular filtration rates (Haughey et al), 325
Pharmacology and lack of toxicity of increased dosage regimen; Kanamycin (Hieber et al) (BCLO), 1089
clinical, and efficacy of vancomycin in pediatric patients (Schaad et al), 119
of two chloramphenicol preparations: Sodium succinate (iv) and palmitate (oral) esters (Pickering et al), 757
Phenylketonuria–hypothesis concerning failures of screening (Berman) (Letter), 953
Phosphate-depletion syndrome in premature infant fed human milk (Sagy et al) (BCLO), 683
Phosphocysteamine (WR638), cystine depletion of cystinotic tissues by (Thoene and Lemons) (BCLO), 1043
Phototherapy–effect on amino acid solutions containing multivitamins (Bhatia et al) (BCLO), 284
PKU–hypothesis concerning failures of screening (Berman) (Letter), 953
Placenta, human–specializations in plasma membranes of (Whitsett), 600
Plasma catecholamine concentrations in infants at birth and during first 48 hours of life (Eliot et al), 311
membranes of human placenta, specializations in (Whitsett), 600
Plasminogen and antithrombin III deficiencies in nephrotic syndrome associated with plasminogenuria and antithrombinuria (Lau et al), 390
Plasminogenuria and antithrombinuria–antithrombin III and plasminogen deficiencies in nephrotic syndrome associated with (Lau et al), 390
Platelet aggregation–abnormalities in sickle cell disease (Mehta and Mehta), 209
PMNs of neonates, bactericidal activity of (Letter) (Strauss), 345; (Reply) (Shigeoka et al), 345
Pneumococcal infection–hemolytic uremic syndrome following (Berry) (Letter), 774
sepsis, recurrent, and defective opsonization after pneumococcal capsular polysaccharide vaccine in a child with the nephrotic syndrome (Moore et al) (BCLO), 882
vaccine, polyvalent–antibody responses in infants with sickle cell anemia (Buchanan and Schiffman) (BCLO), 264
Pneumonia, aspiration–percutaneous transtracheal aspiration in diagnosis and treatment of (Brook), 1000
diffuse interstitial–pulmonary leukemia presenting as (Wells et al) (BCLO), 262
Polysaccharide vaccine, pneumococcal capsular, with nephrotic syndrome–recurrent pneumococcal sepsis and defective opsonization after (Moore et al) (BCLO), 882
Potassium, sodium, and fat during lactose-intolerance diarrhea in rats–effect of kaolin-pectin absorbent on stool losses of (McClung et al) (BCLO), 769
Pratt, Edward L, 519
Prematurity, idiopathic apnea of–low-dose theophylline therapy in (Myers et al), 99
osteopenia of: Cause and possible treatment (Steichen et al), 528
Procoagulant activity, Factor VIII, in iron deficiency anemia (Özsoylu and Gürsel) (BCLO), 287
Prostaglandin(s) and indomethacin–age-dependent sensitivity of lamb ductus arteriosus to (Clyman et al), 94
E_1 administration, long-term low-dose (Pitlick et al) (BCLO), 318
Protein, C3/C3b regulatory, in normal human serum–characterization of (Spitzer et al), 564
formula, soy–hypochloremic alkalosis in infants associated with (Linshaw et al), 635
intake, effect of: Prospective controlled study of parenteral nutrition–associated cholestatic jaundice (Vileisis et al), 893
sparing modified fast. I. Consequences of modified fasting in obese pediatric and adolescent patients (Merrit et al), 13

Prune belly syndrome and urethral obstruction (Straub and Spanger) (Letter), 776; (Smith) (Reply), 777
Pseudotumor cerebri and CT abnormalities, presentation with: MSUD (Mantovani et al) (BCLO), 279
Pubertal arrest and marihuana smoking (Copeland et al) (BCLO), 1079
Puberty, precocious, after surgery for craniopharyngioma (Zachmann and Illig) (Letter), 515
Pulmonary artery catheterization, bedside (Pollack et al) (BCLO), 274
distention, main: Potential mechanism for acute pulmonary hypertension in human newborn infant (Baylen et al), 540
disease, hypoxemic neonatal—echo cardiography in (Johnson et al), 716
function and lung volume in neonate—effect of external expiratory resistance on (Moomjian et al), 908
hypertension and thrombocytopenia in perinatal aspiration syndromes (Segall et al), 727
persistent—serum salicylate levels and right-to-left ductus shunts in newborn infants with (Perkin et al), 721
hypoplasia, primary, and arthro-gryposis multiplex congenital (Leichtman et al) Letter), 950
leukemia presenting as diffuse interstitial pneumonia (Wells et al) (BCLO), 262
Puncture, lumbar, in evaluation of suspected neonatal sepsis (Visser and Hall) (BCLO), 1063
Purpura, idiopathic thrombocytopenic, with acute leukemia (Özsoylu) (Letter), 166; (Rao and Pang) (Reply), 166
Pyloric atresia and cutaneous scarring—unusual case of epidermolysis bullosa hereditaria letalis (Adashi et al) (BCLO), 443

R

Racemic epinephrine and corticosteroids with IPPB in treatment of croup (Bass et al) (Letter), 173
Radial nerve palsy in premature infant following long-term measurement of blood pressure (Töllner et al), 921
Radiant warmer and convectively heated incubator—comparative effects with and without plastic heat shield: Heat balance in premature infants (Bell et al), 460
Radiation, cranial—effects on hearing in children with acute lymphocytic leukemia (Thibadoux et al), 403
nephritis with hypertension and hyperreninemia following chemotherapy: Cure by nephrectomy (Dhaliwal et al) (BCLO), 68
Rashes, diaper—relationship to diapers (Jordan) (Letter), 957; (Klein) (Letter), 958; (Wiener) (Reply), 958
Reflux esophagitis and hiatus hernia—cholelithiasis in 2-year-old child with (Mock et al) (BCLO), 878
gastroesophageal, and respiratory symptoms—surgery with (Jolley et al), 194
—comparative accuracy of diagnostic methods (Arasu et al), 798
in infants—diagnostic test for: Continuous monitoring of distal esophageal pH (Sondheimer), 804
—use of bethanechol for treatment of (Euler), 321
Registry report—X-linked lymphoproliferative syndrome (Hamilton et al), 669
Renal failure, determining gentamicin dosage in (Sirinavin et al), 331
Renal—Cont'd
hypouricemia, hereditary—isolated tubular defect of urate reabsorption (Weitz and Sperling), 850
insufficiency, cefazolin in (Hiner et al), 335
transplants—evaluation of educational program on compliance of medication regimens with (Beck et al), 1094
Respiratory cilia in immotile cilia syndrome—discovery of defects in (Goldman et al) (Editor's column), 244
distress and shock in term neonate (Peter and Singer), 946
syndrome—amniotic fluid fluorescence polarization value as predictor of (Stark et al), 301
severe—contribution of PDA in neonate with (Jacob et al), 79
symptoms and gastroesophageal reflux—surgery with (Jolley et al), 194
syncytial virus—antibody response to primary and secondary infection with: Kinetics of class-specific responses (Welliver et al), 808
tract infections, upper, group A streptococcal—immunologic response in very young children (Gerber et al), 374
viruses—cellular response with particular reference to children with disorders of cell-mediated immunity (Fishaut et al), 179
Retardation, growth, in Cushing disease (Rosenfield) (Letter), 783; (McArthur et al) (Reply), 783
intrauterine growth—low somatomedin activity in cord serum from infants with (Foley et al), 605
X-linked mental, macro-orchidism, and Xq27 fragile site (Turner et al), 837
Reticuloendothelial function, splenic, in neonates—development of (Freedman et al) (BCLO), 466
Reye syndrome, recurrent—systemic carnitine deficiency simulating (Glasgow et al) (BCLO), 889
Rhizopus infections, nosocomial (zygomycosis) (Dennis et al), 824
Rickets in very low-birth-weight infants (Kulkarni et al) (BCLO), 249
vitamin D-resistant: End-organ unresponsiveness to $1,25(OH)_2D_3$ (Sockalosky et al) (BCLO), 701
Rifampin for CSF shunt infections (Bayston) (Letter), 785; (Marker) (Reply),786
Rocky Mountain spotted fever, skin biopsy in diagnosis of (Linnemann) (Letter), 781; (Fleisher) (Reply), 782
Rotavirus: First five years (Steinhoff), 611
Rubella infection, subclinical congenital, associated with maternal rubella vaccination in early pregnancy (Hayden et al) (BCLO), 869

S

Salicylate(s)—cyclopia and other anomalies following maternal ingestion of (Benawra et al) (BCLO), 1069
levels, serum, with right-to-left ductus shunts in newborn infants with persistent pulmonary hypertension (Perkin et al), 721
Salivary concentrations used in prediction of serum caffeine and theophylline concentrations in premature infants (Khanna et al), 494
Salmonella bacteremia in first year of life (Hyams et al) (BCLO), 57
Scalp cellulitis, erysipelas-like, due to *H. influenzae* type b (Sokol and Bowden) (BCLO), 60

Scarring, cutaneous, and pyloric atresia—unusual case of epidermolysis bullosa hereditaria letalis (Adashi et al) (BCLO), 443
Schwartz-Jampel (osteo-chondro-muscular dystrophy) syndrome, immunologic profile of (Stewart et al), (Letter), 958
Sclerosing cholangitis (Werlin et al) (BCLO), 433
Screening for congenital hypothyroidism (Schoen and Fefferman) (Letter), 171; (Fisher et al) (Reply), 172
hypothesis concerning failures of—PKU (Berman) (Letter), 953
program, mass, for congenital hypothyroidism—lack of influence of thyroid antibodies on thyroid function in newborn infant and (Dussault et al), 385
urine, for metabolic disease in newborn infants (Paul et al), 653
Scrotal cellulitis and enterocolitis in Hirschprung disease (Donzelli et al) (Letter), 950
Secretion, inappropriate, of antidiuretic hormone and effect of lithium in its treatment (Casado de Frias et al) (BCLO), 153
Segmental bronchomalacia associated with pectus excavatum (Godfrey), 649
Seizures, febrile—treatment of (Dianese) (Letter), 516; (Fishman) (Reply), 516
Selenium and cystic fibrosis (Hubbard et al) (Editor's column), 421
Self-help groups in premature nursery—controlled evaluation (Minde et al), 933
Sensitivity, age-dependent, of lamb ductus arteriosus to indomethacin and prostaglandins (Clyman et al), 94
Sepsis, exhaustion of mature marrow neutrophils in neonates with (Christensen and Rothestein) (BCLO), 316
recurrent pneumococcal, and defective opsonization after pneumococcal capsular polysaccharide vaccine in child with nephrotic syndrome (Moore et al) BCLO), 882
suspected neonatal—lumbar puncture in evaluation of (Visser and Hall) (BCLO), 1063
Septal hypertrophy, cardiac, in hyperinsulinemic infants (Breitweser et al), 535
Septicemia, *Mycobacterium chelonei*, in premature infant (Speert et al) (BCLO), 681
staphylococcal, with generalized nonsuppurative myositis (Adamski et al) (BCLO), 694
Serum/CSF correlation in premature infants: Caffeine and theophylline (Somani et al) (BCLO), 1091
normal human—characterization of C3/C3b regulatory protein in (Spitzer et al), 564
Sex characteristics, secondary, of girls 12 to 17 years of age: U.S. Health Examination Survey (Harlan et al), 1074
—staging of (Letter) (Rosenfield), 347; (Reply) (Harlan) 348
Shock and respiratory distress in term neonate (Peter and Singer), 946
cardiogenic, associated with perinatal asphyxia in preterm infants (Cabal et al), 705
Shunt(s) infections, CSF—rifampin for (Bayston) (Letter), 785; (Marker) (Reply), 786
right-to-left ductus, and serum salicylate levels in newborn infants with persistent pulmonary hypertension (Perkin et al), 721
Sialidosis, severe infantile: Clinical, biochemical, and microscopic features (Aylsworth et al), 662
Sickle cell anemia and SLE (Luban et al) (Letter), 1120
—antibody responses to polyvalent pneumococcal vaccine in infants with (Buchanan and Schiffman) (BCLO), 264
pre- and postnatal growth and development in (Kramer et al) (BCLO), 857
stroke, and transfusion—commentary (Seeler and Royal) (Editor's column), 243
using ultrasonic gray-scale technique—incidence of cholelithiasis in (Sarnaik et al), 1005
disease, abnormalities of platelet aggregation in (Mehta and Mehta), 209
and cerebrovascular accidents—efficacy of transfusion therapy for 1-2 years in patients with (Wilimas et al), 205
during painful crisis and asymptomatic periods—humoral components of host defense in (Bjornson et al) (BCLO), 259
fever in young children with (McIntosh et al), 199
SIDS in infants of drug-dependent mothers (Peterson) (Letter), 784; (Chavez) (Reply), 784
Silver-Russell syndrome and craniopharyngioma (Draznin et al) (BCLO), 887
Skin biopsy in the diagnosis of Rocky Mountain spotted fever (Linnemann) (Letter), 781; (Fleisher) (Reply), 782
Sleep apnea, obstructive, and death associated with surgical correction of velopharyngeal incompetence (Kravath et al), 645
Sodium concentration, elevated, of breast milk associated with neonatal hypernatremia (Anand et al) (BCLO), 66
influx into RBC: Liddle syndrome (Etzioni) (Letter), 959; (Hyman) (Reply), 959
potassium, and fat during lactose-intolerance diarrhea in rats—effect of kaolin-pectin absorbent on stool losses of (McClung et al) (BCLO), 769
succinate (iv) and palmitate (oral) esters: Clinical pharmacology of two chloramphenicol preparations (Pickering et al), 757
Somatomedin activity, depressed serum, in β-thalassemia (Saenger et al), 214
low, in cord serum from infants with intrauterine growth retardation (Foley et al), 605
Somatostatin plus glucagon—treatment of intractable neonatal hypoglycemia with (Bloomgarden et al) (BCLO), 148
treatment of insulin excess due to β-cell adenoma in neonate (Kitson et al) (BCLO), 145
Soy protein formula—hypochloremic alkalosis in infants associated with (Linshaw et al), 635
Spasms, infantile—effect of ACTH therapy on (Singer et al), 485
Spinal dysraphism, occult—cutaneous marker of aplasia cutis congenita (Higginbottom et al) (BCLO), 687
Splenic reticuloendothelial function in neonates, development of (Freedman et al) (BCLO), 466
Staging of secondary sex characteristics (Letter) (Rosenfield), 347; (Reply) (Harlan), 348
Staphylococcal bacteremia, oxacillin-tolerant (Hilty et al) (BCLO), 1035

Staphylococcal—Cont'd
septicemia with generalized nonsuppurative myositis (Adamski et al) (BCLO), 694
Stature, short, in Turner syndrome—treatment of (Stahnke and Willig) (Letter), 176
Status asthmaticus, corticosteroids in (Kattan et al), 596
Steroid-croup controversy: Analytic review of methodologic problems (Tunnessen and Feinstein), 751
Sting, wasp—hemolytic anemia following (Monzon and Miles) (BCLO), 1039
Stool examinations, duodenal aspiration, and pediatric Entero-Test for giardiasis—comparative study of (Rosenthal and Liebman) (BCLO), 278
Streptococcal antibody, type-specific group B—prevalence in pregnant women (Vogel et al), 1047
antigen, group B—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
extracellular antigens—sensitivity and specificity of agglutination test for antibodies to: Quantiative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
Streptococci, group A—identification with bacitracin disc on the primary throat culture plate (Lyerly et al) (BCLO), 431
upper respiratory tract infections in very young children—immunologic response (Gerber et al), 374
infections, neonatal group B—rapid detection by latex agglutination (Bromberger et al) (BCLO), 104
Streptococcus, nutritionally deficient—infective endocarditis due to (Narasimhan and Weinstein) (BCLO), 61
Streptolysin O, anti-, and anti-deoxyribonuclease B tests—quantitative analysis and comparison of Streptozyme test with: Sensitivity and specificity of agglutination test for antibodies to streptococcal extracellular antigens (Kaplan and Huwe), 367
Streptozyme test—quantitative analysis and comparison with the anti-streptolysin O and anti-deoxyribonuclease B tests: Sensitivity and specificity of agglutination test for antibodies to streptococcal extracellular antigens (Kaplan and Huwe), 367
Stressed newborn infants, ischemic papillary muscle necrosis in (Donnelly et al), 295
Stroke, sickle cell anemia, and transfusion—commentary (Seeler and Royal) (Editor's Column), 243
Sucrose and glucose electrolyte solutions compared: Oral therapy with choleral (Sack et al), 20
Sulci and ventricles, enlarged—significance of CT scans showing (Donat) (Letter), 956; (Reply) (Robertson), 956
Sulfamethoxazole-trimethoprim compared with ampicillin in treatment of acute otitis media (Shurin et al), 1081
penetration characteristics in middle ear fluid of patients with chronic serious otitis media (Klimek et al) (BCLO), 1087
used against *H. influenzae* (Yogev) (Letter), 778; (Gutman) (Reply), 779
Suppositories, trimethobenzamide hydrochloride (Tigan), for treatment of nausea and vomiting—evaluation of (Ginsburg and Clahsen) (BCLO), 767
Surgery, corrective cardiac-hemodynamic effects of dopamine in infants after (Lang et al), 630
for craniopharyngioma, precocious puberty after (Zachmann and Illig) (Letter), 515
with gastroesophageal reflux and respiratory symptoms (Jolley et al), 194
Surgical correction of velopharyngeal incompetence—obstructive sleep apnea and death associated with (Kravath et al), 645
Swimming—effects on diabetes insipidus treated with DDAVP (Haberfellner) (Letter), 346; (Riley and Rosenbloom) (Reply), 347
Syncytial virus, respiratory—antibody response to primary and secondary infection with: Kinetics of class-specific responses (Welliver et al), 808
Syndrome *see* specific syndrome
Synthetase deficiency, holocarboxylase: Biotin-responsive organic acidemia (Roth et al), 845

T

Temperament, infant—measuring (Carey and McDevitt) (Editor's column), 423
measuring, in pediatric practice (Vaughn et al), 510
Temporal artery catheterization—neurologic complications following (Bull et al) (BCLO), 1071
Test, agglutination—specificity of sensitivity and for antibodies to streptococcal extracellular antigens: Quantitative analysis and comparison of Streptozyme test with anti-streptolysin O and anti-deoxyribonuclease B tests (Kaplan and Huwe), 367
latex agglutination, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 786; (Edwards and Baker) (Reply), 787
meal stimulus, serum bile acid response: Sensitive test of ileal function (Balistreri et al), 582
Testicular leukemia, clinical and occult, in long-term survivors of acute lymphoblastic leukemia (Wong et al), 569
Tetrahydrobiopterin deficiency—early diagnosis of hyperphenylalaninemia due to (malignant hyperphyenylalaninemia) (Danks and Cotton) (Editor's column), 854
Thalassemia, β-, depressed serum somatomedin activity in (Saenger et al), 214
Theophylline and caffeine: Serum/CSF correlation in premature infants (Somani et al) (BCLO), 1091
concentrations and serum caffeine in premature infants—use of salivary concentrations in prediction of (Khanna et al), 494
products, iodide containing (Hendeles and Weinberger) (Letter), 344
therapy, low-dose, in idiopathic apnea of prematurity (Myers et al), 99
Thermal environment—effects on heat balance and insensible water loss in LBW infants (Bell et al), 452
Throat culture plate, primary—identification of group A streptococci with bacitracin disc on (Lyerly et al) (BCLO), 431
Thrombocytopenia and pulmonary hypertension in perinatal aspiration syndromes (Segall et al), 727

Thrombocytopenic purpura, idiopathic, with acute leukemia (Ozsoylu) (Letter), 166; (Rao and Pang) (Reply), 166
Thyroid antibodies—lack of influence on thyroid function in newborn infant and on mass screening program for congenital hypothyroidism (Dussault et al), 385
Thyrotoxicosis and cerebral gigantism (Wilson et al) (BCLO), 685
Tigan (trimethobenzamide hydrochloride) suppositories for treatment of nausea and vomiting, evaluation of (Ginsburg and Clahsen) (BCLO), 767
Tissues, cystinotic—cystine depletion by phosphocysteamine (WR638) (Thoene and Lemons) (BCLO), 1043
Tomography, computed, abnormalities and pseudotumor cerebri—presentation with: MSUD (Mantovani et al) (BCLO), 279
computed cranial (Ferry), 961
in bacterial meningitis (Stovring and Snyder), 820
scans, computed—significance showing enlarged ventricles and sulci (Donat) (Letter), 956; (Reply) (Robertson), 956
Toxicity, chloramphenicol, in neonate treated with exchange transfusion (Kessler et al) (BCLO), 140
lack of, and pharmacology of increased dosage regimen: Kanamycin (Hieber et al) (BCLO), 1089
Toxin, bacterial, and neonatal necrotizing enterocolitis (Stoll et al) (BCLO), 114
Tracheal, trans-, percutaneous aspiration in diagnosis and treatment of aspiration pneumonia (Brook), 1000
Transcarbamylase deficiency, ornithine, in male with normal development (Yudkoff et al) (BCLO), 441
Transfusion, exchange, as treatment for hyperleukocytosis, anemia, and metabolic abnormalities in patient with leukemia (Kamen et al) (BCLO), 1045
—chloramphenicol toxicity in neonate treated with (Kessler et al) (BCLO), 140
hyperkalemia following (Scanlon and Krakaur) (BCLO), 108
in neonates—pharmacokinetics during (Kliegman et al) (BCLO), 927
with hemoglobin SC blood—death following (Murphy et al) (BCLO), 110
stroke, and sickle cell anemia—commentary (Seeler and Royal) (Editor's Column), 243
therapy—efficacy for 1-2 years in patients with sickle cell disease and cerebrovascular accidents (Wilimas et al), 205
Transplants, renal—evaluation of educational program on compliance of medication regimens with (Beck et al), 1094
Triglycerides, medium-chain—malabsorption in infants with cystic fibrosis: Correction with pancreatic enzyme supplements (Durie et al) (BCLO), 862
vitamin E status of infants fed formula containing (Williams and Oski) (BCLO), 70
Trimethobenzamide hydrochloride (Tigan) suppositories for treatment of nausea and vomiting, evaluation of (Ginsburg and Clahsen) (BCLO), 767
Trimethoprim-sulfamethoxazole compared with ampicillin in treatment of acute otitis media (Shurin et al), 1081
penetration characteristics in middle ear fluid of patients with chronic serous otitis media (Klimek et al) (BCLO), 1087
Trimethoprim-sulfamethoxazole—Cont'd
used against *H. influenzae* (Yogev) (Letter), 778; (Gutman) (Reply), 779
Tuberculous, non-, mycobacterial endobronchitis (Powell and Walker) (BCLO), 268
Tubular defect, isolated, of urate reabsorption—Hereditary renal hypouricemia (Weitz and Sperling), 850
Tumor, pseudo-, cerebri and CT abnormalities—presentation with: MSUD (Mantovani et al) (BCLO), 279
recurrent metastatic Wilms, in previously treated children—vincristine, dactinomycin, and cyclophosphamide chemotherapy for (Ortega et al) (BCLO), 502
syndrome, Aniridia-Wilms, with deletion 11p13-14.1—familial occurrence of (Yunis and Ramsay), 1027
Wilms—adenocarcinoma of colon following (Opitz) (Letter), 775
—colon cancer after (Li) (Letter), 954
progression of nephroblastomatosis to (Kulkarni et al) (Letter), 178
Turner syndrome—carbohydate intolerance in children and adolescents with (Polychronakos et al), 1009
treatment of short stature in (Stahnke and Willig) (Letter), 176
use of oxandrolone in (Root) (Letter), 168; (Urban et al) (Reply), 169

U

Ultrasonic and biochemical diagnosis of pancreatitis (Cox et al), 407
gray-scale technique—incidence of cholelithiasis in sickle cell anemia using (Sarnaik et al), 1005
Umbilical artery catheters, new graph for insertion of (Rosenfeld et al) (BCLO), 735
catheterization, unusual complication of: Wharton jelly embolism (Abramowsky et al) (BCLO), 739
Urate reabsorption, isolated tubular defect of—hereditary renal hypouricemia (Weitz and Sperling), 850
Uremic hemolytic syndrome following pneumococcal infection (Berry) (Letter), 774
Ureteral obstruction and prune belly syndrome (Straub and Stanger) (Letter), 776; (Smith) (Reply), 777
Urine disease, maple syrup—acidosis associated with dietotherapy of (Foreman et al) (BCLO), 62
Presentation with pseudotumor cerebri and CT abnormalities (Mantovani et al) (BCLO), 279
screening for metabolic disease in newborn infants (Paul et al), 653
Uterine, intra-, growth retardation—low somatomedin activity in cord serum from infants with (Foley et al), 605
Utero, in, early limb compression, and limb reduction anomalies (Graham et al), 1052

V

Vaccination, maternal rubella, in early pregnancy—subclinical congenital rubella infection associated with (Hayden et al) (BCLO), 869
Vaccine, pneumococcal capsular polysaccharide, with nephrotic syndrome—recurrent pneumococcal sepsis and defective opsonization after (Moore et al) (BCLO), 882

Vaccine—Cont'd
polyvalent pneumococcal—antibody responses in infants with sickle cell anemia (Buchanan and Schiffman) (BCLO), 264
Vancomycin, clinical pharmacology and efficacy of, in pediatric patients (Schadd et al), 119
Vasodilator therapy for congestive heart failure (Dillon et al), 623
Velopharyngeal incompetence—obstructive sleep apnea and death associated with surgical obstruction of (Kravath et al), 645
Vena cava, inferior—Budd-Chiari syndrome due to membranous obstruction of (Cabrera et al) (BCLO), 435
Ventilation, characteristics and effects on: Hiccups in infants (Brouillette et al), 219
in Ondine's curse, control of (Wells et al) (BCLO), 865
neonatal mechanical—defective primary dentition in survivors of (Moylan et al) (BCLO), 106
Ventilatory response to carbon dioxide of infants following chronic prenatal methadone exposure (Olsen and Lees), 983
Ventricles and sulci, enlarged—significance of CT scans showing (Donat) (Letter), 956; (Reply) (Robertson), 956
Ventricular, intra-, hemorrhage associated with rapid volume expansion in preterm infant (Goldberg et al) (BCLO), 1060
in newborn beagle model—moderate, rapidly induced hypertension as cause of (Goddard et al), 1057
Vincristine, dactinomycin, and cyclophosphamide chemotherapy for recurrent metastatic Wilms tumor in previously treated children (Ortega et al) (BCLO), 502
VIP intestinal content—modifications associated with abnormal nervous myenteric plexus: Biologic feature of chronic intestinal obstruction (Dupont et al) (BCLO), 1037
Virus(es) immunization, A/New Jersey/76 influenza—antibody decline following (Lerman et al) (BCLO), 271
respiratory—cellular response with particular reference to children with disorders of cell-mediated immunity (Fishaut et al), 179
syncytial—antibody response to primary and secondary infection with: Kinetics of class-specific responses (Welliver et al), 808
Vitamin B_{12}-responsive methylmalonic acidemia—long-term management of patient with (Morrow and Burkel) (BCLO), 425
D deficiency in calcium-supplemented very low-birth-weight infant (Cifuentes et al) (BCLO), 252
-resistant rickets: End-organ unresponsiveness to $1,25(OH)_2D_3$ (Sockalosky et al) (BCLO), 701
E status of infants fed formula containing medium-chain triglycerides (Williams and Oski) (BCLO), 70
multi-, effect of phototherapy on amino acid solutions containing (Bhatia et al) (BCLO), 234
Vomiting and nausea—evaluation of trimethobenzamide hydrochloride (Tigan) suppositories for treatment of (Ginsburg and Clahsen) (BCLO), 767
Volume expansion, rapid, associated with intraventricular hemorrhage in preterm infant (Goldberg et al) (BCLO), 1060

W

Water loss, insensible, and heat balance in LBW infants—effects of thermal environment on (Bell et al), 452
pails of—immersion accidents in home (Scott and Eigen) (BCLO), 282
Weight, decreased birth, in infants of alcoholic women who abstained during pregnancy (Little et al), 974
low-birth-, infants—effects of thermal environment on heat balance and insensible water loss (Bell et al), 452
red blood cell values in: Ages at which values become equivalent to those of term infants (Lundstrom and Siimes) (BCLO), 1040
rickets in (Kulkarni et al) (BCLO), 249
—vitamin D deficiency in calcium-supplemented (Cifuentes et al) (BCLO), 252
Wharton jelly embolism: Unusual complication of umbilical catheterization (Abramowsky et al) (BCLO), 739
Wilms tumor—adenocarcinoma of colon following (Opitz) (Letter), 775
colon cancer after (Li (Letter), 954
progression of nephroblastomatosis to (Kulkarni et al) (Letter), 178
recurrent metastatic, in previously treated children—vincristine, dactinomycin, and cyclophosphamide chemotherapy for (Ortega et al) (BCLO), 502
Withdrawal, minoxidil—rebound hypertension following (Makker and Moorthy), 762

X

X chromosome abnormalities—effect of growth hormone and oxandrolone singly and together on growth rate in girls with (Rudman et al), 132
linked Lymphoproliferative Syndrome Registry report (Hamilton et al), 669
mental retardation, macro-orchidism, and Xq27 fragile site (Turner et al), 837
Xq27 fragile site, macro-orchidism, and X-linked mental retardation (Turner et al), 837

Y

Yersinia enterocolitica gastroenteritis: Prospective study of clinical, bacteriologic, and epidemiologic features (Marks et al), 26

Z

Zinc-binding ligand, therapeutic effect of pancreatic enzyme preparations due to: Acrodermatitis enteropathica without hypozincemia (Krieger and Evans), 32
Zygomycosis (nosocomial *Rhizopus* infection) (Dennis et al), 824

THE JOURNAL OF PEDIATRICS

EDITOR
JOSEPH M. GARFUNKEL
Springfield, Illinois

CONSULTING EDITOR
WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS
ROBERT E. MERRILL
Springfield, Illinois
DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

ROBERT L. BAEHNER
Indianapolis

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
Cleveland

JAY BERNSTEIN
Editor, Clinical-pathological conference
Royal Oak, Michigan

REBECCA H. BUCKLEY
Durham

VICTOR CHERNICK
Winnipeg

GEORGE D. COMERCI
Tucson

W.A. DANIEL, Jr.
Editor, Adolescent medicine
Birmingham, Alabama

ANGELO M. DiGEORGE
Editor, Book reviews
Philadelphia

PHILIP R. DODGE
St. Louis

ALLAN DRASH
Pittsburgh

LEON EISENBERG
Boston

LAURENCE FINBERG
New York

WILLIAM C. HEIRD
New York

RICHARD HONG
Madison, Wisconsin

MICHAEL M. KABACK
Torrance, California

DAVID T. KARZON
Nashville

SAUL KRUGMAN
New York

ANDRÉ LASCARI
Assistant to the Editor
Springfield, Illinois

MARTIN H. LEES
Portland, Oregon

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

GEORGE H. McCRACKEN, Jr.
Dallas

GRANT MORROW III
Columbus, Ohio

RICHARD W. OLMSTED
Editor, Behavioral pediatrics
Denver

ALLEN W. ROOT
St. Petersburg, Florida

JANE SCHALLER
Seattle

IRVING SCHULMAN
Stanford

BEA J. van den BERG
Oakland

ROBERT L. VERNIER
Minneapolis

WILLIAM B. WEIL, Jr.
East Lansing

VOLUME 97
COPYRIGHT © 1980 BY
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 97

*Author index**

A

Abbassi V, 259
Abo W, 98
Abraham S, 677
Adamski G, 701
Adelman R, 508
Adelman RD, 161, 642
Aicardi J, 1040
Aiges HW, 22
Akierman A, 848
Aladjem M, 437
Aldrich TK, 988
Allan WC, 278
Alper JC, 505
Altman AJ, 89
Ament ME, 657
Ammann AJ, 66
Anand SK, 1006
Anast C, 226
Anderson DC, 906
Anderson KC, 939
Anderson PAW, 394
Anderson RL, 972
Anderson VE, 72
Andiman W, 267
Andrassy RJ, 1041
Andreoli SP, 841
Andriola M, 41
Ank BJ, 567
Antoine M, 848
Anyan W, 441
Aoshima M, 834
Aranda JV, 984
Arasu TS, 167
Arboit JM, 335
Ardati KO, 781
Ariagno RL, 644
Arion WJ, 906
Armstrong BE, 394
Arndorfer RC, 244
Asonye UO, 445
Aylward GP, 487

B

Baehner RL, 429, 829
Baine WB, 972
Bakeman R, 487
Baker D, 502
Baker R, 619
Balistreri WF, 689
Ball D, 664
Ballard PL, 451
Ballard RA, 451
Bancalari E, 619, 700
Baron R, 226
Barrett DJ, 66
Barzilay Z, 437, 480
Bass JW, 465, 1040
Batshaw ML, 893
Batts DH, 151, 661
Bayne EJ, 953
Beach PJ, 119
Beach RC, 950
Beardmore HE, 984
Beaudet AL, 906
Beaudry PH, 144
Beauregard WG, 162
Behrman RE, 250
Bell EF, 700
Benton JW Jr, 374
Bergstein JM, 841
Berman B, 267
Berman BW, 901
Bernstein DI, 467
Bertotto A, 334
Bhasker C, 944
Bhat R, 445, 867
Biancaniello T, 45
Bisset GS III, 593
Bistritzer T, 480
Black DD, 647
Black RE, 324
Blaser MJ, 164
Bloom SR, 559
Bloss RS, 984
Boat TF, 765
Bock GH, 948
Boichis H, 437
Boncanegra TS, 780
Bonioli E, 962
Borden S IV, 226
Boros SJ, 108
Borut TC, 567
Bowie MD, 358
Branca P, 624
Briard M-L, 200
Brink JD, 721
Britt WJ, 432
Brodeur AE, 119
Brodsky NL, 795
Brooks JG, 139
Brosnan PG, 586
Brown BI, 944
Brown DA, 492
Brown DM, 697
Brown EG, 232
Brown JA, 401
Brown JV, 487
Broyer M, 476
Brumley GW, 631
Brusilow SW, 893
Buchanan GR, 946
Buchino JJ, 689
Buckwald S, 312
Burdick D, 263
Burke J, 559
Burstein J, 273
Burstein R, 273
Busch HJ, 514
Byrne T, 774
Byrne W, 657

C

Cairo MS, 829
Callis L, 653
Camerini-Otero CS, 742
Camfield CS, 16
Camfield PR, 16
Camitta BM, 1032
Campbell K, 108
Campos J, 591
Canavan JW, 301
Cancilla PA, 953
Canfield WK, 87
Canlorbe P, 607
Caprino D, 334
Carr I, 995
Carroll M, 677
Carter JE, 559
Casper J, 278
Cassidy JT, 37
Casteels-Van Daele M, 507
Caufriez A, 253
Cefalo RC, 810
Chance KH, 602
Chandramouli B, 953
Chantler C, 559
Chatasingh S, 508
Chaussain J-L, 600, 607, 923
Chen S, 702
Cheng C-C, 305
Chernick V, 668
Chesney RW, 473, 664
Chess S, 483
Chinn NM, 265
Chipps BE, 177
Cigliano B, 866
Cimino L, 780
Clarke DF, 312
Clarkson TW, 153
Cleary TG, 869
Cleaves F, 324
Clements ML, 324
Clyde WA Jr, 185
Clyman RI, 455
Cohen A, 100, 784
Cohen RS, 644
Colan RV, 374
Cole J, 640
Collier AM, 11, 185
Collipp PJ, 504
Conroy M-M, 298
Conte FA, 728
Cooksley WGE, 351
Cooper LZ, 774
Cooper R Jr, 770
Corbeel L, 507
Correa-Villasenor A, 972
Corrigan JJ, 979
Corrin B, 950
Counahan R, 559
Coustan DR, 637
Cowan MJ, 66
Crawford CS, 795
Crenshaw C, 631
Crone RK, 991
Crossley KB, 502
Cummings C, 16
Curatolo P, 1041
Curless R, 303
Curless RG, 261
Curry E, 122
Curtis-Cohen M, 784

D

Dahl MV, 432
Dahms BB, 800
Dajani AS, 165, 781, 939

*July, pp 1-166; August, pp 167-336; September, pp 337-518; October, pp 519-702; November, pp 703-874; December, pp 875-1042.

Dalens B, 332
Dallapiccola B, 1041
Dalton RN, 559
Daneman D, 257
Daniëls O, 514
Danis RK, 119
Dash J, 126, 132
Daum F, 22
Daum RS, 854
Dave R, 624
Davis DJ, 487
Davis WJ, 56
Dechaux M, 476
Dellinger KT, 650
Deluca HF, 640, 697
Dempo K, 98
Denning CE, 56
Denny FW, 11
Desai H, 624
Desmond K, 144
Dickinson RG, 333
Dillard RG, 506
Dillon HC Jr, 635
Dodds WJ, 244
Doershuk CF, 765
Domville Cooke WD, 351
Done AK, 164
Donnadieu M, 923
Dorfman LJ, 1
Dosik H, 305
Dreifuss FE, 554
Duck SC, 93
Durandy A, 370
Duray PH, 432
Durbin WA, 165

E

Edell T, 535
Edson JR, 948
Egge AC, 742
Ek J, 288
El Bishti MM, 559
Ellenberg L, 126, 132
Ellerstein NS, 301
Elliott RB, 789
Emans SJ, 815
Ennis FA, 56
Epstein MAF, 51
Epstein RA, 51
Eren M, 112
Essin D, 509
Eto T, 768
Ettenger RB, 550
Evans D, 358
Evans HE, 305
Exeni R, 918

F

Fahlstrom SM, 72
Falterman CG, 308, 812
Fan LL, 650
Fanaroff A, 114
Fang VS, 205, 214
Farrell P, 668
Fasules JW, 263
Favorito J, 991
Fekety FR, 151
Fekety R, 661
Feldman RA, 164
Fennell RS, 41
Ferrara A, 483
Ferrieri P, 298
Finberg L, 516
Fine RN, 550
Fink BB, 383
Fink RJ, 742
Fisher LD, 265
Fishman MA, 933
Fitzgerald JF, 167
Fleischman AR, 640
Fleisher G, 591, 935
Foker JE, 298
Foote DP, 324
Forbush L, 497
Frantz CN, 89
Fried R, 1009
Friedman A, 664
Friedman WF, 1001
Friis-Hansen B, 513
Fujinaga T, 866
Funahashi T, 221
Fyhrquist F, 462

G

Gaerlan PF, 56
Gallop FM, 501
Gamsu H, 873
Gangarosa R, 848
Gard SE, 567
Garfunkel JM, 83, 162, 695
Gartner LM, 759
Gaulme J, 332
Gaum W, 593
Geary DF, 41
Gelfand EW, 153
Gemme G, 962
Gendrel D, 217, 600, 923
Georges P, 923
Gerber N, 333
Gerhardt T, 700
Gerich JE, 786
Germain BF, 780
Germann K, 765
Gertner JM, 637
Ghishan FK, 27
Giblett ER, 749
Gildengers E, 335
Gilford P, 839
Gill FM, 784
Gillum RF, 1039
Gilmore RL, 829
Glassman MS, 637
Glick MR, 841
Gluck L, 514
Gluckman PD, 451
Go VLW, 786
Gocke D, 770
Goldberg B, 624
Goldblum RM, 33
Golden SM, 810
Goldenring J, 329
Goldmann DA, 165
Goldstein DP, 815
Goldstein EO, 1039
Goldstein JD, 282
Goltz RW, 432
Gomperts ED, 419
Goodfriend T, 664
Goodman DBP, 637
Grace E, 815
Graham DR, 972
Graham E, 950
Graham GG, 316
Granberg JP, 451
Grand RJ, 165, 609
Granoff DM, 854
Graviss ER, 119
Graybill J, 657
Graziani L, 624
Green EG, 661
Green OC, 598
Greenberg D, 503
Greenberg J, 784
Greene GR, 421
Greene HL, 512
Griscelli C, 370
Griswold W, 574
Grospierre B, 370
Gross PA, 56
Grover WD, 795
Grumbach MM, 451, 728
Grumet FC, 806
Gruskin A, 226
Gryboski J, 441
Gudat J, 41
Guenthner EE, 378
Guggenheim MA, 263
Guggino GS, 780
Guilietis DK, 901
Guillot M, 476
Gundberg CM, 501
Guthrie R, 872
Gutierrez C, 324

H

Haddad GG, 51
Haddy TB, 501
Hafleigh EB, 806
Halperin SA, 91
Halpin TC Jr, 800
Halsey NA, 535
Halsted CC, 161
Hambidge KM, 87
Hamilton JP, 661
Hansen JA, 749
Hansen JDL, 358
Hansen TN, 836
Hanson MR, 72
Harden LB, 1040
Harland E, 848
Hasiba U, 426
Hassall E, 336
Haverkamp AD, 103
Haycock GB, 510
Hayden PW, 956
Haymond MW, 786
Heaston DK, 958
Heick HMC, 471
Hendeles L, 825
Henderson FW, 11, 185
Hendley JO, 91
Herman JH, 988
Hermann HW, 162
Hermansen MC, 330
Herold N, 479
Herrell N, 114
Heymann MA, 455
Helinek GL, 512
Hewitt J, 873
Hilgartner MW, 378
Hillemeier C, 441
Hirano T, 596
Hirota K, 545
Hochstadt NJ, 1012
Hogan WJ, 244
Holmes GL, 554
Holmes LB, 505
Holmes R, 151
Hopman JCW, 514
Hopwood NJ, 820
Hormann E, 612
Horowitz JG, 765
Howard CP, 786
Howard NJ, 257
Howard RE, 650
Hubbard VS, 742
Hudgel DW, 736
Huf R, 310
Hughes TP, 324
Hughes WT, 715
Hunter AGW, 1041, 1042
Hurwitz ES, 535
Hustinx TWJ, 440
Hyams JS, 165, 609

I

Ichizen T, 221
Illig R, 255
Imbus C, 721
Infante AJ, 786
Ishida N, 545
Ishii A, 545
Ito M, 269
Iwaya T, 834
Iyama T, 580

J

Jacobson L, 612
Jaffe KM, 937
James HE, 873
James W, 471
Janakiraman N, 596
Janik DS, 497
Jekel JF, 901
Jesurun CA, 695
Jhaveri R, 305
Job J-C, 217, 600, 607, 923
John EG, 505, 867
Johnson B, 848
Johnson D, 574
Johnson DE, 298
Johnson JD, 273, 644, 806
Jonas A, 480
Jones RWA, 559
Jongbloet PH, 868
Jordan SC, 550
Josso N, 200
Jung AL, 497

K

Kagey-Sobotka A, 177
Kahn E, 22
Kane W, 775
Kapasi AA, 1035
Kaplan EL, 337
Kaplan GW, 574
Kaplan MM, 602
Kaplan S, 45, 593
Kaplan SL, 451, 728
Karita M, 545
Karp HN, 1006
Karpatkin M, 791
Kasper DL, 364
Kauffman RE, 839
Kaufman ND, 1006
Kawana T, 768
Keith DA, 501
Kelch RP, 820
Kellerman J, 126, 132
Kelley VC, 749
Kelsch RC, 37
Kennett R, 540
Kenny JD, 836
Kersey JH, 72
Khare S, 635
Kim SP, 483
Kirks DR, 958
Kitts DB, 421
Kleiman MB, 841
Klein EB, 774
Kleinman R, 612
Kocoshis S, 441
Koffler H, 273
Kohl S, 869
Kojima H, 778
Konno T, 545
Kopps BL, 273
Kramer II, 1039
Kreth HW, 519
Krivit W, 72
Krous H, 334
Krous HF, 156
Kryc JJ, 979
Kuhns L, 37
Kulig JW, 698
Kumar A, 328
Kundell SP, 96
Kuroda Y, 269
Kuroume T, 866
Kuzemko JA, 893

L

LaBrecque DR, 27
LaFranchi S, 960
Lagorio V, 962
Lai TL, 51
Landaw EM, 871
Landes RD, 465
Landing BH, 550
Lang P, 1001
Lange AJ, 906
Langendoerfer S, 103
LaRossa MM, 487
Latimer JS, 434
Lau SO, 948
Lauer ME, 1032
Lauer RM, 953
Lay KS, 619
Lazarus J, 406
Lazarus K, 829
Leão E, 510
Lebenthal E, 389, 510
Lee C, 772
Lee K, 759
Lee M, 699
Lee PC, 389
Leffert F, 875
Lemerle J, 607
Lennette E, 935
Leistner HL, 51
Levin AR, 1009
Levin GS, 695
Levine DH, 870
Lester LA, 742
Levine MM, 324
Levine RL, 139
Lewandowski RC, 586
Lewis JE, 119
Lewis JH, 426
Libutti G, 1041
Lichtenstein LM, 177
Lieberman E, 419
Lightner ES, 261
Lilien LD, 295, 967
Lilly JR, 329
Linday L, 1009
Lipsitt LP, 196
Lissner C, 810
Lobel JS, 1038
Loirat C, 476
Lorin MI, 1035
Lopez de Romaña G, 316
Lotan D, 437
Lou HC, 513
Lough M, 114
Luce D, 267
Lucky AW, 205, 214
Ludwig S, 591
Luken JA, 995
Lulla S, 346
Lulla SH, 1012
Luzzatti L, 911

M

McCabe ERB, 944
McClain CJ, 434
McCook TA, 958
McCracken GH Jr, 503
McDonald J, 848
McDougall D, 144
McGehee FT Jr, 946
McHugh RB, 72
McIntosh K, 535
McIntosh S, 267
Mackenzie K, 848
McKiernan J, 554
Maclaren NK, 191
MacLean WC Jr, 316, 383
McVicar M, 918
Magenis ER, 960
Malachowski N, 644
Malachowski NC, 806
Malekzadeh MH, 550
Malkus H, 619
Malone JI, 873
Mandel JS, 72
Malone RB, 958
Maloney MJ, 1016
Manginello FP, 506
Mann M, 843
Manser JI, 795
Mantovani JF, 278
Markenson AL, 100
Marks MI, 144, 156, 165
Marshall JC, 820
Martin D, 151
Martin RJ, 114
Massa E, 316
Matheny S, 324
Matheson DS, 153
Mathew OP, 276, 292
Matsuo K, 778
Matthews SJ, 869
Matwynshyn J, 967
Mauray F, 455
Maurer MJ, 165, 939
Mauseth RS, 749
Mayersohn M, 303
Mazur AT, 226
Medenis R, 505
Mehta P, 479, 791, 941
Meiklejohn G, 535
Mellins RB, 51, 668
Melvin TR, 944
Menchaca JA, 508
Menge R, 87
Merrill RE, 148, 166
Metz SA, 336
Meyer RA, 45
Meyer WJ, 586
Michael AF, 948
Michels VV, 906
Mickle P, 873
Miller CH, 378
Miller D, 1009
Miller K, 775
Mills AL, 650
Mills MT, 278
Mills SR, 958
Millunchick EW, 465
Mimaki T, 303
Mims LC, 699
Minnefor A, 770
Mitchell EA, 789
Mitros FA, 27
Miyao M, 269
Mizrahi EM, 1
Monaghan WP, 810
Mongeau J-G, 473
Montgomery RR, 944
Moodie AD, 358
Mori M, 98
Moritani D, 699
Moroney JD, 780
Morris MC, 559
Moshang T Jr, 602
Mosley J, 550
Moxon ER, 233
Muir K, 825
Mukai M, 221
Mukhopadhyay D, 596
Muraoka R, 834
Murphy J, 103

N

Nakano H, 834
Nakao T, 98
Nalin DR, 848
Nankervis GA, 328
Naylor EW, 872
Nelson JD, 503
Neu HC, 148
Neufeld M, 191
Neumann L, 791
Newcomb RW, 346
Newman AJ, 772
Nieto J, 653
Nirken MH, 1035
Noble GR, 56
Noguchi A, 112
Nora JJ, 706

Norman ME, 226
Norman MG, 471
Nosal C, 91
Nowick KD, 103
Numazaki Y, 545

O

O'Brien C, 839
O'Brien D, 695, 944
O'Brien WF, 810
Ochs HD, 96
Oetgen WJ, 465
Ogawa T, 269
Ogra PL, 467
Oh SJ, 374
Oh W, 196, 700
Okuda N, 221
Oldfield RK, 604
Oleske J, 770
Olson M, 22
Orda S, 437
O'Regan S, 473
Orenstein DM, 765
Orleans M, 103
Orris DJ, 426
Oshima T, 545
Osofsky SG, 701, 958
Ostlund R, 615
Otterson W, 698
Owen CA, 872
Owens RP, 765
Oyanagi K, 98

P

Pabst HF, 519
Pacosa F, 103
Pai CH, 165
Palfrey JS, 417
Paludetto R, 866
Paneth N, 759
Papazafiratou C, 445
Papile L-A, 273
Pass MA, 635
Pasternak JF, 278
Paul TD, 872
Pavlovitch H, 476
Payer AF, 586
Pearlman M, 759
Pearson HA, 901
Peltola H, 330
Pelton SI, 364
Penna FJ, 510
Pennisi AJ, 550
Pepple J, 233
Perheentupa J, 927
Perrault J, 786
Perrier D, 303
Perry GS III, 72
Perry LW, 677
Peterson DR, 265
Peterson RG, 139
Phelps DL, 870
Phillips LS, 598
Pickering LK, 869
Pildes RS, 295, 967, 995
Pleviak D, 596
Pohjavuori M, 462
Polin RA, 540
Pollard AC, 604
Pollard RA, 164
Powars D, 163
Powell GK, 33
Powell KR, 238
Prader A, 255
Prescott GH, 960
Primiano FP Jr, 765
Prince AS, 148
Pui C-H, 754
Pultusker M, 114

Q

Quinn JJ, 89

R

Ragland M, 554
Ragni M, 1001
Rajantie J, 927
Rall DP, 79
Ramlal A, 848
Rangel R, 144
Rao S, 505
Rapola J, 927
Rasmussen H, 226
Rauh JL, 698
Raval D, 995
Raynaud E-J, 332
Reid LM, 282
Rende J, 653
Rennels MB, 424
Rich BH, 205, 214
Richard GA, 41
Richardson CJ, 308, 812
Riegelman S, 825
Riff EJ, 956
Rigler D, 126, 132
Riley WJ, 191
Rimoin DL, 503
Ritchey AK, 267, 901
Ritter DA, 836
Robertson EF, 604
Robinson WA, 944
Robitaille P, 473
Robyn C, 253
Roche-Bender N, 205, 214
Rochester DF, 988
Rodgers BM, 41
Rodriguez C, 780
Rogan WJ, 79, 861
Roger M, 217, 600, 607
Rogers D, 1001
Roizman B, 91
Roman C, 455
Rosen JF, 640
Rosenblatt HM, 657
Rosenbloom AL, 873
Rosenfeld W, 305, 870
Rosenfield RL, 205, 214
Ross J, 770
Rotenstein D, 696
Rotschafer JC, 502
Rudolph AJ, 836
Rudolph AM, 455
Ruffa G, 962
Rumack BH, 139
Rumack CM, 263
Rutherford PK, 487

S

Saccar C, 1001
Sachs C, 476
Sack DA, 517
Sackellares JC, 554
Sager C, 45
Saito A, 834
Sakuma Y, 98
Sakurai M, 768
Salazar JD, 305
Sanyal MA, 11
Sarrazin E, 825
Sasaki M, 98
Sato T, 221
Saul RA, 701
Saulsbury FT, 61
Sawchuk R, 502
Schaad UB, 503
Schain RJ, 310
Schentag JJ, 312
Scheres JMJC, 440
Schimke RN, 580
Schmitt BD, 163
Schonfeld G, 615
Schuberth KC, 177
Schumacher H, 810
Schumann LM, 72
Schwartz AD, 901
Schwartz E, 100
Schwartz GJ, 510
Schwartz J, 935
Schwartz JN, 661
Schydlower M, 698
Scopes JW, 950
Seashore JS, 441
Seigler HF, 958
Seligmann R, 476
Sepe SJ, 871
Serwer GA, 394
Shapiro SH, 16
Sharp EM, 497
Sharp HL, 434, 775
Shawver-Matthews S, 869
Sheikholishlam BM, 161
Shen D, 312
Shepard J, 1012
Shepherd R, 351
Sherman L, 615
Sherman MP, 642
Shipman RT, 471
Shiraki K, 768
Shulman ST, 701
Shurin PA, 364
Siccard G, 615
Siegel A, 324
Siegel M, 510
Silberstein MJ, 119
Silengo MC, 911
Sillence DO, 503
Silva J, 151, 661
Silverman A, 329
Silverman FN, 406, 911
Simell O, 927
Simmonds RC, 695
Simmons MA, 139
Smialek JE, 504
Smith A, 492
Smith AL, 937
Smith CM, 640
Smith EK, 749
Smith TF, 736
Smith W, 324
Snead OC III, 374
Sniderman S, 451
Sockalosky JJ, 697
Sogawa H, 98
Solem LD, 502
Sonaglia F, 334
Sone K, 866
Spector BD, 72
Speer ME, 836
Spero JA, 426
Spitzer A, 510
Srinivasan G, 295, 596, 967
Stacy T, 156
Stafford RJ, 609
Stagni G, 334
Stamper L, 661
Standaert L, 507
Stapleton FB, 574
Starshak RJ, 330
Stass S, 810
Steinherz LJ, 1009
Steinhoff MC, 515
Steinour TA, 259
Stempel DA, 185
Stempel EC, 11
Stern L, 332
Stevens D, 695
Stevens K, 118
Stevenson DK, 406, 644
Stevenson JK, 956

Stiehm ER, 567, 657
Stoelinga GBA, 514
Strauss J, 619
Strefling AM, 406
Sullivan DB, 37
Sullivan TD, 301
Sullivan WR, 695
Sunshine P, 644, 806
Sureeratanan J, 508
Susin M, 918
Swaby D, 848
Sweet AY, 332
Szefler SJ, 312

T

Tager IB, 364
Takahashi O, 602
Takeda E, 269
Takeuchi Y, 98
Tan CTC, 1009
Tanaka A, 545
Tanaka Y, 873
Tanphaichitr D, 508
Tanphaichitr P, 508
Tardieu M, 370
Tashiro M, 866
Taussig LM, 668
Tazawa Y, 545
Teichberg S, 22
Terr LC, 251
Thalji AA, 995
Thompson TR, 298
Thomsett MJ, 728
Thrupp LD, 421
Todd JK, 535
Todd WA, 535
Toguri AG, 586
Tokuyama K, 866
Tomomasa T, 866
Tong MJ, 550
Toshima K, 269
Traisman HS, 598
Tsang RC, 112
Tsukahara M, 778
Tung EC, 699
Turmen T, 984
Tuomanen EI, 238
Tyrala EE, 795

U

Uchigata Y, 221
Uchiyama N, 421
Ueda K, 834
Uittenbogaart CH, 550
Ulstrom RA, 697
Usberti M, 476
Utiger RD, 602

V

Valentine MD, 177
Van de Casseye W, 507
van der Spuy HIJ, 358
van Doorninck W, 103
Van Vliet G, 253
Van Sickle G, 33
Vasa R, 791
Velardi A, 334
Vidyasagar D, 445, 867
Vienne G, 378
Vila A, 653
Vohr BR, 196
Vollman JH, 972
Volpe JJ, 278, 292
Voora S, 295, 967

W

Wald ER, 424
Waldroup L, 624
Walravens PA, 87
Walker WA, 612
Walson PD, 303
Wang W, 754
Wara DW, 66
Warshaw JB, 122
Wassman ER Jr, 503
Watabe N, 545
Watanabe T, 269
Weemaes CMR, 440
Weetman RM, 429
Wehrle PF, 331
Weinberger M, 825
Weinstein MR, 700
Wells RJ, 429
Werlin SL, 244, 330
West P, 873
Wetzel RC, 334
Whitington PF, 647
Wible KL, 1038
Widder D, 505
Wiggelinkhuizen J, 843
Wigglesworth JS, 513
Wilcken B, 492
Wilimas J, 754
Wilkins AC, 604
Wilkins J, 331
Wilkins LE, 401
Williams JC, 615
Williamson S, 873
Winkelstein JA, 61
Winter JSD, 81
Winter RJ, 598
Wirth FH, 118
Witztum JL, 615
Wolter R, 253
Wong KY, 45
Wolf B, 401, 964
Wood R, 668
Woodward WE, 515
Woo-Sam J, 721
Wortmann DW, 37
Worton WA, 580
Wright FH, 1021
Wright H, 550
Wyllie R, 167
Wyman ML, 497
Wynn RJ, 312

Y

Yaffe SJ, 1001
Yeh TF, 295, 967, 995
Yip R, 163
Yokota M, 834
Yolken RH, 61, 233, 715
Yoshihara N, 768
Young RSK, 696
Younoszai MK, 27
Yudovich M, 1035

Z

Zachmann M, 255
Zalneraitis EL, 696
Zeltzer L, 126, 132

*Subject index**

A

Abdominal wall defects, hypertension in neonate following closure of (Adelman and Sherman) (BCLO), 642
ABO hemolytic disease, unrecognized, of newborn infant—transfusion reaction due to (Falterman and Richardson) (BCLO), 812
Acetaminophen, incorrect dosage of (Beauregard) (Letter), 162
Achondroplasia and zinc deficiency (Wassman et al) (Letter), 503; (Collipp) (Reply), 504
Acidosis, late metabolic (Essin) (Letter), 509; (Spitzer) (Reply), 510
Aciduria, argininosuccinic—neonatal survival after early diagnosis and treatment of (John et al) (Letter), 867
Acrodynia (mercury toxicity) induced by long-term injection of gammaglobulin (Matheson et al), 153
ACTH discharge, periodic (Sato et al), 221
  infusion, HLA typing response and 17-OH progesterone response to—21-hydroxylase deficiency: Detection of heterozygotes for congential adrenal hyperplasia (Mauseth et al), 749
Addison disease and adrenal autoantibodies in insulin-dependent diabetes mellitus (Riley et al), 191
Adenovirus pneumonia (Letter) (Goldenring), 329
Adolescence—psychological effects of illness in. I. Anxiety, self-esteem, and perception of control (Kellerman et al), 126
    II. Impact of illness in adolescents—crucial issues and coping styles (Zeltzer et al), 132
Adolescent(s) and children—physical recovery after severe closed head trauma in (Brink et al), 721
  boys, two, with 46XX male syndrome—variation in pituitary-gonadal function (LaFranchi et al) (BCLO), 960
  diagnosis of gonadotropin deficiency in: Limited usefulness of standard gonadotropin-releasing hormone test in obese boys (Kelch et al), 820
  girls, oligomenorrhea in (Emans et al), 815
Adrenal autoantibodies and Addison disease in insulin-dependent diabetes mellitus (Riley et al), 191
  hyperplasia, congenital—acceptable linear growth in (Duck) (BCLO), 93
    —current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81
    —detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
    —gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
Adrenarche and thelarche, premature—test to discriminate true precocious puberty from: Bioactive LH (Lucky et al), 214
Age, gestational—plasma and red cell folate values in newborn infants and their mothers in relation to (Ek), 288
  —relationship to gentamicin serum concentrations in preterm and term neonates (Szefler et al) (BCLO), 312
Agenesis, functional pancreatic—long-term survival in case of (Howard et al) (BCLO), 786
  phrenic nerve, and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Agglutination test, latex, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
Aicardi syndrome in male infant (Aicardi) (Letter), 1040; (Hunter) (Letter), 1041; (Curatolo et al) (Reply) 1041; (Hunter) (Reply), 1042
Airway pressure, mean, calculation (Dillard) (Letter), 506
Albumin, bilirubin, and risk of kernicterus (Wible) (Letter), 1038
  infusion—acute effects on blood volume and renal function in premature infants with respiratory distress syndrome (Lay et al), 619
Alimentation, parenteral—cholestasis associated with (Widder) (Letter), 505; (Manginello) (Reply), 506
Alkalosis, hypokalemic, nafcillin, and pseudoproteinuria (Andreoli et al) (BCLO), 841
Ambulatory asthmatic children, observations among: Dose-dependent kinetics for theophylline (Sarrazin et al), 825
Amino acid(s), serum branched-chain, in diagnosis of hyperinsulinism in infancy (Chaussain et al), 923
  solution, effect of phototherapy on (Moritani et al) (Letter), 699; (Mims) (Reply), 699
Aminoacidopathies, urine screening for: Is it beneficial? (Wilcken et al), 492
Aminophylline administered intravenously in asthmatic children taking theophylline orally (Canavan et al) (BCLO), 301
Ampicillin and chloramphenicol—meningitis due to *H. influenzae* type b resistant to (Uchiyama et al) (BCLO), 421
  induced enterocolitis: Implication of toxigenic *Clostridium perfringens* type c (Schwartz et al) (BCLO), 661
Amyoplasia, diaphragmatic, and phrenic nerve agenesis—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Anabolic steroids—effects on growth, body composition, and metabolism in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Anaphylactic reactions to Hymenoptera sting—diagnosis and treatment of (Chips et al), 177

*July, pp 1-166; August, pp 167-336; September, pp 337-518; October, pp 519-702; November, pp 703-874; December, pp 875-1042.

Anemia, autoimmune hemolytic—prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784
Angioplasty, percutaneous transluminal renal artery, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
Angiotensin I–converting enzyme inhibitor (captopril) effectively used in severe hypertension (Friedman et al) (BCLO), 664
Antibody(ies), bactericidal, and susceptibility to otitis media caused by nontypable strains of *H. influenzae* (Shurin et al), 364
IgG ea (early antigen) and IgM MA (membrane antigen), in CMV infection of healthy infants and in those with liver disease—demonstration of (Numazaki et al), 545
monoclonal, used in enzyme-linked inhibition assay for rapid detection of streptococcal antigen (Polin and Kennett), 540
to hepatitis B antigen—acute hepatitis B in infants born to carrier mothers with (Shiraki et al) (BCLO), 768
Antigen(s), e—significance of: Hepatitis B infection in pediatric dialysis and transplant patients (Ettenger et al), 550
group B streptococcal—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 328
hepatitis B—acute hepatitis B in infants born to carrier mothers with antibody to (Shiraki et al) (BCLO), 768
rubella, in late-onset rubella syndrome—circulating immune complexes containing (Tardieu et al), 370
streptococcal—use of monoclonal antibodies in enzyme-linked inhibition assay for rapid detection of (Polin and Kennett), 540
type-specific, of *H. influenzae B*—indirect enzyme-linked immunosorbent assay for quantitation of: Preliminary report (Pepple et al), 233
Antipyretic drugs, parents' knowledge and sources of knowledge about (Kapasi et al) (BCLO), 1035
instruction plus either phenobarbital or placebo to prevent recurrence—first febrile seizure (Camfield et al), 16
Antibiotic-associated *Clostridium difficile* diarrhea treated with oral vancomycin (Batts et al) (BCLO), 151
Anxiety, self-esteem, and perception of control. I. Psychological effects of illness in adolescence (Kellerman et al), 126
Aortic flow, retrograde descending—noninvasive detection in infants using continuous wave Doppler ultrasonography (Serwer et al), 394
Argininosuccinic aciduria—neonatal survival after early diagnosis and treatment of (John et al) (Letter), 867
Arterial lipid deposit, pulmonary, in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
Arteriosus, patent ductus, and circulating prostaglandin E_2 concentrations in fetal and neonatal lambs (Clyman et al), 455
to RDS—contribution of (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Artery angioplasty, percutaneous transluminal renal, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
Arthritis, juvenile rheumatoid—renal papillary necrosis in (Wortmann et al), 37
Arthropathy, hemophilic: Effect of home care on treatment patterns and joint disease (Guenthner et al), 378
Ascites: Pathophysiology and management (Wyllie et al), 167
L-asparaginase used during induction therapy of acute lymphocytic leukemia—intracranial hemorrhage and focal seizures secondary to (Cairo et al), 829
Asphyxia and recovery, response to: Fetal lamb lung phosphatidylcholine (Brumley and Crenshaw), 631
Aspirin and dipyridamole therapy in hemolytic-uremic syndrome (O'Regan et al) (BCLO), 473
dosage of (Schmitt) (Letter), 163; (Done) (Reply), 164
Assay, enzyme radioisotopic—rapid diagnosis of infections caused by β-lactamase–producing bacteria by means of (Yolken and Hughes), 715
linked inhibition, for rapid detection of streptococcal antigen—use of monoclonal antibodies in (Polin and Kennett), 540
indirect enzyme-linked immunosorbent, for quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
Asthma, childhood, natural history of (Kuzemko), 893
chronic—management of (Leffert), 857
decreased ventilation response to hypoxia in (Smith and Hudgel), 736
emergency management of (Lulla and Newcomb), 346
reducing hospitalizations of children with (Hochstadt et al), 1012
Asthmatic children, ambulatory—observations among: Dose-dependent kinetics for theophylline (Sarrazin et al), 825
taking theophylline orally—intravenous administration of aminophylline in (Canavan et al) (BCLO), 301
temperament of: Preliminary study (Kim et al), 483
Ataxia-telangiectasia, chromosome 7 in (Scheres et al) (BCLO), 440
Atresia, biliary, vs neonatal hepatitis (Penna and Leazo) (Letter), 510; (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Atrial standstill, familial prolonged, presenting in infancy (Bayne et al) (BCLO), 953
Autoantibodies, adrenal, and Addison disease in insulin-dependent diabetes mellitus (Riley et al), 191
Autoimmune hemolytic anemia, prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784

B

Bacteremia, *Salmonella*, in first year of life (Blaser et al) (Letter), 164; (Hyams et al) (Reply), 165
Bactericidal antibody and susceptibility to otitis media caused by nontypable strains of *H. influenzae* (Shurin et al), 364
Bacteria, β-lactamase–producing, infections caused by—rapid diagnosis by means of enzyme radioisotopic assay (Yolken and Hughes), 715
Bacterial contamination—reduction in banked human milk (Hewitt et al) (Letter), 873
etiology, clinical features, and laboratory findings: Cellulitis (Fleisher et al) (BCLO), 591
Bacteriologic and hematologic assessment of autologous cord blood for neonatal transfusions (Golden et al) (BCLO), 810
Banked human milk, reduction of bacterial contamination in (Hewitt et al) (Letter), 873

Beta-thromboglobulin, plasma, values—significance with sickle cell disease (Mehta) (BCLO), 941
Bethamethasone therapy, prenatal, and fetal sex (Ballard et al), 451
Biliary atresia vs neonatal hepatitis (Penna and Leão) (Letter), 510; (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Bilirubin, albumin, and risk of kernicterus (Wible) (Letter), 1038
Bioactive LH: Test to discriminate true precocious puberty from premature thelarche and adrenarche (Lucky et al), 214
Bioactivity, LH, increases more than immunoreactivity during puberty (Lucky et al), 205
Biologic pregnancies—protein values of milk samples from others without (Kleinman et al) (BCLO), 612
Biopterin deficiency, screening for (O'Brien) (Letter), 695
Biotin-responsiveness reassessed in "unresponsive" propionyl CoA carboxylase deficiency (Wolf) (BCLO), 964
Birth size—somatic growth of children of diabetic mothers with reference to (Vohr et al), 196
Bleeding, acute gastrointestinal, detected by using in vivo technetium 99m pertechnetate-labeled erythrocytes (Riff et al) (BCLO), 956
Bleomycin therapy, systemic—regression of juvenile laryngobronchial papillomatosis with (Mehta and Herold) (BCLO), 479
Blood, autologous cord, for neonatal transfusions—hematologic and bacteriologic assessment of (Golden et al) (BCLO), 810
  cord—Factor II (prothrombin) levels in: Correlation of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
  flow, low cerebral: Risk factor in neonate (Wigglesworth) (Letter), 513; (Friss-Hansen and Lou) (Reply), 513
  gas measurements, neonatal—potential errors in (Fan et al) (BCLO), 650
  pressure elevation with orthopedic immobilization (Chen) (Letter), 702
  spot thyroxine-binding globulin: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
  volume and renal function in premature infants with respiratory distress syndrome—acute effects of albumin infusion on (Lay et al), 619
Body composition, growth, and metabolism—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Bowel disease, inflammatory, presenting as liver disease (Kane et al) (BCLO), 775
Breast- and formula-fed newborn infants—comparison of serum carnitine and ketone body concentrations in (Warshaw and Curry), 122
  fed infant after postpartum maternal infection, neonatal rubella in (Klein et al) (BCLO), 774
  neonates, 4—successful diagnosis of congenital hypothyroidism in (Abbassi and Steinour) (BCLO), 259
Breast-feeding and hypernatremia (Arboit and Gildengers) (Letter), 335
Breath hydrogen test, lactose, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Bromide partition test, radioactive, in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
Bronchiolitis, RSV—cell-mediated immunity in (Bertotto et al) (Letter), 334
Bronchopulmonary dysplasia following negative pressure ventilation (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332
Buccal epithelial cells—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781

C

Calcemic, normo-, and hypocalcemic infants of diabetic mothers—parathyroid hormone in (Noguchi et al) (BCLO), 112
Candida peritonitis in newborn infant (Johnson et al) (BCLO), 298
Candidiasis, chronic mucocutaneous, successfully treated with ketoconazole (Rosenblatt et al), 657
Captopril (angiotensin I–converting enzyme inhibitor) effectively used in severe hypertension (Friedman et al) (BCLO), 664
Carbamazepine (Tegretol)—long-term experiences in children with seizures (Huf and Schain) (BCLO), 310
Carbon dioxide tension, transcutaneous, in neonate—optimal temperature for measurement of (Herrell et al) (BCLO), 114
Cardiac failure, intractable—use of hydralazine for (Fried et al) (BCLO), 1009
Cardiotoxicity, doxorubicin (Biancaniello et al), 45
Care, home—effect on treatment patterns and joint disease: Hemophilic arthropathy (Guenthner et al), 378
Carnitine, serum, and ketone body concentrations compared in breast- and formula-fed newborn infants (Warshaw and Curry), 122
Caroli disease, diagnosis of (Lilly and Silverman) (Letter), 329; (Hermansen et al) (Reply), 330
Carrier mothers with antibody to hepatitis B antigen—acute hepatitis B in infants born to (Shiraki et al) (BCLO), 768
  state, group A streptococcal upper respiratory tract: Enigma (Kaplan), 337
Catheter(s)-related sepsis (Andrassy) (Letter), 1040
  umbilical—calculated lengths of (Phelps) (Letter), 870; (Rosenfeld) (Reply), 870
Cell(s), buccal epithelial—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781
  disease, sickle—erythrocyte protoporphyrin in (Yip) (Letter), 163; (Powars) (Reply), 163
    —fever with (Lobel) (Letter), 1038
    —significance of plasma beta-thromboglobulin values in (Mehta) (BCLO), 941
  folate, red, and plasma values in newborn infants and their mothers in relation to gestational age (Ek), 288
  mediated immunity in RSV bronchiolitis (Bertotto et al) (Letter), 334
Cellular immunity and nephrotic syndrome (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
Cellulitis: Bacterial etiology, clinical features, and laboratory findings (Fleisher et al) (BCLO), 591
Cerebral blood flow, low: Risk factor in neonate (Wigglesworth) (Letter), 513; (Friis-Hansen and Lou) (Reply), 513
  edema in diabetic ketoacidosis (James) (Letter), 873; (Mickle et al) (Reply), 873

Cerebro-costo-mandibular syndrome (Silverman et al), 406
Cerebrospinal fluid lactate levels and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
shunts—treatment of *H. influenzae* type b meningitis with (Rennels and Wald) (BCLO), 424
Cervical lymphadenitis, *Yersinia enterocolitica* (Jaffe and Smith) (BCLO), 937
Chemical exposures, sources and routes of (Rogan), 861
Chemotaxis, monocyte, and in vitro lymphocyte stimulation—correlation with: Tetanus toxoid skin test (Borut et al), 567
Chlorambucil treatment in minimal lesion nephrotic syndrome: A reapprasial of its gonadal toxicity (Callis et al), 653
Chloramphenicol and ampicillin—meningitis due to *H. influenzae* type be resistant to (Uchiyama et al) (BCLO), 421
toxicity—oral vs intravenous administration (Matthews and Shawver-Matthews) (Letter), 869; (Pickering et al) (Reply), 869
Chloride content of ProSobee (Hermann) (Letter), 162; (Garfunkel) (Comment), 162
"Cholangiopathy, infantile obstructive"—evolving nature of (Ghishan et al), 27
Cholelithiasis in premature infants treated with parenteral nutrition and furosemide (Whittington and Black) (BCLO), 647
Cholestasis associated with parenteral alimentation (Widder) (Letter), 505; (Manginello) (Reply), 506
Chromosome 7 in ataxia-telangiectasia (Scheres et al) (BCLO), 440
Citrulline and lysine—two-year trial of dietary supplementation therapy with: Lysinuric protein intolerance (Rajantie et al), 927
Clostridium difficile diarrhea, antibiotic-associated, treated with oral vancomycin (Batts et al) (BCLO), 151
perfringens type C, toxigenic—implication of: Ampicillin-induced enterocolitis (Schwartz et al) (BCLO), 661
Coagulant activity correlated with immunoreactive protein: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
Coagulation inhibitors, blocking, in children taking penicillin (Orris et al) (BCLO), 426
Cogan syndrome (Kundell and Ochs) (BCLO), 96
Colon syndrome, small left, associated with maternal ingestion of psychotropic drugs (Falterman and Richardson) (BCLO), 308
Coma, hyperammonemic, in inborn errors of urea synthesis, treatment of (Batshaw and Brusilow), 893
Communicating with young patients (Simmonds) (Letter), 695; (Garfunkel) (Reply), 695
Computerized newborn intensive care data recording, reporting, and research. III. Practical microcomputer system (Janik et al) (BCLO), 497
Congenital adrenal hyperplasia—acceptable linear growth in (Duck) (BCLO), 93
current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81
—detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
Congenital adrenal hyperplasia—Cont'd
—gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
diaphragmatic hernia repair—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
heart disease, cyanotic—cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with (Ueda et al) (BCLO), 834
hypothyroidism in 4 breast-fed neonates, successful diagnosis of (Abbassi and Steinour) (ECLO), 259
infection—staphylococcal protein A adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
Contraception with the intrauterine device, risks of (Schydlower and Otterson) (Letter), 698; (Kulig and Rauh) (Reply), 698
Conradi-Hünermann disease, clinical and genetic aspects of (Silengo et al), 911
Conversion reactions, hysterical—diagnosing in children (Maloney), 1016
Coping styles and crucial issues—impact of illness in adolescents. II. Psychologic effects of illness in adolescence (Zeltzer et al), 132
Copper concentrations, serum, in sick and well preterm infants (Manser et al), 795
deficiency and diarrhea (Owen) (Letter), 872; (Tanaka) (Reply), 873
Coronary disease—identifying child at risk for disease as adult: Strategy for prevention (Nora), 706
Cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with cyanotic congenital heart disease (Ueda et al) (BCLO), 834
Costo-cerebro-mandibular syndrome (Silverman et al), 406
Cough, progressive, associated with lymphocytic leukemoid reaction in infant (Marks et al), 156
Cranial, intra-, hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
in utero re thrombocytopenia (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Craniopharyngioma, endocrine and neurologic outcome in: Review of effect of treatment in 42 patients (Thomsett et al), 728
Craniosynostosis and intellectual impairment in later years: Neonatal thyrotoxicosis (Daneman and Howard) (BCLO), 257
Cri-du-chat syndrome—psychomotor development in 65 home-reared children with (Wilkins et al), 401
Cryptorchid boys, prepubertal—plasma gonadotropin values in: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Cryptorchidism and gonadotropin deficiency in 3 prepubertal brothers with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
—plasma gonadotropin and testosterone values in infants with (Gendrel et al), 217
CSF lactate levels and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Cutaneous necrotizing venulitis with cystic fibrosis (John et al) (Letter), 505
trans-, carbon dioxide tension in neonate—optimal temperature for measurement of (Herrell et al) (BCLO), 114

Cystic fibrosis, echocardiography in: Proposed scoring system (Lester et al), 742
—improved growth and clinical, nutritional, and respiratory changes in response to nutritional therapy in (Shepherd et al), 351
anti-*Pseudomonas* therapy in acute respiratory exacerbations in children with (Beaudry et al), 144; Commentary (Merrill), 148
spontaneous fracture of sternum in youth with (Mitchell and Elliott) (BCLO), 789
—use of piperacillin, semisynthetic penicillin, in therapy of acute exacerbations of pulmonary disease in (Prince and Neu) (BCLO), 148
renal lesion in tuberous sclerosis (Stapleton et al), 574
Cytomegalovirus infection of healthy infants and in those with liver disease—demonstration of IgG EA (early antigen) and IgM MA (membrane antigen) antibodies in (Numazaki et al), 545

D

Data recording, reporting, and research, computerized newborn intensive care. III. Practical microcomputer system (Janik et al) (BCLO), 497
Defects, abdominal wall—hypertension in neonate following closure of (Adelman and Sherman) (BCLO), 642
structural, monozygotic twinning, and syndromes "of obscure etiology" (Letter), (Jongbloet), 868
Dehydration, seizures, and hypoglycemia in 4-month-old child (Balistreri and Buchino), 689
Dehydrogenase, serum lactate—indicator of tumor activity in neuroblastoma (Quinn et al) (BCLO), 89
Dentition, defective, following mechanical ventilation (Wetzel) (Letter), 334; (Krous) (Letter), 334
Dermatomyositis, hypothyroidism simulating (Newman and Lee) (BCLO), 772
Development, intellectual, and nutrition (Evans et al), 358
psychomotor, in 65 home-reared children with cri-du-chat syndrome (Wilkins et al), 401
Developmental aspects, age-related, and intrafamilial correlations—hematology of beta thalassemia trait (Berman et al), 901
Diabetes insipidus, nephrogenic—renal prostaglandin E_2: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
mellitus, insulin-dependent—adrenal autoantibodies and Addison disease in (Riley et al), 191
Diabetic ketoacidosis, cerebral edema in (James) (Letter), 873; (Mickle et al) (Reply), 873
mothers—parathyroid hormone in hypocalcemic and normocalcemic infants of (Noguchi et al) (BCLO), 112
—somatic growth of children with reference to birth size (Vohr et al), 196
Dialysis, pediatric, and transplant patients—hepatitis B infection in: Significance of e antigen (Ettenger et al), 550
Diaphragmatic amyoplasia and phrenic nerve agenesis—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
hernia repair, congenital—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
Diaphragmatic hernia—Cont'd
right-sided, masquerading as pleural effusion, diagnosis of delayed-onset—peritoneography (Graviss et al) (BCLO), 119
paralysis, bilateral, in newborn infant (Aldrich et al) (BCLO), 988
Diarrhea and copper deficiency (Owen) (Letter), 872; (Tanaka) (Reply), 873
antibiotic-associated *Clostridium difficile*, treated with oral vancomycin (Batts et al) (BCLO), 151
chronic, and malnutrition—nutritional management of: Primary reliance on oral feeding (MacLean et al), 316
oral rehydration therapy for (Steinhoff) (Letter), 515; (Woodward) (Letter), 515; (Finberg) (Reply), 516; (Sack) (Letter), 517
Dietary supplementation therapy with citrulline and lysine, two-year trial of: Lysinuric protein intolerance (Rajantie et al), 927
DiGeorge syndrome, thymosin therapy in (Barrett et al), 66
1,25-Dihydroxyvitamin D levels at term, maternal and fetal serum (Fleischman et al) (BCLO), 640
Diphenylhydantoin and phenobarbital—effects on liver function and morphology (Aiges et al), 22
Dipyridamole and aspirin therapy in hemolytic-uremic syndrome (O'Regan et al) (BCLO), 473
Disaccharidase and glucoamylase activities in normal subjects and in patients with mucosal injury of small intestine (Lebenthal and Lee), 389
Disease *see* specific disease
DNA fingerprinting in investigation of apparent nosocomial acquisition of neonatal herpes simplex (Halperin et al) (BCLO), 91
Doppler ultrasonography, continuous wave—non-invasive detection of retrograde descending aortic flow in infants using (Serwer et al), 394
Doxorubicin cardiotoxicity (Biancaniello et al), 45
Drugs, antipyretic—parents' knowledge and sources of knowledge about (Kapasi et al) (BCLO), 1035
psychotrophic—small left colon syndrome associated with maternal ingestion of (Falterman and Richardson) (BCLO), 308
Dysgenesis, 46,XY gonadal, with anomalies of ectodermal and mesodermal structures—new familial syndrome of (Brosnan et al), 586
Dysplasia, bronchopulmonary, following negative pressure ventilation (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332

E

e antigen, significance of: Hepatitis B infection in pediatric dialysis and transplant patients (Ettenger et al), 550
Echocardiography in cystic fibrosis: Proposed scoring system (Lester et al), 742
Ectodermal and mesodermal structures—new familial syndrome of 46,XY gonadal dysgenesis with anomalies of (Brosnan et al), 586
Edema, cerebral, in diabetic ketoacidosis (James) (Letter), 873; (Mickle et al) (Reply), 873
Education—medical lessons from schoolchildren of Chowchilla (Terr) (Editor's column), 251

Education—Cont'd
for all handicapped children: P.L. 94-142 (Palfrey) (Editor's column), 417
Effusion, pleural, diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as—peritoneography (Graviss et al) (BCLO), 119
Electrocardiogram of 6- to 11-year-old children in United States (Perry et al), 677
Electroencephalographic telemetry and video tape monitoring—evaluation of pseudoseizures using (Holmes et al), 554
Electrolyte content of serum and urine during total parenteral nutrition, changes in (Aladjem et al) (BCLO), 437
Embryonic testicular regression syndrome: Variable phenotypic expression in siblings (Josso and Briard), 200
Encephalomyelopathy, acute, complicating hypothyroidism (Curless and Lightner) (BCLO), 261
Encephalopathy with chronic renal failure (Geary et al), 41
Endocrine and neurologic outcome in craniopharyngioma: Review of effect of treatment in 42 patients (Thomsett et al), 728
Energy-protein malnutrition—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
Enterocolitis, ampicillin-induced: Implication of toxigenic *Clostridium perfringens* type C (Schwartz et al) (BCLO), 661
neonatal necrotizing—randomized, controlled study of oral gentamicin in treatment of (Hansen et al) (BCLO), 836
Enteropathy, protein-losing, in boy with systemic lupus erythematosus (Tsukahara et al) (BCLO), 778
Enzyme inhibitor, angiotensin I–converting (captopril) effectively used in severe hypertension (Friedman et al) (BCLO), 664
linked immunosorbent assay, indirect, for the quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
inhibition assay for rapid detection of streptococcal antigen, use of monoclonal antibodies in (Polin and Kennett), 540
radioisotopic assay—rapid diagnosis of infections caused by β-lactamase–producing bacteria by means of (Yolken and Hughes), 715
Eosinophilia, diffuse fasciitis with: Steroid-responsive variant of scleroderma (Britt et al) (BCLO), 432
Epidemic neonatal gentamicin-methicillin–resistant *Staphlococcus aureus* infection associated with nonspecific topical use of gentamicin (Graham et al), 972
of Reye syndrome associated with influenza A (H1N1) in Colorado (Halsey et al), 535
Epidemiologic and therapeutic considerations, recent: Spread of *Haemophilus influenzae* type b (Granoff and Daum), 854
Epithelial cells, buccal—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781
Epstein-Barr virus infection, primary, in association with Reye syndrome (Fleisher et al) (BCLO), 935
Erythrocyte(s), in vivo technetium 99m pertechnetate–labeled—detection of acute gastrointestinal bleeding using (Riff et al) (BCLO), 956
protoporphyrin in sickle cell disease (Yip) (Letter), 163; (Powars) (Reply), 163
Eustachian tube ventilatory function in preschool child, effect of upper respiratory tract infection on (Sanyal et al), 11
Evans syndrome (Pui et al), 754
Exchange transfusion, calculation of volumes for (Levine) (Letter), 870; (Landaw) (Reply), 871

F

Factor II (prothrombin) levels in cord blood: Correlation of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
Familial hypercholesterolemia, homozygous—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
intra-, correlations and age-related developmental aspects—hematology of beta thalassemia trait (Berman et al), 901
prolonged atrial standstill presenting in infancy (Bayne et al) (BCLO), 953
syndrome, new, of 46,XY gonadal dysgenesis with anomalies of ectodermal and mesodermal structures (Brosnan et al), 586
Families, repetitions in: Sudden infant death syndrome (Peterson et al) (BCLO), 265
Fanconi syndrome, gentamicin-induced (Casteels-Van Daele et al) (Letter), 507; (Adelman) (Reply), 508
Fasciitis, diffuse, with eosinophilia: Steroid-responsive variant of scleroderma (Britt et al) (BCLO), 432
Fat necrosis, subcutaneous, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Febrile Seizure(s), Consensus Development Conference on: Commentary (Fishman) (Editor's column), 933
first—antipyretic instruction plus either phenobarbital or placebo to prevent recurrence (Camfield et al), 16
Feeding, breast, and hypernatremia (Arboit and Gildengers) (Letter), 335
oral—primary reliance on: Nutritional management of chronic diarrhea and malnutrition (MacLean et al), 316
re-, pancreatitis in malnourished children (Gryboski et al) (BCLO), 441
Fetal and maternal serum 1,25-dihydroxyvitamin D levels at term (Fleischman et al) (BCLO), 640
lamb lung phosphatidylcholine: Response to asphyxia and recovery (Brumley and Crenshaw), 631
monitoring techniques, intrapartum—pediatric follow-up of randomized controlled trial of (Langendoerfer et al), 103
sex and prenatal betamethasone therapy (Ballard et al), 451
Fetomaternal aspects of immunization with RA2713 live attenuated rubella virus vaccine during pregnancy (Bernstein and Ogra) (BCLO), 467
vitamin D relationships at term (Gertner et al) (BCLO), 637
Fever with sickle cell disease (Lobel) (Letter), 1038
Folate, red cell, and plasma values in newborn infants and their mothers in relation to gestational age (Ek), 288
Formula- and breast-fed newborn infants—comparison of serum carnitine and ketone body concentrations in (Warshaw and Curry), 122
46XX male syndrome—variation in pituitary-gonadal function in two adolescent boys with (LaFranchi et al) (BCLO), 960

Fracture, spontaneous, of sternum in youth with cystic fibrosis (Mitchell and Elliott) (bCLO), 789
FSH secretion in uni- and bilateral cases, similar increase of: Plasma gonadotropin values in prepubertal cryptorchid boys (Van Vliet et al) (BCLO), 253
Furosemide and parenteral nutrition—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
pharmacology of, in premature infant (Peterson et al), 139

G

Gallium 67 citrate scintigraphy in pyomyositis (Hirano et al) (BCLO), 596
Gammaglobulin, long-term injection of—mercury toxicity (acrodynia) induced by (Matheson et al), 153
Gastroenteritis, *Yersinia entercolitica*—Canadian disease? (Dajani and Maurer) (Letter), 165; (Marks and Pai) (Reply), 165
Gastroesophageal reflux, mechanisms of (Werlin et al), 244
Gastrointestinal bleeding, acute, detected by using in vivo technetium 99m pertechnetate–labeled erythrocytes (Riff et al) (BCLO), 956
Genetic and clinical aspects of Conradi-Hünermann disease (Silengo et al), 911
Gentamicin-induced Fanconi syndrome (Casteels-Van Daele et al) (Letter), 507; (Adelman) (Reply), 508
methicillin-resistant *Staphylococcus aureus* infection, epidemic neonatal, associated with nonspecific topical use of gentamicin (Graham et al), 972
oral—randomized, controlled study in the treatment of neonatal necrotizing enterocolitis (Hansen et al) (BCLO), 836
serum concentrations related to gestational age in preterm and term neonates (Szefler et al) (BCLO), 312
Gestational age—plasma and red cell folate values in newborn infants and their mothers in relation to (Ek), 288
relationship to gentamicin serum concentrations in preterm and term neonates (Szefler et al) (BCLO), 312
Globulin, blood spot thyroxine-binding: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
hepatitis B immune, in newborn infants of HB_sAg mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
Glucoamylase and disaccharidase activities in normal subjects and in patients with mucosal injury of small intestine (Lebenthal and Lee), 389
Glucose infusion, intravenous—treatment of neonatal hypoglycemia with (Lilien et al) (BCLO), 295
Glycogen storage disease, type IB—neutropenia and impaired neutrophil migration in (Beaudet et al), 906
neutropenia with: In vitro response to lithium chloride (McCabe et al) (BCLO), 944
Gonadal dysgenesis, 46,XY, with anomalies of ectodermal and mesodermal structures—new familial syndrome of (Brosnan et al), 586
pituitary function—variation in two adolescent boys with 46XX male syndrome (LaFranchi et al) (BCLO), 960
toxicity, reapprasial of: Chlorambucil treatment in minimal lesion nephrotic syndrome (Callis et al), 653
Gonadotropin deficiency and cryptorchidism in 3 prepubertal brothers with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
diagnosed in adolescents: Limited usefulness of standard gonadotropin-releasing hormone test in obese boys (Kelch et al), 820
plasma, and testosterone values in infants with cryptochidism (Gendrel et al), 217
values, plasma, in prepubertal cryptorchid boys: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Granulocyte transfusion with leukemia—mononucleosis syndrome following (Ritchey et al) (BCLO), 267
Granulomatosis, necrotizing sarcoid, with neurologic lesions (Beach et al) (BCLO), 950
Growth, acceptable linear, in congenital adrenal hyperplasia (Duck) (BCLO), 93
body composition, and metabolism—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
improved, and clinical, nutritional, and respiratory changes in response to nutritional therapy in cystic fibrosis (Shepherd et al), 351
somatic, of children of diabetic mothers with reference to birth size (Vohr et al), 196

H

Haemophilus influenzae B, indirect enzyme-linked immunosorbent assay for quantitation of type-specific antigen of: Preliminary report (Pepple et al), 233
nontypable strains of—bactericidal antibody and susceptibility of otitis media caused by (Shurin et al), 364
type b meningitis treated in children with cerebrospinal fluid shunts (Rennels and Wald) (BCLO), 424
resistant to ampicillin and chloramphenicol—meningitis due to (Uchiyama et al) (BCLO), 421
spread of: Recent epidemiologic and therapeutic considerations (Granoff and Daum), 854
Handicapped children, education for all: P.L. 94-142 (Palfrey) (Editor's column), 417
HB_sAg positive mothers—high titer multiple dose therapy with HBIG in newborn infants of (Jhaveri et al) (BCLO), 305
Head trauma, severe closed—physical recovery in children and adolescents after (Brink et al), 721
Heart disease, cyanotic congenital—cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with (Ueda et al) (BCLO), 834
rate and heart rate variability during sleep in aborted sudden infant death syndrome (Leistner et al), 51
Heat balance in premature infants (Letter) (Gerhardt and Bancalari), 700; (Reply) (Bell et al), 700
Hematologic and bacteriologic assessment of autologous cord blood for neonatal transfusions (Golden et al) (BCLO), 810
Hematology of beta thalassemia trait—age-related developmental aspects and intrafamilial correlations (Berman et al), 901
Hemodialysis, regular—effects of anabolic steroids on growth, body composition, and metabolism in boys with chronic renal failure on (Jones et al), 559

Hemodynamic significance of vasopressin in newborn infant (Pohjavuori and Fyhrquist), 462
Hemolytic anemia, autoimmune—prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784
disease, unrecognized ABO, of newborn infant—transfusion reaction due to (Falterman and Richardson) (BCLO), 812
uremic syndrome (Gomperts and Lieberman) (Editor's column), 419
aspirin and dipyridamole therapy in (O'Regan et al) (BCLO), 473
Associated conditions (Adelman et al) (BCLO), 161
Hemophilic arthropathy: Effect of home care on treatment patterns and joint disease (Guenthner et al), 378
Hemorrhage, intracranial, and focal seizures secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
in utero re thrombocytopenia (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Hemorrhage, intraventricular, and serial lumbar punctures (Behrman) (Editor's column), 250
failure of daily lumbar punctures to prevent development of hydrocephalus following (Mantovani et al), 278
neonatal intraventricular: Hypoglycorrhachia and its relationship to CSF lactate levels (Mathew and Volpe) (BCLO), 292
Hemorrhagic disease and phenytoin therapy (Keith et al) (Letter), 501
post-, hydrocephalus in low-birth-birth-weight infants: Treatment by serial lumbar punctures (Papile et al), 273
Hepatitis B, acute, in infants born to carrier mothers with antibody to hepatitis B antigen (Shiraki et al) (BCLO), 768
immune globulin in newborn infants of HB_sAg positive mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
infection in pediatric dialysis and transplant patients: Significance of e antigen (Ettenger et al), 550
transmitted in classroom setting (Oleske et al) (BCLO), 770
neonatal, vs biliary atresia (Penna and Leão) (Letter), 510; (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Hernia(s) repair, congenital diaphragmatic—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
right-sided diaphragmatic, masquerading as pleural effusion, diagnosis of delayed-onset—peritoneography (Graviss et al) (BCLO), 119
Herpes simplex, neonatal—DNA fingerprinting in investigation of apparent nosocomial acquisition of (Halperin et al) (BCLO), 91
Heterogeneity, further: Osteopetrosis (Horton et al), 580
Heterozygote(s)—detection for congenital adrenal hyperplasia: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
presumed, for ornithine carbamoyl transferase deficiency—Reye-like syndrome associated with use of insect repellent in (Heick et al) (BCLO), 471
Histidase activity, skin, related to blood histidine response to histidine intake in patients with histidinemia (Kuroda et al) (BCLO), 269
Histidine intake in patients with histidinemia—relationship between skin histidase activity and blood histidine response to (Kuroda et al) (BCLO), 269
Histidinemia—relationship between skin histidase activity and blood histidine response to histine intake in patients with (Kuroda et al) (BCLO), 269
HLA typing and 17-OH progesterone response to ACTH infusion—21-hydroxylase deficiency: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Home care for dying children: Nursing model (Lauer and Camitta), 1032
Homozygous familial hypercholesterolemia—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
Hormone, luteinizing, bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205
parathyroid, in hypocalcemic and normocalcemic infants of diabetic mothers (Noguchi et al) (BCLO), 112
plasma luteinizing, and testosterone in male infants—simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
test, standard gonadotropin-releasing—limited usefulness in obese boys: Diagnosis of gonadotropin deficiency in adolescents (Kelch et al), 820
Hospitalizations, reducing, of children with asthma (Hochstadt et al), 1012
Hyaline membrane disease, effects of pancuronium bromide on infants with (Crone and Favorito) (BCLO), 991
Hydralazine used for intractable cardiac failure (Fried et al) (BCLO), 1009
Hydrocephalus following intraventricular hemorrhage—failure of daily lumbar punctures to prevent development of (Mantovani et al), 278
posthemorrhagic, in low-birth-weight infants: Treatment by serial lumbar punctures (Papile et al), 273
ultrasound studies in preterm infants with (Graziani et al), 624
Hydrogen test, lactose breath, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Hymenoptera stings—diagnosis and treatment of anaphylactic reactions to (Chipps et al), 177
Hyperammonemic coma in inborn errors of urea synthesis, treatment of (Batshaw and Brusilow), 893
Hypercalcemia, PGE, and subcutaneous fat necrosis (Metz and Hassall) (Letter), 336
Hypercholesterolemia, homozygous familial—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
Hyperinsulinism in infancy—serum branched-chain amino acids in diagnosis of (Chaussain et al), 923
Hypernatremia and breast feeding (Arboit and Gildengers) (Letter), 335
Hyperostosis, cortical, following long-term administration of prostaglandin E, in infants with cyanotic congenital heart disease ((Ueda et al) (BCLO), 834
Hyperplasia, congenital adrenal—acceptable linear growth in (Duck) (BCLO), 93
current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81

Hyperplasia, congenital adrenal—Cont'd
—detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
Hypertension in neonate following closure of abdominal wall defects (Adelman and Sherman) (BCLO), 642
management of (Gillum) (Letter), 1039
persistent pulmonary, after congenital diaphragmatic hernia repair—tolazoline therapy for (Bloss et al), 984
severe—effective use of captopril (angiotensin I-converting enzyme inhibitor) in severe childhood hypertension (Friedman et al) (BCLO), 664
Hypertensive girl, 3½-year-old—percutaneous transluminal renal artery angioplasty (McCook et al) (BCLO), 958
Hyperviscosity, neonatal—incidence at sea level (Stevens and Wirth) (BCLO), 118
Hypocalcemic and normocalcemic infants of diabetic mothers—parathyroid hormone in (Noguchi et al) (BCLO), 112
Hypoglycemia, dehydration, and seizures in 4-month-old child (Balistreri and Buchino), 689
neonatal, treated with minibolus and intravenous glucose infusion (Lilien et al) (BCLO), 295
Hypoglycorrhacia and its relationship to CSF lactate levels: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Hypokalemic alkalosis, nafcillin, and pseudoproteinuria (Andreoli et al) (BCLO), 841
Hypoplasia, congenital adrenal—gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
pulmonary, resulting from phrenic nerve agenesis and diaphragmatic amyoplasia (Goldstein and Reid), 282
Hypothyroidism complicated by acute encephalomyelopathy (Curless and Lightner) (BCLO), 261
congenital, in 4 breast-fed neonates—successful diagnosis of (Abbassi and Steinour) (BCLO), 259
neonatal—means to reduce recall rate in screening strategy for: Blood spot thyroxine-binding globulin (Robertson et al) (BCLO), 604
Hypothyroidism simulating dermatomyositis (Newman and Lee) (BCLO), 772
Hypoventilation obesity syndrome with Prader-Willi syndrome (Orenstein et al) (BCLO), 765
Hypoxia—effects on thyroid function tests (Moshang et al) (BCLO), 602
in asthma, decreased ventilation response to (Smith and Hudgel), 736
Hysterical conversion reactions diagnosed in children (Maloney), 1016

I

Ice bag: New technique for interruption of supraventricular tachycardia (Bisset et al) (BCLO), 593
Ictal, post-, transient positive, computed tomographic scan (Rumack et al) (BCLO), 263
IgA, secretory, in serum of infants with obstructive jaundice (Goldblum et al), 33
IgE EA (early antigen) and IgM MA (membrane antigen) antibodies in CMV infection of healthy infants and in those with liver disease, demonstration of (Numazaki et al), 545
levels, serum, and clinical expression of respiratory illnesses (Stempel et al), 185
IgG defiiency, isolated: Clinical, immunologic, and pathologic investigations (Abo et al), (BCLO), 98
Immune complexes, circulating, containing rubella antigens in late-onset rubella syndrome (Tardieu et al), 370
globulin, hepatitis B, in newborn infants of HB_sAg positive mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
response as basis of childhood disease, ontogeny of (Pabst and Kreth), 519
Immunity, cell-mediated, in RSV bronchiolitis (Bertotto et al) (Letter), 334
cellular, and nephrotic syndrome (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
Immunization, postpartum maternal—neonatal rubella following (Landes et al) (BCLO), 465
with RA27/3 live attenuated rubella virus vaccine during pregnancy—fetomaternal aspects of (Bernstein and Ogra) (BCLO), 467
Immunodeficiency, chronic rotavirus infection in (Saulsbury et al), 61
Immunoelectrophoresis, countercurrent, and latex agglutination test for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
Immunogenicity, improved, with few reactions following one high dose of split-product vaccine: Influenza vaccine in unprimed children (Gross et al), 56
Immunoglobulin G EA (early antigen) and IgM MA (membrane antigen) antibodies in CMV infection of healthy infants and in those with liver disease, demonstration of (Numazaki et al), 545
Immunologic, clinical, and pathologic investigations: Isolated IgG deficiency (Abo et al) (BCLO), 98
Immunoreactive protein correlated with coagulant activity: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
Immunoreactivity during puberty, LH bioactivity increases more than (Lucky et al), 205
Immunosorbent assay, indirect enzyme-linked, for quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
Incubators, single- versus double-walled—oxygen consumption and insensible water loss in premature infants in (Yeh et al), 967
Indomethacin—the disposition in preterm babies (Yaffe et al), 1001
effects of inhibition of prostaglandin synthesis by: Renal prostaglandin E_2 in nephrogenic diabetes insipidus (Usberti et al) (BCLO), 476
intravenously administered, in premature infants—pharmacokinetics of (Thalji et al), 995
Infection *see* specific infection
Influenza A (H1N1) in Colorado—epidemic of Reye syndrome associated with (Halsey et al), 535
vaccine in unprimed children: Improved immunogenicity with few reactions following one high dose of split-product vaccine (Gross et al), 56

Infusion, albumin—acute effects on blood volume and renal function in premature infants with respiratory distress syndrome (Lay et al), 619
Inflammatory bowel disease presenting as liver disease (Kane et al) (BCLO), 775
Inguinoscrotal lesion, neonatal, produced by plastic umbilical clamp (Cigliano and Paludetto) (Letter), 866
Insulin-dependent diabetes mellitus—Addison disease and adrenal autoantibodies in (Riley et al), 191
Intellectual development and nutrition (Evans et al), 358
impairment and craniosynostosis in later years: Neonatal thyrotoxicosis (Danemen and Howard) (BCLO), 257
Intensive care nursery, new transfusion program for (Johnson et al), 806
Intervention, nursery-based, with prematurely born babies and their mothers: Are there effects? (Brown et al), 487
Intestinal morphology, lactose breath hydrogen test, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Intestine, small—glucoamylase and disaccharidaise activities in normal subjects and in patients with mucosal injury of (Lebenthal and Lee), 389
Intrauterine device, risks of contraception with (Schydlower and Otterson (Letter) 698; (Kulig and Rauh) (Reply), 698
Intravenous administration of aminophylline in asthmatic children taking theophylline orally (Canavan et al) (BCLO), 301
Iron deficiency, etiologic role of: Trichophagia and trichobezoar (McGehee and Buchanan) (BCLO), 946
Isoniazid-rifampin-induced fulminant liver disease in infant (Bistritzer et al) (BCLO), 480

J

Jaundice, obstructive—secretory IgA in serum of infants with (Goldblum et al), 33
Joint disease and treatment patterns, effect of home care on: Hemophilic arthropathy (Guenthner et al), 378
Juvenile renal osteodystrophy, early diagnosis of (Norman et al), 226
rheumatoid arthritis—renal papillary necrosis in (Wortmann et al), 37

K

Kawasaki disease, anterior uveitis in (Germain et al) (BCLO), 780
Kernicterus, risk of, albumin, and bilirubin (Wible) (Letter), 1038
Ketoacidosis, diabetic—cerebral edema in (James) (Letter), 873; (Mickle et al) (Reply), 873
Ketoconazole, successful treatment of chronic mucocutaneous candidiasis with (Rosenblatt et al), 657
Ketone body and serum carnitine concentrations, compared in breast- and formula-fed newborn infants (Warshaw and Curry), 122
Kinetics, dose-dependent, for theophylline: Observations among ambulatory asthmatic children (Sarrazin et al), 825
Klinefelter syndrome, tumor, and sexual precocity (Chaussain et al) (BCLO), 607

L

β-Lactamase-producing bacteria, infections caused by—rapid diagnosis by means of enzyme radioisotopic assay (Yolken and Hughes), 715
Lactase activity, intestinal morphology, and lactose breath hydrogen test—correlation of (Hyams et al) (BCLO), 609
Lactate dehydrogenase, serum—indicator of tumor activity in neuroblastoma (Quinn et al) (BCLO), 89
levels, CSF, and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Lactose breath hydrogen test, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
malabsorption by premature infants: Magnitude and clinical significance (MacLean and Fink), 383
Laryngobronchial papillomatosis, juvenile—regression with systemic bleomycin therapy (Mehta and Herold) (BCLO), 479
Leukemia, acute lymphocytic—impact of isolated central nervous system relapse following initial complete remisssion of (Wells et al) (BCLO), 429
—intracranial hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of (Cairo et al), 829
mononucleosis syndrome following granulocyte transfusion with (Ritchey et al) (BCLO), 267
Leukemoid reaction, lymphocytic, associated with progressive cough in infant (Marks et al), 156
LH bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205
Lipid deposit, pulmonary arterial, in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
Lithium chloride, in vitro response to: Neutropenia with type IB glycogen storage disease (McCabe et al) (BCLO), 944
Liver disease—CMV infection of healthy infants and those with: Demonstration of IgG EA (early antigen) and IgM MA (membrane antigen) antibodies (Numazaki et al), 545
inflammatory bowel disease presenting as (Kane et al) (BCLO), 775
isoniadzid-rifampin-induced fulminant, in infant (Bistritzer et al) (BCLO), 480
function and morphology—effects of phenobarbital and diphenylhydantoin on (Aiges et al), 22
Lumbar punctures, daily—failure to prevent development of hydrocephalus following intraventricular hemorrhage (Mantovani et al), 278
serial, and intraventricular hemorrhage (Behrman) (Editor's column), 250
treatment by: Post-hemorrhagic hydrocephalus in low-birth-weight infants (Papile et al), 273
Lung function testing, the standardization of (Taussig et al), 668
phosphatidylcholine, fetal lamb: Response to asphyxia and recovery (Brumley and Crenshaw), 631
Lupus erythematosus, systemic—protein-losing enteropathy in boy with (Tsukahara et al) (BCLO), 778
Luteinizing hormone bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205

Luteinizing hormone—Cont'd
plasma, and testosterone in male infants—simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
Lymphadenitis, *Yersinia enterocolitica* cervical (Jaffe and Smith) (BCLO), 937
Lymphocyte stimulation, in vitro, and monocyte chemotaxis—correlation with: Tetanus toxoid skin test (Borut et al), 567
Lymphocytic leukemia, acute—intracranial hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of (Cairo et al), 829
—impact of isolated central nervous system relapse following initial complete remission of (Wells et al) (BCLO), 429
leukemoid reaction associated with progressive cough in infant (Marks et al), 156
Lysine and citrulline—two-year trial of dietary supplementation therapy with: Lysinuric protein intolerance (Rajantie et al), 927
Lysinuric protein intolerance: Two-year trial of dietary supplementation therapy with citrulline and lysine (Rajantie et al), 927

M

Malabsorption, lactose, by premature infants: Magnitude and clinical significance (MacLean and Fink), 383
Malnourished children—refeeding pancreatitis in (Gryboski et al) (BCLO), 441
Malnutrition and chronic diarrhea—nutritional management of: Primary reliance on oral feeding (MacLean et al), 316
protein-energy—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
Mandibular, costo-cerebro-, syndrome (Silverman et al), 406
Mauriac syndrome, somatomedin activity in (Winter et al) (BCLO), 598
Measurements—potential errors in neonatal blood gas measurements (Fan et al) (BCLO), 650
Mechanical ventilation—comparison of effects of high frequency-low tidal volume and low frequency-high tidal volume (Boros and Campbell), 108
Meningitis due to *H. influenzae* type b resistant to ampicillin and chloramphenicol (Uchiyama et al) (BCLO), 421
H. influenzae type b, treated in children with cerebrospinal fluid shunts (Rennels andt Wald) (BCLO), 424
tuberculous—radioactive bromide partition test in diagnosis of (Wiggelinkhuizen and Mann), 843
Meningococcal vaccine, indications for use of (Peltola) (Letter), 330; (Wilkins and Wehrle) (Reply), 331
Mercury toxicity (acrodynia) induced by long-term injection of gammaglobulin (Matheson et al), 153
Mesodermal and ectodermal structures—new familial syndrome of 46,XY gonadal dysgenesis with anomalies of (Brosnan et al), 586
Metabolic acidosis, late (Essin) (Letter), 509 (Spitzer) (Reply), 510
disease, screening for (Sepe) (Letter), 871; (Paul et al) (Reply), 872
Metabolism, growth, and body composition—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Methicillin-gentamicin-resistant *Staphylococcus aureus* infection, epidemic neonatal, associated with nonspecific topical use of gentamicin (Graham et al), 972
Microcomputer system, practical. III. Computerized newborn intensive care data recording, reporting, and research (Janik et al) (BCLO), 497
Milk, banked human—reduction of bacterial contamination in (Hewitt et al) (Letter), 873
human—sulfisoxazole secretion into (Kaufman et al) (BCLO), 839
samples, protein values of, from mothers without biologic pregnancies (Kleinman et al) (BCLO), 612
Mongolian spots, significance of (Smialek) (Letter), 504; (Alper and Holmes) (Reply), 505
Monitoring, continuous tissue ph, in critically ill neonates (Bhat et al), 445
techniques, fetal intrapartum—pediatric follow-up of randomized controlled trial of (Langendoerfer et al), 103
Monoclonal antibodies used in enzyme-linked inhibition assay for rapid detection of streptococcal antigen (Polin and Kenneth), 540
Monocyte chemotaxis and in vitro lymphocyte stimulation—correlation with: Tetanus toxoid skin test (Borut et al), 567
Mononucleosis syndrome following granulocyte transfusion with leukemia (Ritchey et al) (BCLO), 267
Monozygotic twinning, structural defects, and syndromes "of obscure etiology" (Jongbloet) (Letter), 868
Morphology and liver function—effects of phenobarbital and diphenylhydantoin on (Aiges et al), 22
intestinal, lactose breath hydrogen test, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Mortality, neonatal, in industrialized populations—principal predictor of: Very low-birth-weight rate (Lee et al), 759
Mucocutaneous candidiasis, chronic, successfully treated with ketoconazole (Rosenblatt et al), 657
Mucosal injury of small intestine—glucoamylase and disaccharidase activities in normal subjects and in patients with (Lebenthal and Lee), 389
Myositis with staphylococcal infections (Saul and Osofsky) (Letter) 701; (Adamski and Shulman) (Reply), 701

N

Nafcillin, pseudoproteinuria, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Necrosis, renal papillary, in juvenile rheumatoid arthritis (Wortmann et al), 37
subcutaneous fat, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Necrotizing enterocolitis, neonatal—randomized, controlled study of oral gentamicin in treatment of (Hansen et al) (BCLO), 836
sarcoid granulomatosis with neurologic lesions (Beach et al) (BCLO), 950
venulitis, cutaneous, with cystic fibrosis (John et al) (Letter), 505
Nephroblastomatosis, management of bilateral diffuse (Haddy) (Letter), 501
Nephrogenic diabetes insipidus, renal prostaglandin E_2: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476

Nephrotic syndrome and cellular immunity (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
multiple tubular defects: Early sign of focal segmental glomerulosclerosis (McVicar et al), 918
minimal lesion—chlorambucil treatment in: Reappraisal of its gonadal toxicity (Callis et al), 653
sagittal sinus thrombosis in (Lau et al) (BCLO), 948
Nerve agenesis, phrenic, and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Nervous system, isolated central, relapse following initial complete remission in acute lymphocytic leukemia—impact of (Wells et al) (BCLO), 429
Neuroblastoma—serum lactate dehydrogenase, indicator of tumor activity in (Quinn et al) (BCLO), 89
Neurologic and endocrine outcome in craniopharyngioma: Review of effect of treatment in 42 patients (Thomsett et al), 728
Neutropenia and impaired neutrophil migration in type IB glycogen storage disease (Beaudet et al), 906
with type IB glycogen storage disease: In vitro response to lithium chloride (McCabe et al) (BCLO), 944
Neutrophil migration, impaired, and neutropenia in type IB glycogen storage disease (Beaudet et al), 906
New books received, 84, 444, 688, 994
Nosocomial acquisition, apparent, of neonatal herpes simplex—DNA fingerprinting in investigation of (Halperin et al) (BCLO), 91
Nursery-based intervention with prematurely born babies and their mothers: Are there effects? (Brown et al), 487
intensive care—new transfusion program for (Johnson et al), 806
Nutrition and intellectual development (Evans et al), 358
parenteral, and furosemide—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
total parenteral—changes in electrolyte content of urine and serum during (Aladjem et al) (BCLO), 437
zinc-supplemented parenteral—clinical zinc deficiency during (Latimer et al) (BCLO), 434
Nutritional management of chronic diarrhea and malnutrition: Primary reliance on oral feeding (MacLean et al), 316
therapy in cystic fibrosis—improved growth and clinical, nutritional, and respiratory changes in response to (Shepherd et al), 351

O

Obese boys—limited usefulness of standard gonadotropin-releasing hormone test in: Diagnosis of gonadotropin deficiency in adolescents (Kelch et al), 820
Obesity hypoventilation syndrome with Prader-Willi syndrome (Orenstein et al) (BCLO), 765
Oligomenorrhea in adolescent girls (Emans et al), 815
Ontogeny of immune response as basis of childhood disease (Pabst and Kreth), 519
Ornithine carbamoyl transferase deficiency—Reye-like syndrome associated with use of insect repellent in presumed heterozygote for (Heick et al) (BCLO), 471
Orthopedic immobilization, blood pressure elevation with (Chen) (Letter), 702
Osteodystrophy, juvenile renal—early diagnosis of (Norman et al), 226
Osteopetrosis: Further heterogeneity (Horton et al), 580
Otitis media caused by nontypable strains of *Haemophilus influenzae*—bactericidal antibody and susceptibility to (Shurin et al), 364
Oxygen consumption and insensible water loss in premature infants in single- viruses double-walled incubators (Yeh et al), 967

P

Pancreatic agenesis, functional—long-term survival in case of (Howard et al) (BCLO), 786
Pancreatitis, refeeding, in malnourished children (Gryboski et al) (BCLO), 441
Pancuronium bromide—effects on infants with hyaline membrane disease (Crone and Favorito) (BCLO), 991
Papillary necrosis, renal, in juvenile rheumatoid arthritis (Wortmann et al), 37
Paralysis, bilateral diaphragmatic, in newborn infant (Aldrich et al) (BCLO), 988
Parathyroid hormone in hypocalcemic and normocalcemic infants of diabetic mothers (Noguchi et al) (BCLO), 112
Parenteral nutrition and furosemide—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
zinc-supplemented—clinical zinc deficiency during (Latimer et al) (BCLO), 434
Patent ductus arteriosus and circulating prostaglandin E_2 concentrations in fetal and neonatal lambs (Clyman et al), 455
to RDS, contribution of (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Pathologic, clinical, and immunologic investigations: Isolated IgG deficiency (Abo et al) (BCLO), 98
Pediatricians, certified—survey by American Board of Pediatrics up to 1975 (Wright), 1021
Penicillin, blocking coagulation inhibitors in children taking (Orris et al) (BCLO), 426
pneumococci relatively resistant to: Prevalence survey in children (Anderson et al) (BCLO), 939
semisynthetic (piperacillin), used in therapy of acute exacerbations of pulmonary disease in cystic fibrosis (Prince and Neu) (BCLO), 148
Peritoneography—diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as pleural effusion (Graviss et al) (BCLO), 119
Peritonitis, *Candida*, in newborn infant (Johnson et al) (BCLO), 298
PGE, hypercalcemia, and subcutaneous fat necrosis (Metz and Hassall) (Letter), 336
pH, continuous tissue, monitoring in critically ill neonates (Bhat et al), 445
Pharmacokinetics of intravenously administered indomethacin in premature infants (Thalji et al), 995
vancomycin (Baker et al) (Letter), 502; (Schaad et al) (Reply), 503
Pharmacology of furosemide in premature newborn infant (Peterson et al), 139

Phencyclidine poisoning in young children (Karp et al) (BCLO), 1006
Phenobarbital and diphenylhydantoin—effects on liver function and morphology (Aiges et al), 22
once daily doses of (Walson et al) (BCLO), 303
or placebo to prevent recurrence, antipyretic instruction plus either—first febrile seizure (Camfield et al), 16
Phenotypic expression, variable, in siblings: Embryonic testicular regression syndrome (Josso and Briard), 200
Phenytoin therapy and hemorrhagic disease (Keith et al) (Letter), 501
Phosphatidylcholine, fetal lamb lung: Response to asphyxia and recovery (Brumley and Crenshaw), 631
Phototherapy—effect on amino acid solutions (Moritani et al) (Letter), 699; (Mims) (Reply), 699
Phrenic nerve agenesis and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Piperacillin, semisynthetic penicillin, used in therapy of acute exacerbations of pulmonary disease in cystic fibrosis (Prince and Neu) (BCLO), 148
Pituitary-gonadal function—the variation in two adolescent boys with 46XX male syndrome (LaFranchi et al) (BCLO), 960
Placebo or phenobarbital to prevent recurrence, antipyretic instruction plus either—first febrile seizure (Camfield et al), 16
Plasma and red cell folate values in newborn infants and their mothers in relation to gestational age (Ek), 288
gonadotropin and testosterone values in infants with cryptorchidism (Gendrel et al), 217
LH and testosterone in male infants, simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
zinc values in children recovering from protein-energy malnutrition (Canfield et al) (BCLO), 87
Plasmapheresis, successful, in 4-year-old child with homozygous familial hypercholesterolemia (Witztum et al) (BCLO), 615
Pleural effusion, diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as—peritoneography (Graviss et al) (BCLO), 119
Pneumonia, adenovirus (Letter) (Goldenring), 329
Pneumococci relatively resistant to penicillin: Prevalence survey in children (Anderson et al) (BCLO), 939
Poisoning, phencyclidine, in young children (Karp et al) (BCLO), 1006
Polyneuropathy, steroid-responsive, with subacute onset (Colan et al), 374
Potassium and sodium content, low and high, compared in oral rehydration solutions (Nalin et al), 848
Potentials, sensory evoked: Clinical applications in pediatrics (Mizrahi and Dorfman), 1
Prader-Willi syndrome, obesity hypoventilation syndrome with (Orenstein et al) (BCLO), 765
Pregnancies, biologic—protein values of milk samples from others without (Kleinman et al) (BCLO), 512
twin: Incidence of group B streptococcal colonization and disease (Pass et al) (BCLO), 635
Progesterone, 17-OH, and HLA typing response to ACTH infusion—21-hydroxylase deficiency: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Propionyl CoA carboxylase deficiency, "unresponsive"—reassessment of biotin-responsiveness in (Wolf) (BCLO), 964
ProSobee, chloride content of (Hermann) (Letter), 162; (Garfunkel) (Comment), 162
Prostaglandin E_1, administration, long-term low-dose (Sone et al) (Letter), 866
in infants with cyanotic congenital heart disease—cortical hyperostosis following long-term administration of (Ueda et al) (BCLO), 834
E_2 concentrations, circulating, and patent ductus arteriosus in fetal and neonatal lambs (Clyman et al), 455
renal, in nephrogenic diabetes insipidus: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
Protein A, staphylococcal, adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
energy malnutrition—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
immunoreactive, correlated with coagulant activity: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
losing enteropathy in boy with systemic lupus erythematosus (Tsukahara et al) (BCLO), 778
lysinuric intolerance: Two-year trial of dietary supplementation therapy with citrulline and lysine (Rajantie et al), 927
values of milk samples from mothers without biologic pregnancies (Kleinman et al) (BCLO), 612
Proteinuria, pseudo-, nafcillin, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Prothrombin (Factor II) levels in cord blood: Correlations of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
Protoporphyrin, erythrocyte, in sickle cell disease (Yip) (Letter), 163; (Powars) (Reply), 163
Pseudomonas, anti-, therapy—is it warranted in acute respiratory exacerbations in children with cystic fibrosis? (Beaudry et al), 144; Commentary (Merrill), 148
Pseudoproteinuria, nafcillin, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Psychologic effects of illness in adolescence. I. Anxiety, self-esteem, and perception of control (Kellerman et al), 126
II. Impact of illness in adolescents—crucial issues and coping styles (Zeltzer et al), 132
Psychomotor development in 65 home-reared children with cri-du-chat syndrome (Wilkins et al), 401
Psychotropic drugs—small left colon syndrome associated with maternal ingestion of (Falterman and Richardson) (BCLO), 308
Pubertal, pre-, brothers (3)—gonadotropin deficiency and cryptorchidism with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
cryptorchid boys—plasma gonadotropin values in: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Puberty, LH bioactivity increases more than immunoreactivity during (Lucky et al), 205
true precocious—test to discriminate from premature thelarche and adrenarche: Bioactive LH (Lucky et al), 214

Pulmonary arterial lipid deposit in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
disease in cystic fibrosis—use of piperacillin, semisynthetic penicillin, in therapy of acute exacerbations of (Prince and Neu) (BCLO), 148
hypertension, persistent, after congenital diaphragmatic hernia repair—tolazoline therapy for (Bloss et al), 984
hypoplasia resulting from phrenic nerve agenesis and diaphragmatic amyoplasia (Goldstein and Reid), 282
Punctures, daily lumbar—failure to prevent development of hydrocephalus following intraventricular hemorrhage (Mantovani et al), 278
Pyomyositis, gallium 67 citrate scintigraphy in (Hirano et al) (BCLO), 596
Pyretic, anti-, instruction plus either phenobarbital or placebo to prevent recurrence—first febrile seizure (Camfield et al), 16

R

Radioactive bromide partition test in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
Radioisotopic assay, enzyme—rapid diagnosis of infections caused by β-lactamase-producing bacteria by means of (Yolken and Hughes), 715
Reflux, gastroesophageal—mechanisms of (Werlin et al), 244
Rehydration solutions, oral—comparison of low and high sodium and potassium content in (Nalin et al), 848
simple sugar/salt oral—variability of sodium and sucrose levels prepared under optimal and field conditions (Levine et al) (BCLO), 324
therapy, oral, for diarrhea (Steinhoff) (Letter), 515; (Woodward) (Letter), 515; (Finberg) (Reply), 516; (Sack) (Reply), 517
Renal artery angioplasty, percutaneous transluminal, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
failure, chronic—encephalopathy with (Geary et al), 41
on regular hemodialysis—effects of anabolic steroids on growth, body composition, and metabolism in boys with (Jones et al), 559
function and blood volume in premature infants with respiratory distress syndrome—acute effects of albumin infusion on (Lay et al), 619
lesion, cystic, in tuberous sclerosis (Stapleton et al), 574
osteodystrophy, juvenile—early diagnosis of (Norman et al), 226
papillary necrosis in juvenile rheumatoid arthritis (Wortmann et al), 37
prostaglandin E_2 in nephrogenic diabetes insipidus: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
Respiratory, clinical, and nutritional changes and improved growth in response to nutritional therapy in cystic fibrosis (Shepherd et al), 351
distress syndrome—acute effects albumin infusion on blood volume and renal function in premature infants with (Lay et al), 619
—contribution of PDA to (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Respiratory—Cont'd
exacerbations, acute—is anti-*Pseudomonas* therapy warranted in children with cystic fibrosis? (Beaudry et al), 144; Commentary (Merrill), 148
failure treated with tolazoline—late morbidity among survivors of (Cohen et al) (BCLO), 644
illnesses—serum IgE levels and clinical expression of (Stempel et al), 185
tract infection, upper—effect on eustachian tube ventilatory function in preschool child (Sanyal et al), 11
, upper, carrier state, group A streptococcal: Enigma (Kaplan), 337
Reticulocytopenia, prolonged, in autoimmune hemolytic anemia (Greenberg et al) (BCLO), 784
Reye syndrome, epidemic of, associated with influenza A (H1N1) in Colorado (Halsey et al), 535
primary Epstein-Barr virus infection in association with (Fleisher et al) (BCLO), 935
like syndrome associated with use of insect repellent in presumed heterozygote for ornithine carbamoyl transferase deficiency (Heick et al) (BCLO), 471
Rheumatoid arthritis, juvenile—renal papillary necrosis in (Wortmann et al), 37
Rickets, vitamin D-resistant? (Rotenstein) (Letter), 696; (Sockalosky et al) (Reply), 697
Rifampin-isoniazid-induced fulminant liver disease in infant (Bistritzer et al) (BCLO), 480
Rotavirus infection, chronic, in immunodeficiency (Saulsbury et al), 61
RSV bronchiolitis—cell-mediated immunity in (Bertotto et al) (Letter), 334
Rubella antigens in late-onset rubella syndrome-circulating immune complexes containing (Tardieu et al), 370
neonatal, following postpartum maternal immunization (Landes et al) (BCLO), 465
in breast-fed infant after postpartum maternal infection (Klein et al) (BCLO), 774
virus vaccine, RA27/3 live attenuated, during pregnancy—fetomaternal aspects of immunization of (Bernstein and Ogra) (BCLO), 467

S

Sagittal sinus thrombosis in nephrotic syndrome (Lau et al) (BCLO), 948
Salmonella bacteremia in first year of life (Blaser et al) (Letter), 164; (Hyams et al) (Reply), 165
Sarcoid granulomatosis, necrotizing, with neurologic lesions (Beach et al) (BCLO), 950
Scan, transient positive post-ictal computed tomographic (Rumack et al) (BCLO), 263
Scintigraphy, gallium 67 citrate, in pyomyositis (Hirano et al) (BCLO), 596
Scleroderma, steroid-responsive variant of: Diffuse fasciitis with eosinophilia (Britt et al) (BCLO), 432
Sclerosis, tuberous—cystic renal lesion in (Stapleton et al), 574
Screening for biopterin deficiency (O'Brien) (Letter), 695
metabolic disease (Sepe) (Letter), 871; (Paul et al) (Reply), 872

Screening—Cont'd
strategy for neonatal hypothyroidism, means to reduce recall rate in: Blood spot thyroxine-binding globulin (Robertson et al) (BCLO), 604
urine, for aminoacidopathies: Is it beneficial? (Wilcken et al), 492
Scrotal, inguino-, lesion (neonatal), produced by plastic umbilical clamp (Cigliano and Paludetoo) (Letter), 866
Secretory IgA in serum of infants with obstructive jaundice (Goldblum et al), 33
Seizure(s), dehydration, and hypoglycemia in 4-month-old child (Balistreri and Buchino), 689
Febrile—Consensus Development Conference on: Commentary (Fishman) (Editor's column), 933
first febrile—antipyretic instruction plus either phenobarbital or placebo to prevent recurrence (Camfield et al), 16
focal, and intracranial hemorrhage secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
long-term experiences with carbamazepine (Tegretol) in children with (Huf and Schain) (BCLO), 310
pseudo-, evaluated using EEG telemetry and video tape monitoring (Holmes et al), 554
Sensory evoked potentials: Clinical applications in pediatrics (Mizrahi and Dorfman), 1
Sepsis, catheter-related (Andrassy) (Letter), 1040
Serum and urine during total parenteral nutrition, changes in electrolyte content of (Aladjem et al) (BCLO), 437
branched-chain amino acids in diagnosis of hyperinsulinism in infancy (Chaussain et al), 923
copper concentrations in sick and well preterm infants (Manser et al), 795
Sex, fetal, and prenatal bethamethasone therapy (Ballard et al), 451
Sexual precocity, tumor, and Klinefelter syndrome (Chaussain et al) (BCLO), 607
Shunts, cerebrospinal fluid—treatment of *Haemophilus influenzae* type b meningitis with (Rennels and Wald) (BCLO), 424
Siblings, variable phenotypic expression in: Embryonic testicular regression syndrome (Josso and Briard), 200
Sickle cell disease—erythrocyte protoporphyrin in (Yip) (Letter), 163; (Powars) (Reply), 163
fever with (Lobel) (Letter), 1038
significance of plasma beta-thromboglobulin values in (Mehta) (BCLO), 941
SIDS, aborted—heart rate and heart rate variability during sleep in (Leistner et al), 51
—sudden infant death syndrome: Repetitions in families (Peterson et al) (BCLO), 265
Sinus thrombosis, sagittal, in nephrotic syndrome (Lau et al) (BCLO), 948
Skin histidase activity related to blood histidine response to histidine intake in patients with histidinemia (Kuroda et al) (BCLO), 269
test, tetanus toxoid: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Sleep in aborted sudden infant death syndrome—heart rate and heart rate variability during (Leistner et al), 51
Sodium and potassium content, low and high, compared in oral rehydration solutions (Nalin et al), 848
Sodium and—Cont'd
sucrose levels of simple sugar/salt oral rehydration solutions prepared under optimal and field conditions—variability of (Levine et al) (BCLO), 324
Somatic growth of children of diabetic mothers with reference to birth size (Vohr et al), 196
Somatomedin activity in Mauriac syndrome (Winter et al) (BCLO), 598
Splenectomy and transfusion requirements in thalassemia major (Cohen et al) (BCLO), 100
Staphylococcal infections, myositis with (Saul and Osofsky) (Letter) 701; (Adamski and Shulman) (Reply), 701
protein A adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
Staphylococcus aureus infection, epidemic neonatal gentamicin-methicillin-resistant, associated with nonspecific topical use of gentamicin (Graham et al), 972
Sternum, spontaneous fracture of—in youth with cystic fibrosis (Mitchell and Elliott) (BCLO), 789
Steroid(s), anabolic—effects on growth, body composition, and metabolism in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
responsive polyneuropathy with subacute onset (Colan et al), 374
variant of scleroderma: Diffuse fasciitis with eosinophilia (Britt et al) (BCLO), 432
Streptococcal antigen, group B—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 328
—use of monoclonal antibodies in an enzyme-linked inhibition assay for rapid detection of (Polin and Kennett), 540
group A, upper respiratory tract carrier state; Enigma (Kaplan), 337
B, colonization and disease—incidence of: Twin pregnancies (Pass et al) (BCLO), 635
infection, rapid diagnosis of (Kramer and Goldstein) (Letter), 1039; (Bass and Harden) (Reply), 1040
Streptococci, group A—adherence to buccal epithelial cells from children of various ages (Ardati and Dajani) (BCLO), 781
Subcutaneous fat necrosis, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Sucrose and sodium levels of simple sugar/salt oral rehydration solutions prepared under optimal and field conditions—variability of (Levine et al) (BCLO), 324
Sulfisoxazole secretion into human milk (Kauffman et al) (BCLO), 839
Supplementation therapy, dietary, with citrulline and lysine—two-year trial of: Lysinuric protein intolerance (Rajantie et al), 927
Syndrome *see* specific syndrome
Syndromes "of obscure etiology," monozygotic twinning, and structural defects (Letter) (Jongbloet), 868

T

Tachycardia, supraventricular—new technique for interruption of: Ice bag (Bisset et al) (BCLO), 593

Technetium 99m pertechnetate-labeled erythrocytes, in vivo—detection of acute gastrointestinal bleeding using (Riff et al) (BCLO), 956
Tegretol (carbamazepine)—long-term experiences in children with seizures (Huf and Schain) (BCLO), 310
Telemetry, EEG, and video tape monitoring—evaluation of pseudoseizures using (Holmes et al), 554
Temperament of asthmatic children: Preliminary study (Kim et al), 483
Temperature, optimal, for measurement of transcutaneous carbon dioxide tension in neonate (Herrell et al) (BCLO), 114
Teratogenicity of valproic acid (Dalens et al) (Letter), 332; (Dickinson and Gerber) (Reply), 333
Test(s), lactose breath hydrogen, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
latex agglutination, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
to discriminate true precocious puberty from premature thelarche and adrenarche: Bioactive LH (Lucky et al), 214
radioactive bromide partition, in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
standard gonadotropin-releasing hormone–limited usefulness in obese boys: Diagnosis of gonadotropin deficiency in adolescents (Kelch et al), 820
thyroid function—effects of hypoxia on (Moshang et al) (BCLO), 602
Testicular regression syndrome embryonic,: Variable phenotypic expression in siblings (Josso and Briard), 200
Testing, lung function—standardization of (Taussig et al), 668
Testosterone and plasma gonadotropin values in infants with cryptorchidism (Gendrel et al), 217
LH in male infants—simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
Tetanus toxoid skin test: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Thalassemia, beta, trait, hematology of—age-related developmental aspects and intrafamilial correlations (Berman et al), 901
major—transfusion requirements and splenectomy in (Cohen et al) (BCLO), 100
Thelarche and adrenarche, premature—test to discriminate true precocious puberty from: Bioactive LH (Lucky et al), 214
Theophylline, dose-dependent kinetics for: Observations among ambulatory asthmatic children (Sarrazin et al), 825
orally, asthmatic children taking—intravenous administration of aminophylline in (Canavan et al) (BCLO), 301
Thrombocytopenia in high-risk infant (Mehta et al), 791
re intracranial hemorrhage in utero (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Thromboglobulin values, plasma beta-, significance with sickle cell disease (Mehta) (BCLO), 941
Thrombosis, sagittal sinus, in nephrotic syndrome (Lau et al) (BCLO), 948
Thymosin therapy in DiGeorge syndrome (Barrett et al), 66
Thyroid function tests—effects of hypoxia on (Moshang et al) (BCLO), 602
Thyrotoxicosis, neonatal: Intellectual impairment and craniosynostosis in later years (Daneman and Howard) (BCLO), 257
Thyroxine-binding globulin, blood spot: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
Tidal volume, high frequency–low tidal, effects compared with low frequency–high tidal volume mechanical ventilation (Boros and Campbell), 108
Tissue pH, continuous, monitoring in critically ill neonates (Bhat et al), 445
Titer, high, multiple dose therapy with HBIG in newborn infants of HB_sAg positive mothers (Jhaveri et al) (BCLO), 305
Tolazoline—late morbidity among survivors of respiratory failure treated with (Cohen et al) (BCLO), 644
therapy for persistent pulmonary hypertension after congenital diaphragmatic hernia repair (Bloss et al), 984
Tomographic scan, computed—transient positive post-ictal (Rumack et al) (BCLO), 263
Toxicity, chloramphenicol—oral vs intravenous administration (Matthews and Shawver-Matthews) (Letter), 869; (Pickering et al) (Reply), 869
gonadal—reapprasial of: Chlorambucil treatment in minimal lesion nephrotic syndrome (Callis et al), 653
mercury (acrodynia), induced by long-term injection of gammaglobulin (Matheson et al), 153
Toxid skin test, tetanus: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Toxigenic *Clostridium perfringens* type C, implication of: ampicillin-induced enterocolitis (Schwartz et al) (BCLO), 661
Toxiology Program, National, and pediatrician (Rogan and Rall) (Editor's column), 79
Transcutaneous carbon dioxide tension in neonate—optimal temperature for measurement of (Herrell et al) (BCLO), 114
Transfusion(s), exchange—calculation of volumes for (Levine) (Letter), 870; (Landaw) (Reply), 871
granulocyte, with leukemia—mononucleosis syndrome following (Ritchey et al) (BCLO), 267
neonatal—hematologic and bacteriologic assessment of autologous cord blood for (Golden et al) (BCLO), 810
program, new, for an intensive care nursery (Johnson et al), 806
reaction due to unrecognized ABO hemolytic disease of newborn infant (Falterman and Richardson) (BCLO), 812
requirements and splenectomy in thalassemia major (Cohen et al) (BCLO), 100
Transplant patients and pediatric dialysis, hepatitis B infection in: Significance of e antigen (Ettenger et al), 550
Trauma, severe closed head—physical recovery in children and adolescents after (Brink et al), 721
Trichobezoar and trichophagia: Etiologic role of iron deficiency (McGehee and Buchanan) (BCLO), 946
Trichophagia and trichobezoar: Etiologic role of iron deficiency (McGehee and Buchanan) (BCLO), 946
Tuberculous meningitis—radioactive bromide partition test in diagnosis of (Wiggelinkhuizen and Mann), 843
Tuberous sclerosis, cystic renal lesion in (Stapleton et al), 574

Tubular defects, multiple, and nephrotic syndrome: Early sign of focal segmental glomerulosclerosis (McVicar et al), 918
Tumor activity in neuroblastoma—serum lactate dehydrogenase, indicator of (Quinn et al) (BCLO), 89
Klinefelter syndrome, and sexual precocity (Chaussain et al) (BCLO), 607
Twin pregnancies: Incidence of group B streptococcal colonization and disease (Pass et al) (BCLO), 635
Twinning, monozygotic, structural defects, and syndromes "of obscure etiology" (Jongbloet) (Letter), 868

U

Ultrasonography, continuous wave Doppler—noninvasive detection of retrograde descending aortic flow in infants using (Serwer et al), 394
Ultrasound studies in preterm infants with hydrocephalus (Graziani et al), 624
Umbilical catheters, calculated lengths of (Phelps) (Letter), 870; (Rosenfeld) (Reply), 870
clamp, plastic—neonatal inguino-scrotal lesion produced by (Cigliano and Paludetoo) (Letter), 866
Urea synthesis—treatment of hyperammonemic coma in inborn errors of (Batshaw and Brusilow), 893
Uremic-hemolytic syndrome (Gomperts and Lieberman) (Editor's column), 419
—aspirin and dipyridamole therapy in (O'Regan et al) (BCLO), 473
Associated conditions (Adelman et al) (BCLO), 161
Urine and serum during total parenteral nutrition, changes in electrolyte content of (Aladjem et al) (BCLO), 437
screening for aminoacidopathies: Is it beneficial? (Wilcken et al), 492
Uveitis, anterior, in Kawasaki disease (Germain et al) (BCLO), 780

V

Vaccine, influenza, in unprimed children: Improved immunogenicity with few reactions following one high dose of split-product vaccine (Gross et al), 56
meningococcal—indications for use of (Peltola) (Letter), 330; (Wilkins and Wehrle) (Reply), 331
RA27/3 live attenuated rubella virus, during pregnancy—fetomaternal aspects of immunization with (Bernstein and Ogra) (BCLO), 467
Valproic acid, teratogenicity of (Dalens et al) (Letter), 332; (Dickinson and Gerber) (Reply), 333
Vancomycin, oral—treatment of antibiotic-associated *Clostridium difficile* diarrhea with (Batts et al) (BCLO), 151
pharmacokinetics (Baker et al) (Letter), 502; (Schaad et al) (Reply), 503
Vasopressin—hemodynamic significance in newborn infant (Phojavuori and Fyhrquist), 462
Ventilation, decreased, response to hypoxia in asthma (Smith and Hudgel), 736
mechanical—comparison of effects of high frequency-low tidal volume and low frequency-high tidal volume (Boros and Campbell), 108
defective dentition following (Wetzel) (Letter), 334; (Krous) (Letter), 334
Ventilation—Cont'd
negative pressure—bronchopulmonary dysplasia following (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332
Ventilatory function, eustachian tube, in preschool child—effect of upper respiratory tract infection on (Sanyal et al), 11
Ventricular, intra, hemorrhage and serial lumbar punctures (Behrman) (Editor's column), 250
failure of daily lumbar punctures to prevent development of hydrocephalus following (Mantovani et al), 278
neonatal hemorrhage: Hypoglycorrhachia and its relationship to CSF lactate levels (Mathew and Volpe) (BCLO), 292
supra-, tachycardia—new technique for interruption of: Ice bag (Bisset et al) (BCLO), 593
Venulitis, cutaneous necrotizing, with cystic fibrosis (John et al) (Letter), 505
Video tape monitoring and EEG telemetry—evaluation of pseudoseizures using (Holmes et al), 554
Virus, primary Epstein-Barr, infection in association with Reye syndrome (Fleisher et al) (BCLO), 935
vaccine, RA27/3 live attenuated rubella, during pregnancy—fetomaternal aspects of immunization with (Berstein and Ogra) (BCLO), 467
Vitamin D relationships, fetomaternal, at term (Gertner et al) (BCLO), 637
resistant rickets? (Rotenstein) (Letter), 696; (Sockalosky et al) (Reply), 697
Volume, high frequency–low tidal, effects compared with low frequency–high tidal volume mechanical ventilation (Boros and Campbell), 108

W

Water loss, insensible, and oxygen consumption in premature infants in single- versus double-walled incubators (Yeh et al), 967
Weaver-Smith syndrome (Gemme et al) (BCLO), 962
Weight, low-birth-, infants—posthemorrhagic hydrocephalus in: Treatment by serial lumbar punctures (Papile et al), 273
rate, very low birth: Principal predictor of neonatal mortality in industrialized populations (Lee et al), 759
Wiskott-Aldrich syndrome in United States and Canada (1892-1979) (Perry et al), 72

Y

Yersinia enterocolitica cervical lymphadenitis (Jaffe and Smith) (BCLO), 937
gastroenteritis—Canadian disease? (Dajani and Maurer) (Letter), 165; (Marks and Pai) (Reply), 165

Z

Zinc deficiency and achondroplasia (Wassman et al) (Letter), 503; (Collipp) (Reply), 504
clinical, during zinc-supplemented parenteral nutrition (Latimer et al) (BCLO), 434
values, plasma, in children recovering from protein-energy malnutrition (Canfield et al) (BCLO), 87

THE JOURNAL OF PEDIATRICS

EDITOR
JOSEPH M. GARFUNKEL
Springfield, Illinois

CONSULTING EDITOR
WALDO E. NELSON
Philadelphia

ASSOCIATE EDITORS
ROBERT E. MERRILL
Springfield, Illinois
DAVID S. SMITH
Philadelphia

EDITORIAL BOARD

MARY ELLEN AVERY
Boston

ROBERT L. BAEHNER
Indianapolis

RICHARD E. BEHRMAN
Editor, Fetal and neonatal medicine
Cleveland

JAY BERNSTEIN
Editor, Clinical-pathological conference
Royal Oak, Michigan

REBECCA H. BUCKLEY
Durham

VICTOR CHERNICK
Winnipeg

GEORGE D. COMERCI
Tucson

W.A. DANIEL, Jr.
Editor, Adolescent medicine
Birmingham, Alabama

ANGELO M. DiGEORGE
Editor, Book reviews
Philadelphia

PHILIP R. DODGE
St. Louis

ALLAN DRASH
Pittsburgh

LEON EISENBERG
Boston

LAURENCE FINBERG
New York

WILLIAM C. HEIRD
New York

RICHARD HONG
Madison, Wisconsin

MICHAEL M. KABACK
Torrance, California

DAVID T. KARZON
Nashville

SAUL KRUGMAN
New York

ANDRÉ LASCARI
Assistant to the Editor
Springfield, Illinois

MARTIN H. LEES
Portland, Oregon

PAUL S. LIETMAN
Editor, Pharmacology and therapeutics
Baltimore

MILTON MARKOWITZ
Farmington, Connecticut

GEORGE H. McCRACKEN, Jr.
Dallas

GRANT MORROW III
Columbus, Ohio

RICHARD W. OLMSTED
Editor, Behavioral pediatrics
Denver

ALLEN W. ROOT
St. Petersburg, Florida

JANE SCHALLER
Seattle

IRVING SCHULMAN
Stanford

BEA J. van den BERG
Oakland

ROBERT L. VERNIER
Minneapolis

WILLIAM B. WEIL, Jr.
East Lansing

VOLUME 97
COPYRIGHT © 1980 BY
THE C. V. MOSBY COMPANY

All rights reserved
Printed in the United States of America

INDEX TO VOLUME 97

*Author index**

A

Abbassi V, 259
Abo W, 98
Abraham S, 677
Adamski G, 701
Adelman R, 508
Adelman RD, 161, 642
Aicardi J, 1040
Aiges HW, 22
Akierman A, 848
Aladjem M, 437
Aldrich TK, 988
Allan WC, 278
Alper JC, 505
Altman AJ, 89
Ament ME, 657
Ammann AJ, 66
Anand SK, 1006
Anast C, 226
Anderson DC, 906
Anderson KC, 939
Anderson PAW, 394
Anderson RL, 972
Anderson VE, 72
Andiman W, 267
Andrassy RJ, 1041
Andreoli SP, 841
Andriola M, 41
Ank BJ, 567
Antoine M, 848
Anyan W, 441
Aoshima M, 834
Aranda JV, 984
Arasu TS, 167
Arboit JM, 335
Ardati KO, 781
Ariagno RL, 644
Arion WJ, 906
Armstrong BE, 394
Arndorfer RC, 244
Asonye UO, 445
Aylward GP, 487

B

Baehner RL, 429, 829
Baine WB, 972
Bakeman R, 487
Baker D, 502
Baker R, 619
Balistreri WF, 689
Ball D, 664
Ballard PL, 451
Ballard RA, 451
Bancalari E, 619, 700
Baron R, 226
Barrett DJ, 66
Barzilay Z, 437, 480
Bass JW, 465, 1040
Batshaw ML, 893
Batts DH, 151, 661
Bayne EJ, 953
Beach PJ, 119
Beach RC, 950
Beardmore HE, 984
Beaudet AL, 906
Beaudry PH, 144
Beauregard WG, 162
Behrman RE, 250
Bell EF, 700
Benton JW Jr, 374
Bergstein JM, 841
Berman B, 267
Berman BW, 901
Bernstein DI, 467
Bertotto A, 334
Bhasker C, 944
Bhat R, 445, 867
Biancaniello T, 45
Bisset GS III, 593
Bistritzer T, 480
Black DD, 647
Black RE, 324
Blaser MJ, 164
Bloom SR, 559
Bloss RS, 984
Boat TF, 765
Bock GH, 948
Boichis H, 437
Boncanegra TS, 780
Bonioli E, 962
Borden S IV, 226
Boros SJ, 108
Borut TC, 567
Bowie MD, 358
Branca P, 624
Briard M-L, 200
Brink JD, 721
Britt WJ, 432
Brodeur AE, 119
Brodsky NL, 795
Brooks JG, 139
Brosnan PG, 586
Brown BI, 944
Brown DA, 492
Brown DM, 697
Brown EG, 332
Brown JA, 401
Brown JV, 487
Broyer M, 476
Brumley GW, 631
Brusilow SW, 893
Buchanan GR, 946
Buchino JJ, 689
Buckwald S, 312
Burdick D, 263
Burke J, 559
Burstein J, 273
Burstein R, 273
Busch HJ, 514
Byrne T, 774
Byrne W, 657

C

Cairo MS, 829
Callis L, 653
Camerini-Otero CS, 742
Camfield CS, 16
Camfield PR, 16
Camitta BM, 1032
Campbell K, 108
Campos J, 591
Canavan JW, 301
Cancilla PA, 953
Canfield WK, 87
Canlorbe P, 607
Caprino D, 334
Carr I, 995
Carroll M, 677
Carter JE, 559
Casper J, 278
Cassidy JT, 37
Casteels-Van Daele M, 507
Caufriez A, 253
Cefalo RC, 810
Chance KH, 602
Chandramouli B, 953
Chantler C, 559
Chatasingh S, 508
Chaussain J-L, 600, 607, 923
Chen S, 702
Cheng C-C, 305
Chernick V, 668
Chesney RW, 473, 664
Chess S, 483
Chinn NM, 265
Chipps BE, 177
Cigliano B, 866
Cimino L, 780
Clarke DF, 312
Clarkson TW, 153
Cleary TG, 869
Cleaves F, 324
Clements ML, 324
Clyde WA Jr, 185
Clyman RI, 455
Cohen A, 100, 784
Cohen RS, 644
Colan RV, 374
Cole J, 640
Collier AM, 11, 185
Collipp PJ, 504
Conroy M-M, 298
Conte FA, 728
Cooksley WGE, 351
Cooper LZ, 774
Cooper R Jr, 770
Corbeel L, 507
Correa-Villasenor A, 972
Corrigan JJ, 979
Corrin B, 950
Counahan R, 559
Coustan DR, 637
Cowan MJ, 66
Crawford CS, 795
Crenshaw C, 631
Crone RK, 991
Crossley KB, 502
Cummings C, 16
Curatolo P, 1041
Curless R, 303
Curless RG, 261
Curry E, 122
Curtis-Cohen M, 784

D

Dahl MV, 432
Dahms BB, 800
Dajani AS, 165, 781, 939

*July, pp 1-166; August, pp 167-336; September, pp 337-518; October, pp 519-702; November, pp 703-874; December, pp 875-1042.

Dalens B, 332
Dallapiccola B, 1041
Dalton RN, 559
Daneman D, 257
Daniëls O, 514
Danis RK, 119
Dash J, 126, 132
Daum F, 22
Daum RS, 854
Dave R, 624
Davis DJ, 487
Davis WJ, 56
Dechaux M, 476
Dellinger KT, 650
Deluca HF, 640, 697
Dempo K, 98
Denning CE, 56
Denny FW, 11
Desai H, 624
Desmond K, 144
Dickinson RG, 333
Dillard RG, 506
Dillon HC Jr, 635
Dodds WJ, 244
Doershuk CF, 765
Domville Cooke WD, 351
Done AK, 164
Donnadieu M, 923
Dorfman LJ, 1
Dosik H, 305
Dreifuss FE, 554
Duck SC, 93
Durandy A, 370
Duray PH, 432
Durbin WA, 165

E

Edell T, 535
Edson JR, 948
Egge AC, 742
Ek J, 288
El Bishti MM, 559
Ellenberg L, 126, 132
Ellerstein NS, 301
Elliott RB, 789
Emans SJ, 815
Ennis FA, 56
Epstein MAF, 51
Epstein RA, 51
Eren M, 112
Essin D, 509
Eto T, 768
Ettenger RB, 550
Evans D, 358
Evans HE, 305
Exeni R, 918

F

Fahlstrom SM, 72
Falterman CG, 308, 812
Fan LL, 650
Fanaroff A, 114
Fang VS, 205, 214
Farrell P, 668
Fasules JW, 263
Favorito J, 991
Fekety FR, 151
Fekety R, 661
Feldman RA, 164
Fennell RS, 41
Ferrara A, 483
Ferrieri P, 298
Finberg L, 516
Fine RN, 550
Fink BB, 383
Fink RJ, 742
Fisher LD, 265
Fishman MA, 933
Fitzgerald JF, 167
Fleischman AR, 640
Fleisher G, 591, 935
Foker JE, 298
Foote DP, 324
Forbush L, 497
Frantz CN, 89
Fried R, 1009
Friedman A, 664
Friedman WF, 1001
Friis-Hansen B, 513
Fujinaga T, 866
Funahashi T, 221
Fyhrquist F, 462

G

Gaerlan PF, 56
Gallop PM, 501
Gamsu H, 873
Gangarosa R, 848
Gard SE, 567
Garfunkel JM, 83, 162, 695
Gartner LM, 759
Gaulme J, 332
Gaum W, 593
Geary DF, 41
Gelfand EW, 153
Gemme G, 962
Gendrel D, 217, 600, 923
Georges P, 923
Gerber N, 333
Gerhardt T, 700
Gerich JE, 786
Germain BF, 780
Germann K, 765
Gertner JM, 637
Ghishan FK, 27
Giblett ER, 749
Gildengers E, 335
Gilford P, 839
Gill FM, 784
Gillum RF, 1039
Gilmore RL, 829
Glassman MS, 637
Glick MR, 841
Gluck L, 514
Gluckman PD, 451
[illegible] W, 786
Goeke D, 770
Goldberg B, 624
Goldblum RM, 33
Golden SM, 810
Goldenring J, 329
Goldmann DA, 165
Goldstein DP, 815
Goldstein EO, 1039
Goldstein JD, 282
Goltz RW, 432
Gomperts ED, 419
Goodfriend T, 664
Goodman DBP, 637
Grace E, 815
Graham DR, 972
Graham E, 950
Graham GG, 316
Granberg JP, 451
Grand RJ, 165, 609
Granoff DM, 854
Graviss ER, 119
Graybill J, 657
Graziani L, 624
Green EG, 661
Green OC, 598
Greenberg D, 503
Greenberg J, 784
Greene GR, 421
Greene HL, 512
Griscelli C, 370
Griswold W, 574
Grospierre B, 370
Gross PA, 56
Grover WD, 795
Grumbach MM, 451, 728
Grumet FC, 806
Gruskin A, 226
Gryboski J, 441
Gudat J, 41
Guenthner EE, 378
Guggenheim MA, 263
Guggino GS, 780
Guiliotis DK, 901
Guillot M, 476
Gundberg CM, 501
Guthrie R, 872
Gutierrez C, 324

H

Haddad GG, 51
Haddy TB, 501
Hafleigh EB, 806
Halperin SA, 91
Halpin TC Jr, 800
Halsey NA, 535
Halsted CC, 161
Hambidge KM, 87
Hamilton JP, 661
Hansen JA, 749
Hansen JDL, 358
Hansen TN, 836
Hanson MR, 72
Harden LB, 1040
Harland E, 848
Hasiba U, 426
Hassall E, 336
Haverkamp AD, 103
Haycock GB, 510
Hayden PW, 956
Haymond MW, 786
Heaston DK, 958
Heick HMC, 471
Hendeles L, 825
Henderson FW, 11, 185
Hendley JO, 91
Herman JH, 988
Hermann HW, 162
Hermansen MC, 330
Herold N, 479
Herrell N, 114
Heymann MA, 455
Helinek GL, 512
Hewitt J, 873
Hilgartner MW, 378
Hillemeier C, 441
Hirano T, 596
Hirota K, 545
Hochstadt NJ, 1012
Hogan WJ, 244
Holmes GL, 554
Holmes LB, 505
Holmes R, 151
Hopman JCW, 514
Hopwood NJ, 820
Hormann E, 612
Horowitz JG, 765
Howard CP, 786
Howard NJ, 257
Howard RE, 650
Hubbard VS, 742
Hudgel DW, 736
Huf R, 310
Hughes TP, 324
Hughes WT, 715
Hunter AGW, 1041, 1042
Hurwitz ES, 535
Hustinx TWJ, 440
Hyams JS, 165, 609

I

Ichizen T, 221
Illig R, 255
Imbus C, 721
Infante AJ, 786
Ishida N, 545
Ishii A, 545
Ito M, 269
Iwaya T, 834
Iyama T, 580

J

Jacobson L, 612
Jaffe KM, 937
James HE, 873
James W, 471
Janakiraman N, 596
Janik DS, 497
Jekel JF, 901
Jesurun CA, 695
Jhaveri R, 305
Job J-C, 217, 600, 607, 923
John EG, 505, 867
Johnson B, 848
Johnson D, 574
Johnson DE, 298
Johnson JD, 273, 644, 806
Jonas A, 480
Jones RWA, 559
Jongbloet PH, 868
Jordan SC, 550
Josso N, 200
Jung AL, 497

K

Kagey-Sobotka A, 177
Kahn E, 22
Kane W, 775
Kapasi AA, 1035
Kaplan EL, 337
Kaplan GW, 574
Kaplan MM, 602
Kaplan S, 45, 593
Kaplan SL, 451, 728
Karita M, 545
Karp HN, 1006
Karpatkin M, 791
Kasper DL, 364
Kauffman RE, 839
Kaufman ND, 1006
Kawana T, 768
Keith DA, 501
Kelch RP, 820
Kellerman J, 126, 132
Kelley VC, 749
Kelsch RC, 37
Kennett R, 540
Kenny JD, 836
Kersey JH, 72
Khare S, 635
Kim SP, 483
Kirks DR, 958
Kitts DB, 421
Kleiman MB, 841
Klein EB, 774
Kleinman R, 612
Kocoshis S, 441
Koffler H, 273
Kohl S, 869
Kojima H, 778
Konno T, 545
Kopps BL, 273
Kramer II, 1039
Kreth HW, 519
Krivit W, 72
Krous H, 334
Krous HF, 156
Kryc JJ, 979
Kuhns L, 37
Kulig JW, 698
Kumar A, 328
Kundell SP, 96
Kuroda Y, 269
Kuroume T, 866
Kuzemko JA, 893

L

LaBrecque DR, 27
LaFranchi S, 960
Lagorio V, 962
Lai TL, 51
Landaw EM, 871
Landes RD, 465
Landing BH, 550
Lang P, 1001
Lange AJ, 906
Langendoerfer S, 103
LaRossa MM, 487
Latimer JS, 434
Lau SO, 948
Lauer ME, 1032
Lauer RM, 953
Lay KS, 619
Lazarus J, 406
Lazarus K, 829
Leão E, 510
Lebenthal E, 389, 510
Lee C, 772
Lee K, 759
Lee M, 699
Lee PC, 389
Leffert F, 875
Lemerle J, 607
Lennette E, 935
Leistner HL, 51
Levin AR, 1009
Levin GS, 695
Levine DH, 870
Lester LA, 742
Levine MM, 324
Levine RL, 139
Lewandowski RC, 586
Lewis JE, 119
Lewis JH, 426
Libutti G, 1041
Lichtenstein LM, 177
Lieberman E, 419
Lightner ES, 261
Lilien LD, 295, 967
Lilly JR, 329
Linday L, 1009
Lipsitt LP, 196
Lissner C, 810
Lobel JS, 1038
Loirat C, 476
Lorin MI, 1035
Lopez de Romaña G, 316
Lotan D, 437
Lou HC, 513
Lough M, 114
Luce D, 267
Lucky AW, 205, 214
Ludwig S, 591
Luken JA, 995
Lulla S, 346
Lulla SH, 1012
Luzzatti L, 911

M

McCabe ERB, 944
McClain CJ, 434
McCook TA, 958
McCracken GH Jr, 503
McDonald J, 848
McDougall D, 144
McGehee FT Jr, 946
McHugh RB, 72
McIntosh K, 535
McIntosh S, 267
Mackenzie K, 848
McKiernan J, 554
Maclaren NK, 191
MacLean WC Jr, 316, 383
McVicar M, 918
Magenis ER, 960
Malachowski N, 644
Malachowski NC, 806
Malekzadeh MH, 550
Malkus H, 619
Malone JI, 873
Mandel JS, 72
Malone RB, 958
Maloney MJ, 1016
Manginello FP, 506
Mann M, 843
Manser JI, 795
Mantovani JF, 278
Markenson AL, 100
Marks MI, 144, 156, 165
Marshall JC, 820
Martin D, 151
Martin RJ, 114
Massa E, 316
Matheny S, 324
Matheson DS, 153
Mathew OP, 278, 292
Matsuo K, 778
Matthews SJ, 869
Matwynshyn J, 967
Mauray F, 455
Maurer MJ, 165, 939
Mauseth RS, 749
Mayersohn M, 303
Mazur AT, 226
Medenis R, 505
Mehta P, 479, 791, 941
Meiklejohn G, 535
Mellins RB, 51, 668
Melvin TR, 944
Menchaca JA, 508
Menge R, 87
Merrill RE, 148, 166
Metz SA, 336
Meyer RA, 45
Meyer WJ, 586
Michael AF, 948
Michels VV, 906
Mickle P, 873
Miller CH, 378
Miller D, 1009
Miller K, 775
Mills AL, 650
Mills MT, 278
Mills SR, 958
Millunchick EW, 465
Mimaki T, 303
Mims LC, 699
Minnefor A, 770
Mitchell EA, 789
Mitros FA, 27
Miyao M, 269
Mizrahi EM, 1
Monaghan WP, 810
Mongeau J-G, 473
Montgomery RR, 944
Moodie AD, 358
Mori M, 98
Moritani D, 699
Moroney JD, 780
Morris MC, 559
Moshang T Jr, 602
Mosley J, 550
Moxon ER, 233
Muir K, 825
Mukai M, 221
Mukhopadhyay D, 596
Muraoka R, 834
Murphy J, 103

N

Nakano H, 834
Nakao T, 98
Nalin DR, 848
Nankervis GA, 328
Naylor EW, 872
Nelson JD, 503
Neu HC, 148
Neufeld M, 191
Neumann L, 791
Newcomb RW, 346
Newman AJ, 772
Nieto J, 653
Nirken MH, 1035
Noble GR, 56
Noguchi A, 112
Nora JJ, 706

Norman ME, 226
Norman MG, 471
Nosal C, 91
Nowick KD, 103
Numazaki Y, 545

O

O'Brien C, 839
O'Brien D, 695, 944
O'Brien WF, 810
Ochs HD, 96
Oetgen WJ, 465
Ogawa T, 269
Ogra PL, 467
Oh SJ, 374
Oh W, 196, 700
Okuda N, 221
Oldfield RK, 604
Oleske J, 770
Olson M, 22
Orda S, 437
O'Regan S, 473
Orenstein DM, 765
Orleans M, 103
Orris DJ, 426
Oshima T, 545
Osofsky SG, 701, 958
Ostlund R, 615
Otterson W, 698
Owen CA, 872
Owens RP, 765
Oyanagi K, 98

P

Pabst HF, 519
Pacosa F, 103
Pai CH, 165
Palfrey JS, 417
Paludetto R, 866
Paneth N, 759
Papazafiratou C, 445
Papile L-A, 273
Pass MA, 635
Pasternak JF, 278
Paul TD, 872
Pavlovitch H, 476
Payer AF, 586
Pearlman M, 759
Pearson HA, 901
Peltola H, 330
Pelton SI, 364
Penna FJ, 510
Pennisi AJ, 550
Pepple J, 233
Perheentupa J, 927
Perrault J, 786
Perrier D, 303
Perry GS III, 72
Perry LW, 677
Peterson DR, 265
Peterson RG, 139
Phelps DL, 870
Phillips LS, 598
Pickering LK, 869
Pildes RS, 295, 967, 995
Pleviak D, 596
Pohjavuori M, 462
Polin RA, 540
Pollard AC, 604
Pollard RA, 164
Powars D, 163
Powell GK, 33
Powell KR, 238
Prader A, 255
Prescott GH, 960
Primiano FP Jr, 765
Prince AS, 148
Pui C-H, 754
Pultusker M, 114

Q

Quinn JJ, 89

R

Ragland M, 554
Ragni M, 1001
Rajantie J, 927
Rall DP, 79
Ramlal A, 848
Rangel R, 144
Rao S, 505
Rapola J, 927
Rasmussen H, 226
Rauh JL, 698
Raval D, 995
Raynaud E-J, 332
Reid LM, 282
Rende J, 653
Rennels MB, 424
Rich BH, 205, 214
Richard GA, 41
Richardson CJ, 308, 812
Riegelman S, 825
Riff EJ, 956
Rigler D, 126, 132
Riley WJ, 191
Rimoin DL, 503
Ritchey AK, 267, 901
Ritter DA, 836
Robertson EF, 604
Robinson WA, 944
Robitaille P, 473
Robyn C, 253
Roche-Bender N, 205, 214
Rochester DF, 988
Rodgers BM, 41
Rodriguez C, 780
Rogan WJ, 79, 861
Roger M, 217, 600, 607
Rogers D, 1001
Roizman B, 91
Roman C, 455
Rosen JF, 640
Rosenblatt HM, 657
Rosenbloom AL, 873
Rosenfeld W, 305, 870
Rosenfield RL, 205, 214
Ross J, 770
Rotenstein D, 696
Rotschafer JC, 502
Rudolph AJ, 836
Rudolph AM, 455
Ruffa G, 962
Rumack BH, 139
Rumack CM, 263
Rutherford PK, 487

S

Saccar C, 1001
Sachs C, 476
Sack DA, 517
Sackellares JC, 554
Sager C, 45
Saito A, 834
Sakuma Y, 98
Sakurai M, 768
Salazar JD, 305
Sanyal MA, 11
Sarrazin E, 825
Sasaki M, 98
Sato T, 221
Saul RA, 701
Saulsbury FT, 61
Sawchuk R, 502
Schaad UB, 503
Schain RJ, 310
Schentag JJ, 312
Scheres JMJC, 440
Schimke RN, 580
Schmitt BD, 163
Schonfeld G, 615
Schuberth KC, 177
Schumacher H, 810
Schumann LM, 72
Schwartz AD, 901
Schwartz E, 100
Schwartz GJ, 510
Schwartz J, 935
Schwartz JN, 661
Schydlower M, 698
Scopes JW, 950
Seashore JS, 441
Seigler HF, 958
Seligmann R, 476
Sepe SJ, 871
Serwer GA, 394
Shapiro SH, 16
Sharp EM, 497
Sharp HL, 434, 775
Shawver-Matthews S, 869
Sheikholishlam BM, 161
Shen D, 312
Shepard J, 1012
Shepherd R, 351
Sherman L, 615
Sherman MP, 642
Shipman RT, 471
Shiraki K, 768
Shulman ST, 701
Shurin PA, 364
Siccard G, 615
Siegel A, 324
Siegel M, 510
Silberstein MJ, 119
Silengo MC, 911
Sillence DO, 503
Silva J, 151, 661
Silverman A, 329
Silverman FN, 406, 911
Simell O, 927
Simmonds RC, 695
Simmons MA, 139
Smialek JE, 504
Smith A, 492
Smith AL, 937
Smith CM, 640
Smith EK, 749
Smith TF, 736
Smith W, 324
Snead OC III, 374
Sniderman S, 451
Sockalosky JJ, 697
Sogawa H, 98
Solem LD, 502
Sonaglia F, 334
Sone K, 866
Spector BD, 72
Speer ME, 836
Spero JA, 426
Spitzer A, 510
Srinivasan G, 295, 596, 967
Stacy T, 156
Stafford RJ, 609
Stagni G, 334
Stamper L, 661
Standaert L, 507
Stapleton FB, 574
Starshak RJ, 330
Stass S, 810
Steinherz LJ, 1009
Steinhoff MC, 515
Steinour TA, 259
Stempel DA, 185
Stempel EC, 11
Stern L, 332
Stevens D, 695
Stevens K, 118
Stevenson DK, 406, 644
Stevenson JK, 956

Stiehm ER, 567, 657
Stoelinga GBA, 514
Strauss J, 619
Strefling AM, 406
Sullivan DB, 37
Sullivan TD, 301
Sullivan WR, 695
Sunshine P, 644, 806
Sureeratanan J, 508
Susin M, 918
Swaby D, 848
Sweet AY, 332
Szefler SJ, 312

T

Tager IB, 364
Takahashi O, 602
Takeda E, 269
Takeuchi Y, 98
Tan CTC, 1009
Tanaka A, 545
Tanaka Y, 873
Tanphaichitr D, 508
Tanphaichitr P, 508
Tardieu M, 370
Tashiro M, 866
Taussig LM, 668
Tazawa Y, 545
Teichberg S, 22
Terr LC, 251
Thalji AA, 995
Thompson TR, 298
Thomsett MJ, 728
Thrupp LD, 421
Todd JK, 535
Todd WA, 535
Toguri AG, 586
Tokuyama K, 866
Tomomasa T, 866
Tong MJ, 550
Toshima K, 269
Traisman HS, 598
Tsang RC, 112
Tsukahara M, 778
Tung EC, 699
Turmen T, 984
Tuomanen EI, 238
Tyrala EE, 795

U

Uchigata Y, 421
Uchiyama N, 421
Ueda K, 834
Uittenbogaart CH, 550
Ulstrom RA, 697
Usberti M, 476
Utiger RD, 602

V

Valentine MD, 177
Van de Casseye W, 507
van der Spuy HIJ, 358
van Doorninck W, 103
Van Vliet G, 253
Van Sickle G, 33
Vasa R, 791
Velardi A, 334
Vidyasagar D, 445, 867
Vienne G, 378
Vila A, 653
Vohr BR, 196
Vollman JH, 972
Volpe JJ, 278, 292
Voora S, 295, 967

W

Wald ER, 424
Waldroup L, 624
Walravens PA, 87
Walker WA, 612
Walson PD, 303
Wang W, 754
Wara DW, 66
Warshaw JB, 122
Wassman ER Jr, 503
Watabe N, 545
Watanabe T, 269
Weemaes CMR, 440
Weetman RM, 429
Wehrle PF, 331
Weinberger M, 825
Weinstein MR, 700
Wells RJ, 429
Werlin SL, 244, 330
West P, 873
Wetzel RC, 334
Whitington PF, 647
Wible KL, 1038
Widder D, 505
Wiggelinkhuizen J, 843
Wigglesworth JS, 513
Wilcken B, 492
Wilimas J, 754
Wilkins AC, 604
Wilkins J, 331
Wilkins LE, 401
Williams JC, 615
Williamson S, 873
Winkelstein JA, 61
Winter JSD, 81
Winter RJ, 598
Wirth FH, 118
Witztum JL, 615
Wolter R, 253
Wong KY, 45
Wolf B, 401, 964
Wood R, 668
Woodward WE, 515
Woo-Sam J, 721
Wortmann DW, 37
Worton WA, 580
Wright FH, 1021
Wright H, 550
Wyllie R, 167
Wyman ML, 497
Wynn RJ, 312

Y

Yaffe SJ, 1001
Yeh TF, 295, 967, 995
Yip R, 163
Yokota M, 834
Yolken RH, 61, 233, 715
Yoshihara N, 768
Young RSK, 696
Younoszai MK, 27
Yudovich M, 1035

Z

Zachmann M, 255
Zalneraitis EL, 696
Zeltzer L, 126, 132

*Subject index**

A

Abdominal wall defects, hypertension in neonate following closure of (Adelman and Sherman) (BCLO), 642
ABO hemolytic disease, unrecognized, of newborn infant—transfusion reaction due to (Falterman and Richardson) (BCLO), 812
Acetaminophen, incorrect dosage of (Beauregard) (Letter), 162
Achondroplasia and zinc deficiency (Wassman et al) (Letter), 503; (Collipp) (Reply), 504
Acidosis, late metabolic (Essin) (Letter), 509; (Spitzer) (Reply), 510
Aciduria, argininosuccinic—neonatal survival after early diagnosis and treatment of (John et al) (Letter), 867
Acrodynia (mercury toxicity) induced by long-term injection of gammaglobulin (Matheson et al), 153
ACTH discharge, periodic (Sato et al), 221
infusion, HLA typing response and 17-OH progesterone response to—21-hydroxylase deficiency: Detection of heterozygotes for congential adrenal hyperplasia (Mauseth et al), 749
Addison disease and adrenal autoantibodies in insulin-dependent diabetes mellitus (Riley et al), 191
Adenovirus pneumonia (Letter) (Goldenring), 329
Adolescence—psychological effects of illness in. I. Anxiety, self-esteem, and perception of control (Kellerman et al), 126
II. Impact of illness in adolescents—crucial issues and coping styles (Zeltzer et al), 132
Adolescent(s) and children—physical recovery after severe closed head trauma in (Brink et al), 721
boys, two, with 46XX male syndrome—variation in pituitary-gonadal function (LaFranchi et al) (BCLO), 960
diagnosis of gonadotropin deficiency in: Limited usefulness of standard gonadotropin-releasing hormone test in obese boys (Kelch et al), 820
girls, oligomenorrhea in (Emans et al), 815
Adrenal autoantibodies and Addison disease in insulin-dependent diabetes mellitus (Riley et al), 191
hyperplasia, congenital—acceptable linear growth in (Duck) (BCLO), 93
—current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81
—detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
—gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
Adrenarche and thelarche, premature—test to discriminate true precocious puberty from: Bioactive LH (Lucky et al), 214
Age, gestational—plasma and red cell folate values in newborn infants and their mothers in relation to (Ek), 288
—relationship to gentamicin serum concentrations in preterm and term neonates (Szefler et al) (BCLO), 312
Agenesis, functional pancreatic—long-term survival in case of (Howard et al) (BCLO), 786
phrenic nerve, and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Agglutination test, latex, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
Aicardi syndrome in male infant (Aicardi) (Letter), 1040; (Hunter) (Letter), 1041; (Curatolo et al) (Reply) 1041; (Hunter) (Reply), 1042
Airway pressure, mean, calculation (Dillard) (Letter), 506
Albumin, bilirubin, and risk of kernicterus (Wible) (Letter), 1038
infusion—acute effects on blood volume and renal function in premature infants with respiratory distress syndrome (Lay et al), 619
Alimentation, parenteral—cholestasis associated with (Widder) (Letter), 505; (Manginello) (Reply), 506
Alkalosis, hypokalemic, nafcillin, and pseudoproteinuria (Andreoli et al) (BCLO), 841
Ambulatory asthmatic children, observations among: Dose-dependent kinetics for theophylline (Sarrazin et al), 825
Amino acid(s), serum branched-chain, in diagnosis of hyperinsulinism in infancy (Chaussain et al), 923
solution, effect of phototherapy on (Moritani et al) (Letter), 699; (Mims) (Reply), 699
Aminoacidopathies, urine screening for: Is it beneficial? (Wilcken et al), 492
Aminophylline administered intravenously in asthmatic children taking theophylline orally (Canavan et al) (BCLO), 301
Ampicillin and chloramphenicol—meningitis due to *H. influenzae* type b resistant to (Uchiyama et al) (BCLO), 421
induced enterocolitis: Implication of toxigenic *Clostridium perfringens* type c (Schwartz et al) (BCLO), 661
Amyoplasia, diaphragmatic, and phrenic nerve agenesis—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Anabolic steroids—effects on growth, body composition, and metabolism in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Anaphylactic reactions to Hymenoptera sting—diagnosis and treatment of (Chips et al), 177

*July, pp 1-166; August, pp 167-336; September, pp 337-518; October, pp 519-702; November, pp 703-874; December, pp 875-1042.

Anemia, autoimmune hemolytic—prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784
Angioplasty, percutaneous transluminal renal artery, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
Angiotensin I–converting enzyme inhibitor (captopril) effectively used in severe hypertension (Friedman et al) (BCLO), 664
Antibody(ies), bactericidal, and susceptibility to otitis media caused by nontypable strains of *H. influenzae* (Shurin et al), 364
IgG ea (early antigen) and IgM MA (membrane antigen), in CMV infection of healthy infants and in those with liver disease—demonstration of (Numazaki et al), 545
monoclonal, used in enzyme-linked inhibition assay for rapid detection of streptococcal antigen (Polin and Kennett), 540
to hepatitis B antigen—acute hepatitis B in infants born to carrier motners with (Shiraki et al) (BCLO), 768
Antigen(s), e—significance of: Hepatitis B infection in pediatric dialysis and transplant patients (Ettenger et al), 550
group B streptococcal—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 328
hepatitis B—acute hepatitis B in infants born to carrier mothers with antibody to (Shiraki et al) (BCLO), 768
rubella, in late-onset rubella syndrome—circulating immune complexes containing (Tardieu et al), 370
streptococcal—use of monoclonal antibodies in enzyme-linked inhibition assay for rapid detection of (Polin and Kennett), 540
type-specific, of *H. influenzae B*—indirect enzyme-linked immunosorbent assay for quantitation of: Preliminary report (Pepple et al), 233
Antipyretic drugs, parents' knowledge and sources of knowledge about (Kapasi et al) (BCLO), 1035
instruction plus either phenobarbital or placebo to prevent recurrence—first febrile seizure (Camfield et al), 16
Antibiotic-associated *Clostridium difficile* diarrhea treated with oral vancomycin (Batts et al) (BCLO), 151
Anxiety, self-esteem, and perception of control. I. Psychological effects of illness in adolescence (Kellerman et al), 126
Aortic flow, retrograde descending—noninvasive detection in infants using continuous wave Doppler ultrasonography (Serwer et al), 394
Argininosuccinic aciduria—neonatal survival after early diagnosis and treatment of (John et al) (Letter), 867
Arterial lipid deposit, pulmonary, in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
Arteriosus, patent ductus, and circulating prostaglandin E_2 concentrations in fetal and neonatal lambs (Clyman et al), 455
to RDS—contribution of (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Artery angioplasty, percutaneous transluminal renal, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
Arthritis, juvenile rheumatoid—renal papillary necrosis in (Wortmann et al), 37
Arthropathy, hemophilic: Effect of home care on treatment patterns and joint disease (Guenthner et al), 378
Ascites: Pathophysiology and management (Wyllie et al), 167
L-asparaginase used during induction therapy of acute lymphocytic leukemia—intracranial hemorrhage and focal seizures secondary to (Cairo et al), 829
Asphyxia and recovery, response to: Fetal lamb lung phosphatidylcholine (Brumley and Crenshaw), 631
Aspirin and dipyridamole therapy in hemolytic-uremic syndrome (O'Regan et al) (BCLO), 473
dosage of (Schmitt) (Letter), 163; (Done) (Reply), 164
Assay, enzyme radioisotopic—rapid diagnosis of infections caused by β-lactamase–producing bacteria by means of (Yolken and Hughes), 715
linked inhibition, for rapid detection of streptococcal antigen—use of monoclonal antibodies in (Polin and Kennett), 540
indirect enzyme-linked immunosorbent, for quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
Asthma, childhood, natural history of (Kuzemko), 893
chronic—management of (Leffert), 857
decreased ventilation response to hypoxia in (Smith and Hudgel), 736
emergency management of (Lulla and Newcomb), 346
reducing hospitalizations of children with (Hochstadt et al), 1012
Asthmatic children, ambulatory—observations among: Dose-dependent kinetics for theophylline (Sarrazin et al), 825
taking theophylline orally—intravenous administration of aminophylline in (Canavan et al) (BCLO), 301
temperament of: Preliminary study (Kim et al), 483
Ataxia-telangiectasia, chromosome 7 in (Scheres et al) (BCLO), 440
Atresia, biliary, vs neonatal hepatitis (Penna and Leazo) (Letter), 510: (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Atrial standstill, familial prolonged, presenting in infancy (Bayne et al) (BCLO), 953
Autoantibodies, adrenal, and Addison disease in insulin-dependent diabetes mellitus (Riley et al), 191
Autoimmune hemolytic anemia, prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784

B

Bacteremia, *Salmonella*, in first year of life (Blaser et al) (Letter), 164; (Hyams et al) (Reply), 165
Bactericidal antibody and susceptibility to otitis media caused by nontypable strains of *H. influenzae* (Shurin et al), 364
Bacteria, β-lactamase–producing, infections caused by—rapid diagnosis by means of enzyme radioisotopic assay (Yolken and Hughes), 715
Bacterial contamination—reduction in banked human milk (Hewitt et al) (Letter), 873
etiology, clinical features, and laboratory findings: Cellulitis (Fleisher et al) (BCLO), 591
Bacteriologic and hematologic assessment of autologous cord blood for neonatal transfusions (Golden et al) (BCLO), 810
Banked human milk, reduction of bacterial contamination in (Hewitt et al) (Letter), 873

Beta-thromboglobulin, plasma, values—significance with sickle cell disease (Mehta) (BCLO), 941
Bethamethasone therapy, prenatal, and fetal sex (Ballard et al), 451
Biliary atresia vs neonatal hepatitis (Penna and Leão) (Letter), 510; (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Bilirubin, albumin, and risk of kernicterus (Wible) (Letter), 1038
Bioactive LH: Test to discriminate true precocious puberty from premature thelarche and adrenarche (Lucky et al), 214
Bioactivity, LH, increases more than immunoreactivity during puberty (Lucky et al), 205
Biologic pregnancies—protein values of milk samples from others without (Kleinman et al) (BCLO), 612
Biopterin deficiency, screening for (O'Brien) (Letter), 695
Biotin-responsiveness reassessed in "unresponsive" propionyl CoA carboxylase deficiency (Wolf) (BCLO), 964
Birth size—somatic growth of children of diabetic mothers with reference to (Vohr et al), 196
Bleeding, acute gastrointestinal, detected by using in vivo technetium 99m pertechnetate-labeled erythrocytes (Riff et al) (BCLO), 956
Bleomycin therapy, systemic—regression of juvenile laryngobronchial papillomatosis with (Mehta and Herold) (BCLO), 479
Blood, autologous cord, for neonatal transfusions—hematologic and bacteriologic assessment of (Golden et al) (BCLO), 810
  cord—Factor II (prothrombin) levels in: Correlation of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
  flow, low cerebral: Risk factor in neonate (Wigglesworth) (Letter), 513; (Friss-Hansen and Lou) (Reply), 513
  gas measurements, neonatal—potential errors in (Fan et al) (BCLO), 650
  pressure elevation with orthopedic immobilization (Chen) (Letter), 702
  spot thyroxine-binding globulin: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
  volume and renal function in premature infants with respiratory distress syndrome—acute effects of albumin infusion on (Lay et al), 619
Body composition, growth, and metabolism—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Bowel disease, inflammatory, presenting as liver disease (Kane et al) (BCLO), 775
Breast- and formula-fed newborn infants—comparison of serum carnitine and ketone body concentrations in (Warshaw and Curry), 122
  fed infant after postpartum maternal infection, neonatal rubella in (Klein et al) (BCLO), 774
  neonates, 4—successful diagnosis of congenital hypothyroidism in (Abbassi and Steinour) (BCLO), 259
Breast-feeding and hypernatremia (Arboit and Gildengers) (Letter), 335
Breath hydrogen test, lactose, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Bromide partition test, radioactive, in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
Bronchiolitis, RSV—cell-mediated immunity in (Bertotto et al) (Letter), 334
Bronchopulmonary dysplasia following negative pressure ventilation (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332
Buccal epithelial cells—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781

C

Calcemic, normo-, and hypocalcemic infants of diabetic mothers—parathyroid hormone in (Noguchi et al) (BCLO), 112
Candida peritonitis in newborn infant (Johnson et al) (BCLO), 298
Candidiasis, chronic mucocutaneous, successfully treated with ketoconazole (Rosenblatt et al), 657
Captopril (angiotensin I–converting enzyme inhibitor) effectively used in severe hypertension (Friedman et al) (BCLO), 664
Carbamazepine (Tegretol)—long-term experiences in children with seizures (Huf and Schain) (BCLO), 310
Carbon dioxide tension, transcutaneous, in neonate—optimal temperature for measurement of (Herrell et al) (BCLO), 114
Cardiac failure, intractable—use of hydralazine for (Fried et al) (BCLO), 1009
Cardiotoxicity, doxorubicin (Biancaniello et al), 45
Care, home—effect on treatment patterns and joint disease: Hemophilic arthropathy (Guenthner et al), 378
Carnitine, serum, and ketone body concentrations compared in breast- and formula-fed newborn infants (Warshaw and Curry), 122
Caroli disease, diagnosis of (Lilly and Silverman) (Letter), 329; (Hermansen et al) (Reply), 330
Carrier mothers with antibody to hepatitis B antigen—acute hepatitis B in infants born to (Shiraki et al) (BCLO), 768
  state, group A streptococcal upper respiratory tract: Enigma (Kaplan), 337
Catheter(s)-related sepsis (Andrassy) (Letter), 1040
  umbilical—calculated lengths of (Phelps) (Letter), 870; (Rosenfeld) (Reply), 870
Cell(s), buccal epithelial—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781
  disease, sickle—erythrocyte protoporphyrin in (Yip) (Letter), 163; (Powars) (Reply), 163
    —fever with (Lobel) (Letter), 1038
    —significance of plasma beta-thromboglobulin values in (Mehta) (BCLO), 941
  folate, red, and plasma values in newborn infants and their mothers in relation to gestational age (Ek), 288
  mediated immunity in RSV bronchiolitis (Bertotto et al) (Letter), 334
Cellular immunity and nephrotic syndrome (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
Cellulitis: Bacterial etiology, clinical features, and laboratory findings (Fleisher et al) (BCLO), 591
Cerebral blood flow, low: Risk factor in neonate (Wigglesworth) (Letter), 513; (Friis-Hansen and Lou) (Reply), 513
  edema in diabetic ketoacidosis (James) (Letter), 873; (Mickle et al) (Reply), 873

Cerebro-costo-mandibular syndrome (Silverman et al), 406
Cerebrospinal fluid lactate levels and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
shunts—treatment of *H. influenzae* type b meningitis with (Rennels and Wald) (BCLO), 424
Cervical lymphadenitis, *Yersinia enterocolitica* (Jaffe and Smith) (BCLO), 937
Chemical exposures, sources and routes of (Rogan), 861
Chemotaxis, monocyte, and in vitro lymphocyte stimulation—correlation with: Tetanus toxoid skin test (Borut et al), 567
Chlorambucil treatment in minimal lesion nephrotic syndrome: A reapprasial of its gonadal toxicity (Callis et al), 653
Chloramphenicol and ampicillin—meningitis due to *H. influenzae* type be resistant to (Uchiyama et al) (BCLO), 421
toxicity—oral vs intravenous administration (Matthews and Shawver-Matthews) (Letter), 869; (Pickering et al) (Reply), 869
Chloride content of ProSobee (Hermann) (Letter), 162; (Garfunkel) (Comment), 162
"Cholangiopathy, infantile obstructive"—evolving nature of (Ghishan et al), 27
Cholelithiasis in premature infants treated with parenteral nutrition and furosemide (Whittington and Black) (BCLO), 647
Cholestasis associated with parenteral alimentation (Widder) (Letter), 505; (Manginello) (Reply), 506
Chromosome 7 in ataxia-telangiectasia (Scheres et al) (BCLO), 440
Citrulline and lysine—two-year trial of dietary supplementation therapy with: Lysinuric protein intolerance (Rajantie et al), 927
Clostridium difficile diarrhea, antibiotic-associated, treated with oral vancomycin (Batts et al) (BCLO), 151
perfringens type C, toxigenic—implication of: Ampicillin-induced enterocolitis (Schwartz et al) (BCLO), 661
Coagulant activity correlated with immunoreactive protein: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
Coagulation inhibitors, blocking, in children taking penicillin (Orris et al) (BCLO), 426
Cogan syndrome (Kundell and Ochs) (BCLO), 96
Colon syndrome, small left, associated with maternal ingestion of psychotropic drugs (Falterman and Richardson) (BCLO), 308
Coma, hyperammonemic, in inborn errors of urea synthesis, treatment of (Batshaw and Brusilow), 893
Communicating with young patients (Simmonds) (Letter), 695; (Garfunkel) (Reply), 695
Computerized newborn intensive care data recording, reporting, and research. III. Practical microcomputer system (Janik et al) (BCLO), 497
Congenital adrenal hyperplasia—acceptable linear growth in (Duck) (BCLO), 93
current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81
—detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
Congenital adrenal hyperplasia—Cont'd
—gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
diaphragmatic hernia repair—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
heart disease, cyanotic—cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with (Ueda et al) (BCLO), 834
hypothyroidism in 4 breast-fed neonates, successful diagnosis of (Abbassi and Steinour) (BCLO), 259
infection—staphylococcal protein A adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
Contraception with the intrauterine device, risks of (Schydlower and Otterson) (Letter), 698; (Kulig and Rauh) (Reply), 698
Conradi-Hünermann disease, clinical and genetic aspects of (Silengo et al), 911
Conversion reactions, hysterical—diagnosing in children (Maloney), 1016
Coping styles and crucial issues—impact of illness in adolescents. II. Psychologic effects of illness in adolescence (Zeltzer et al), 132
Copper concentrations, serum, in sick and well preterm infants (Manser et al), 795
deficiency and diarrhea (Owen) (Letter), 872; (Tanaka) (Reply), 873
Coronary disease—identifying child at risk for disease as adult: Strategy for prevention (Nora), 706
Cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with cyanotic congenital heart disease (Ueda et al) (BCLO), 834
Costo-cerebro-mandibular syndrome (Silverman et al), 406
Cough, progressive, associated with lymphocytic leukemoid reaction in infant (Marks et al), 156
Cranial, intra-, hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
in utero re thrombocytopenia (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Craniopharyngioma, endocrine and neurologic outcome in: Review of effect of treatment in 42 patients (Thomsett et al), 728
Craniosynostosis and intellectual impairment in later years: Neonatal thyrotoxicosis (Daneman and Howard) (BCLO), 257
Cri-du-chat syndrome—psychomotor development in 65 home-reared children with (Wilkins et al), 401
Cryptorchid boys, prepubertal—plasma gonadotropin values in: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Cryptorchidism and gonadotropin deficiency in 3 prepubertal brothers with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
—plasma gonadotropin and testosterone values in infants with (Gendrel et al), 217
CSF lactate levels and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Cutaneous necrotizing venulitis with cystic fibrosis (John et al) (Letter), 505
trans-, carbon dioxide tension in neonate—optimal temperature for measurement of (Herrell et al) (BCLO), 114

Cystic fibrosis, echocardiography in: Proposed scoring system (Lester et al), 742
—improved growth and clinical, nutritional, and respiratory changes in response to nutritional therapy in (Shepherd et al), 351
anti-*Pseudomonas* therapy in acute respiratory exacerbations in children with (Beaudry et al), 144; Commentary (Merrill), 148
spontaneous fracture of sternum in youth with (Mitchell and Elliott) (BCLO), 789
—use of piperacillin, semisynthetic penicillin, in therapy of acute exacerbations of pulmonary disease in (Prince and Neu) (BCLO), 148
renal lesion in tuberous sclerosis (Stapleton et al), 574
Cytomegalovirus infection of healthy infants and in those with liver disease—demonstration of IgG EA (early antigen) and IgM MA (membrane antigen) antibodies in (Numazaki et al), 545

D

Data recording, reporting, and research, computerized newborn intensive care. III. Practical microcomputer system (Janik et al) (BCLO), 497
Defects, abdominal wall—hypertension in neonate following closure of (Adelman and Sherman) (BCLO), 642
structural, monozygotic twinning, and syndromes "of obscure etiology" (Letter), (Jongbloet), 868
Dehydration, seizures, and hypoglycemia in 4-month-old child (Balistreri and Buchino), 689
Dehydrogenase, serum lactate—indicator of tumor activity in neuroblastoma (Quinn et al) (BCLO), 89
Dentition, defective, following mechanical ventilation (Wetzel) (Letter), 334; (Krous) (Letter), 334
Dermatomyositis, hypothyroidism simulating (Newman and Lee) (BCLO), 772
Development, intellectual, and nutrition (Evans et al), 358
psychomotor, in 65 home-reared children with cri-du-chat syndrome (Wilkins et al), 401
Developmental aspects, age-related, and intrafamilial correlations—hematology of beta thalassemia trait (Berman et al), 901
Diabetes insipidus, nephrogenic—renal prostaglandin E_2: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
mellitus, insulin-dependent—adrenal autoantibodies and Addison disease in (Riley et al), 191
Diabetic ketoacidosis, cerebral edema in (James) (Letter), 873; (Mickle et al) (Reply), 873
mothers—parathyroid hormone in hypocalcemic and normocalcemic infants of (Noguchi et al) (BCLO), 112
—somatic growth of children with reference to birth size (Vohr et al), 196
Dialysis, pediatric, and transplant patients—hepatitis B infection in: Significance of e antigen (Ettenger et al), 550
Diaphragmatic amyoplasia and phrenic nerve agenesis—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
hernia repair, congenital—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
Diaphragmatic hernia—Cont'd
right-sided, masquerading as pleural effusion, diagnosis of delayed-onset—peritoneography (Graviss et al) (BCLO), 119
paralysis, bilateral, in newborn infant (Aldrich et al) (BCLO), 988
Diarrhea and copper deficiency (Owen) (Letter), 872; (Tanaka) (Reply), 873
antibiotic-associated *Clostridium difficile,* treated with oral vancomycin (Batts et al) (BCLO), 151
chronic, and malnutrition—nutritional management of: Primary reliance on oral feeding (MacLean et al), 316
oral rehydration therapy for (Steinhoff) (Letter), 515; (Woodward) (Letter), 515; (Finberg) (Reply), 516; (Sack) (Letter), 517
Dietary supplementation therapy with citrulline and lysine, two-year trial of: Lysinuric protein intolerance (Rajantie et al), 927
DiGeorge syndrome, thymosin therapy in (Barrett et al), 66
1,25-Dihydroxyvitamin D levels at term, maternal and fetal serum (Fleischman et al) (BCLO), 640
Diphenylhydantoin and phenobarbital—effects on liver function and morphology (Aiges et al), 22
Dipyridamole and aspirin therapy in hemolytic-uremic syndrome (O'Regan et al) (BCLO), 473
Disaccharidase and glucoamylase activities in normal subjects and in patients with mucosal injury of small intestine (Lebenthal and Lee), 389
Disease *see* specific disease
DNA fingerprinting in investigation of apparent nosocomial acquisition of neonatal herpes simplex (Halperin et al) (BCLO), 91
Doppler ultrasonography, continuous wave—non-invasive detection of retrograde descending aortic flow in infants using (Serwer et al), 394
Doxorubicin cardiotoxicity (Biancaniello et al), 45
Drugs, antipyretic—parents' knowledge and sources of knowledge about (Kapasi et al) (BCLO), 1035
psychotrophic—small left colon syndrome associated with maternal ingestion of (Falterman and Richardson) (BCLO), 308
Dysgenesis, 46,XY gonadal, with anomalies of ectodermal and mesodermal structures—new familial syndrome of (Brosnan et al), 586
Dysplasia, bronchopulmonary, following negative pressure ventilation (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332

E

e antigen, significance of: Hepatitis B infection in pediatric dialysis and transplant patients (Ettenger et al), 550
Echocardiography in cystic fibrosis: Proposed scoring system (Lester et al), 742
Ectodermal and mesodermal structures—new familial syndrome of 46,XY gonadal dysgenesis with anomalies of (Brosnan et al), 586
Edema, cerebral, in diabetic ketoacidosis (James) (Letter), 873; (Mickle et al) (Reply), 873
Education—medical lessons from schoolchildren of Chowchilla (Terr) (Editor's column), 251

Education—Cont'd
for all handicapped children: P.L. 94-142 (Palfrey) (Editor's column), 417
Effusion, pleural, diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as—peritoneography (Graviss et al) (BCLO), 119
Electrocardiogram of 6- to 11-year-old children in United States (Perry et al), 677
Electroencephalographic telemetry and video tape monitoring—evaluation of pseudoseizures using (Holmes et al), 554
Electrolyte content of serum and urine during total parenteral nutrition, changes in (Aladjem et al) (BCLO), 437
Embryonic testicular regression syndrome: Variable phenotypic expression in siblings (Josso and Briard), 200
Encephalomyelopathy, acute, complicating hypothyroidism (Curless and Lightner) (BCLO), 261
Encephalopathy with chronic renal failure (Geary et al), 41
Endocrine and neurologic outcome in craniopharyngioma: Review of effect of treatment in 42 patients (Thomsett et al), 728
Energy-protein malnutrition—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
Enterocolitis, ampicillin-induced: Implication of toxigenic *Clostridium perfringens* type C (Schwartz et al) (BCLO), 661
neonatal necrotizing—randomized, controlled study of oral gentamicin in treatment of (Hansen et al) (BCLO), 836
Enteropathy, protein-losing, in boy with systemic lupus erythematosus (Tsukahara et al) (BCLO), 778
Enzyme inhibitor, angiotensin I–converting (captopril) effectively used in severe hypertension (Friedman et al) (BCLO), 664
linked immunosorbent assay, indirect, for the quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
inhibition assay for rapid detection of streptococcal antigen, use of monoclonal antibodies in (Polin and Kennett), 540
radioisotopic assay—rapid diagnosis of infections caused by β-lactamase–producing bacteria by means of (Yolken and Hughes), 715
Eosinophilia, diffuse fasciitis with: Steroid-responsive variant of scleroderma (Britt et al) (BCLO), 432
Epidemic neonatal gentamicin-methicillin–resistant *Staphlococcus aureus* infection associated with nonspecific topical use of gentamicin (Graham et al), 972
of Reye syndrome associated with influenza A (H1N1) in Colorado (Halsey et al), 535
Epidemiologic and therapeutic considerations, recent: Spread of *Haemophilus influenzae* type b (Granoff and Daum), 854
Epithelial cells, buccal—adherence of group A streptococci to (Ardati and Dajani) (BCLO), 781
Epstein-Barr virus infection, primary, in association with Reye syndrome (Fleisher et al) (BCLO), 935
Erythrocyte(s), in vivo technetium 99m pertechnetate–labeled—detection of acute gastrointestinal bleeding using (Riff et al) (BCLO), 956
protoporphyrin in sickle cell disease (Yip) (Letter), 163; (Powars) (Reply), 163
Eustachian tube ventilatory function in preschool child, effect of upper respiratory tract infection on (Sanyal et al), 11
Evans syndrome (Pui et al), 754
Exchange transfusion, calculation of volumes for (Levine) (Letter), 870; (Landaw) (Reply), 871

F

Factor II (prothrombin) levels in cord blood: Correlation of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
Familial hypercholesterolemia, homozygous—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
intra-, correlations and age-related developmental aspects—hematology of beta thalassemia trait (Berman et al), 901
prolonged atrial standstill presenting in infancy (Bayne et al) (BCLO), 953
syndrome, new, of 46,XY gonadal dysgenesis with anomalies of ectodermal and mesodermal structures (Brosnan et al), 586
Families, repetitions in: Sudden infant death syndrome (Peterson et al) (BCLO), 265
Fanconi syndrome, gentamicin-induced (Casteels-Van Daele et al) (Letter), 507; (Adelman) (Reply), 508
Fasciitis, diffuse, with eosinophilia: Steroid-responsive variant of scleroderma (Britt et al) (BCLO), 432
Fat necrosis, subcutaneous, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Febrile Seizure(s), Consensus Development Conference on: Commentary (Fishman) (Editor's column), 933
first—antipyretic instruction plus either phenobarbital or placebo to prevent recurrence (Camfield et al), 16
Feeding, breast, and hypernatremia (Arboit and Gildengers) (Letter), 335
oral—primary reliance on: Nutritional management of chronic diarrhea and malnutrition (MacLean et al), 316
re-, pancreatitis in malnourished children (Gryboski et al) (BCLO), 441
Fetal and maternal serum 1,25-dihydroxyvitamin D levels at term (Fleischman et al) (BCLO), 640
lamb lung phosphatidylcholine: Response to asphyxia and recovery (Brumley and Crenshaw), 631
monitoring techniques, intrapartum—pediatric follow-up of randomized controlled trial of (Langendoerfer et al), 103
sex and prenatal betamethasone therapy (Ballard et al), 451
Fetomaternal aspects of immunization with RA2713 live attenuated rubella virus vaccine during pregnancy (Bernstein and Ogra) (BCLO), 467
vitamin D relationships at term (Gertner et al) (BCLO), 637
Fever with sickle cell disease (Lobel) (Letter), 1038
Folate, red cell, and plasma values in newborn infants and their mothers in relation to gestational age (Ek), 288
Formula- and breast-fed newborn infants—comparison of serum carnitine and ketone body concentrations in (Warshaw and Curry), 122
46XX male syndrome—variation in pituitary-gonadal function in two adolescent boys with (LaFranchi et al) (BCLO), 960

Fracture, spontaneous, of sternum in youth with cystic fibrosis (Mitchell and Elliott) (BCLO), 789
FSH secretion in uni- and bilateral cases, similar increase of: Plasma gonadotropin values in prepubertal cryptorchid boys (Van Vliet et al) (BCLO), 253
Furosemide and parenteral nutrition—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
pharmacology of, in premature infant (Peterson et al), 139

G

Gallium 67 citrate scintigraphy in pyomyositis (Hirano et al) (BCLO), 596
Gammaglobulin, long-term injection of—mercury toxicity (acrodynia) induced by (Matheson et al), 153
Gastroenteritis, *Yersinia entercolitica*—Canadian disease? (Dajani and Maurer) (Letter), 165; (Marks and Pai) (Reply), 165
Gastroesophageal reflux, mechanisms of (Werlin et al), 244
Gastrointestinal bleeding, acute, detected by using in vivo technetium 99m pertechnetate-labeled erythrocytes (Riff et al) (BCLO), 956
Genetic and clinical aspects of Conradi-Hünermann disease (Silengo et al), 911
Gentamicin-induced Fanconi syndrome (Casteels-Van Daele et al) (Letter), 507; (Adelman) (Reply), 508
methicillin-resistant *Staphylococcus aureus* infection, epidemic neonatal, associated with nonspecific topical use of gentamicin (Graham et al), 972
oral—randomized, controlled study in the treatment of neonatal necrotizing enterocolitis (Hansen et al) (BCLO), 836
serum concentrations related to gestational age in preterm and term neonates (Szefler et al) (BCLO), 312
Gestational age—plasma and red cell folate values in newborn infants and their mothers in relation to (Ek), 288
relationship to gentamicin serum concentrations in preterm and term neonates (Szefler et al) (BCLO), 312
Globulin, blood spot thyroxine-binding: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
hepatitis B immune, in newborn infants of HB_sAg mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
Glucoamylase and disaccharidase activities in normal subjects and in patients with mucosal injury of small intestine (Lebenthal and Lee), 389
Glucose infusion, intravenous—treatment of neonatal hypoglycemia with (Lilien et al) (BCLO), 295
Glycogen storage disease, type IB—neutropenia and impaired neutrophil migration in (Beaudet et al), 906
neutropenia with: In vitro response to lithium chloride (McCabe et al) (BCLO), 944
Gonadal dysgenesis, 46,XY, with anomalies of ectodermal and mesodermal structures—new familial syndrome of (Brosnan et al), 586
pituitary function—variation in two adolescent boys with 46XX male syndrome (LaFranchi et al) (BCLO), 960
toxicity, reapprasial of: Chlorambucil treatment in minimal lesion nephrotic syndrome (Callis et al), 653
Gonadotropin deficiency and cryptorchidism in 3 prepubertal brothers with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
diagnosed in adolescents: Limited usefulness of standard gonadotropin-releasing hormone test in obese boys (Kelch et al), 820
plasma, and testosterone values in infants with cryptochidism (Gendrel et al), 217
values, plasma, in prepubertal cryptorchid boys: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Granulocyte transfusion with leukemia—mononucleosis syndrome following (Ritchey et al) (BCLO), 267
Granulomatosis, necrotizing sarcoid, with neurologic lesions (Beach et al) (BCLO), 950
Growth, acceptable linear, in congenital adrenal hyperplasia (Duck) (BCLO), 93
body composition, and metabolism—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
improved, and clinical, nutritional, and respiratory changes in response to nutritional therapy in cystic fibrosis (Shepherd et al), 351
somatic, of children of diabetic mothers with reference to birth size (Vohr et al), 196

H

Haemophilus influenzae B, indirect enzyme-linked immunosorbent assay for quantitation of type-specific antigen of: Preliminary report (Pepple et al), 233
nontypable strains of—bactericidal antibody and susceptibility of otitis media caused by (Shurin et al), 364
type b meningitis treated in children with cerebrospinal fluid shunts (Rennels and Wald) (BCLO), 424
resistant to ampicillin and chloramphenicol—meningitis due to (Uchiyama et al) (BCLO), 421
spread of: Recent epidemiologic and therapeutic considerations (Granoff and Daum), 854
Handicapped children, education for all: P.L. 94-142 (Palfrey) (Editor's column), 417
HB_sAg positive mothers—high titer multiple dose therapy with HBIG in newborn infants of (Jhaveri et al) (BCLO), 305
Head trauma, severe closed—physical recovery in children and adolescents after (Brink et al), 721
Heart disease, cyanotic congenital—cortical hyperostosis following long-term administration of prostaglandin E_1 in infants with (Ueda et al) (BCLO), 834
rate and heart rate variability during sleep in aborted sudden infant death syndrome (Leistner et al), 51
Heat balance in premature infants (Letter) (Gerhardt and Bancalari), 700; (Reply) (Bell et al), 700
Hematologic and bacteriologic assessment of autologous cord blood for neonatal transfusions (Golden et al) (BCLO), 810
Hematology of beta thalassemia trait—age-related developmental aspects and intrafamilial correlations (Berman et al), 901
Hemodialysis, regular—effects of anabolic steroids on growth, body composition, and metabolism in boys with chronic renal failure on (Jones et al), 559

Hemodynamic significance of vasopressin in newborn infant (Pohjavuori and Fyhrquist), 462
Hemolytic anemia, autoimmune—prolonged reticulocytopenia in (Greenberg et al) (BCLO), 784
disease, unrecognized ABO, of newborn infant—transfusion reaction due to (Falterman and Richardson) (BCLO), 812
uremic syndrome (Gomperts and Lieberman) (Editor's column), 419
aspirin and dipyridamole therapy in (O'Regan et al) (BCLO), 473
Associated conditions (Adelman et al) (BCLO), 161
Hemophilic arthropathy: Effect of home care on treatment patterns and joint disease (Guenthner et al), 378
Hemorrhage, intracranial, and focal seizures secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
in utero re thrombocytopenia (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Hemorrhage, intraventricular, and serial lumbar punctures (Behrman) (Editor's column), 250
failure of daily lumbar punctures to prevent development of hydrocephalus following (Mantovani et al), 278
neonatal intraventricular: Hypoglycorrhachia and its relationship to CSF lactate levels (Mathew and Volpe) (BCLO), 292
Hemorrhagic disease and phenytoin therapy (Keith et al) (Letter), 501
post-, hydrocephalus in low-birth-birth-weight infants: Treatment by serial lumbar punctures (Papile et al), 273
Hepatitis B, acute, in infants born to carrier mothers with antibody to hepatitis B antigen (Shiraki et al) (BCLO), 768
immune globulin in newborn infants of HB_sAg positive mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
infection in pediatric dialysis and transplant patients: Significance of e antigen (Ettenger et al), 550
transmitted in classroom setting (Oleske et al) (BCLO), 770
neonatal, vs biliary atresia (Penna and Leão) (Letter), 510; (Siegel and Lebenthal) (Letter), 510; (Greene and Helinek) (Reply), 512
Hernia(s) repair, congenital diaphragmatic—tolazoline therapy for persistent pulmonary hypertension after (Bloss et al), 984
right-sided diaphragmatic, masquerading as pleural effusion, diagnosis of delayed-onset—peritoneography (Graviss et al) (BCLO), 119
Herpes simplex, neonatal—DNA fingerprinting in investigation of apparent nosocomial acquisition of (Halperin et al) (BCLO), 91
Heterogeneity, further: Osteopetrosis (Horton et al), 580
Heterozygote(s)—detection for congenital adrenal hyperplasia. 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
presumed, for ornithine carbamoyl transferase deficiency—Reye-like syndrome associated with use of insect repellent in (Heick et al) (BCLO), 471
Histidase activity, skin, related to blood histidine response to histidine intake in patients with histidinemia (Kuroda et al) (BCLO), 269
Histidine intake in patients with histidinemia—relationship between skin histidase activity and blood histidine response to (Kuroda et al) (BCLO), 269
Histidinemia—relationship between skin histidase activity and blood histidine response to histine intake in patients with (Kuroda et al) (BCLO), 269
HLA typing and 17-OH progesterone response to ACTH infusion—21-hydroxylase deficiency: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Home care for dying children: Nursing model (Lauer and Camitta), 1032
Homozygous familial hypercholesterolemia—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
Hormone, luteinizing, bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205
parathyroid, in hypocalcemic and normocalcemic infants of diabetic mothers (Noguchi et al) (BCLO), 112
plasma luteinizing, and testosterone in male infants—simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
test, standard gonadotropin-releasing—limited usefulness in obese boys: Diagnosis of gonadotropin deficiency in adolescents (Kelch et al), 820
Hospitalizations, reducing, of children with asthma (Hochstadt et al), 1012
Hyaline membrane disease, effects of pancurionium bromide on infants with (Crone and Favorito) (BCLO), 991
Hydralazine used for intractable cardiac failure (Fried et al) (BCLO), 1009
Hydrocephalus following intraventricular hemorrhage—failure of daily lumbar punctures to prevent development of (Mantovani et al), 278
posthemorrhagic, in low-birth-weight infants: Treatment by serial lumbar punctures (Papile et al), 273
ultrasound studies in preterm infants with (Graziani et al), 624
Hydrogen test, lactose breath, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Hymenoptera stings—diagnosis and treatment of anaphylactic reactions to (Chipps et al), 177
Hyperammonemic coma in inborn errors of urea synthesis, treatment of (Batshaw and Brusilow), 893
Hypercalcemia, PGE, and subcutaneous fat necrosis (Metz and Hassall) (Letter), 336
Hypercholesterolemia, homozygous familial—successful plasmapheresis in 4-year-old child with (Witztum et al) (BCLO), 615
Hyperinsulinism in infancy—serum branched-chain amino acids in diagnosis of (Chaussain et al), 923
Hypernatremia and breast feeding (Arboit and Gildengers) (Letter), 335
Hyperostosis, cortical, following long-term administration of prostaglandin E_1 in infants with cyanotic congenital heart disease ((Ueda et al) (BCLO), 834
Hyperplasia, congenital adrenal—acceptable linear growth in (Duck) (BCLO), 93
current approaches to treatment of: Marginal comment (Winter) (Editor's column), 81

Hyperplasia, congenital adrenal—Cont'd
—detection of heterozygotes for: 21-Hydroxylase deficiency—comparison of HLA typing and 17-OH progesterone response to ACTH infusion (Mauseth et al), 749
Hypertension in neonate following closure of abdominal wall defects (Adelman and Sherman) (BCLO), 642
management of (Gillum) (Letter), 1039
persistent pulmonary, after congenital diaphragmatic hernia repair—tolazoline therapy for (Bloss et al), 984
severe—effective use of captopril (angiotensin I-converting enzyme inhibitor) in severe childhood hypertension (Friedman et al) (BCLO), 664
Hypertensive girl, 3½-year-old—percutaneous transluminal renal artery angioplasty (McCook et al) (BCLO), 958
Hyperviscosity, neonatal—incidence at sea level (Stevens and Wirth) (BCLO), 118
Hypocalcemic and normocalcemic infants of diabetic mothers—parathyroid hormone in (Noguchi et al) (BCLO), 112
Hypoglycemia, dehydration, and seizures in 4-month-old child (Balistreri and Buchino), 689
neonatal, treated with minibolus and intravenous glucose infusion (Lilien et al) (BCLO), 295
Hypoglycorrhacia and its relationship to CSF lactate levels: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Hypokalemic alkalosis, nafcillin, and pseudoproteinuria (Andreoli et al) (BCLO), 841
Hypoplasia, congenital adrenal—gonadotropin deficiency and cryptochidism in 3 prepubertal brothers with (Zachmann et al) (BCLO), 255
pulmonary, resulting from phrenic nerve agenesis and diaphragmatic amyoplasia (Goldstein and Reid), 282
Hypothyroidism complicated by acute encephalomyelopathy (Curless and Lightner) (BCLO), 261
congenital, in 4 breast-fed neonates—successful diagnosis of (Abbassi and Steinour) (BCLO), 259
neonatal—means to reduce recall rate in screening strategy for: Blood spot thyroxine-binding globulin (Robertson et al) (BCLO), 604
Hypothyroidism simulating dermatomyositis (Newman and Lee) (BCLO), 772
Hypoventilation obesity syndrome with Prader-Willi syndrome (Orenstein et al) (BCLO), 765
Hypoxia—effects on thyroid function tests (Moshang et al) (BCLO), 602
in asthma, decreased ventilation response to (Smith and Hudgel), 736
Hysterical conversion reactions diagnosed in children (Maloney), 1016

I

Ice bag: New technique for interruption of supraventricular tachycardia (Bisset et al) (BCLO), 593
Ictal, post-, transient positive, computed tomographic scan (Rumack et al) (BCLO), 263
IgA, secretory, in serum of infants with obstructive jaundice (Goldblum et al), 33
IgE EA (early antigen) and IgM MA (membrane antigen) antibodies in CMV infection of healthy infants and in those with liver disease, demonstration of (Numazaki et al), 545
levels, serum, and clinical expression of respiratory illnesses (Stempel et al), 185
IgG defiiency, isolated: Clinical, immunologic, and pathologic investigations (Abo et al), (BCLO), 98
Immune complexes, circulating, containing rubella antigens in late-onset rubella syndrome (Tardieu et al), 370
globulin, hepatitis B, in newborn infants of HB_sAg positive mothers—high titer multiple dose therapy with (Jhaveri et al) (BCLO), 305
response as basis of childhood disease, ontogeny of (Pabst and Kreth), 519
Immunity, cell-mediated, in RSV bronchiolitis (Bertotto et al) (Letter), 334
cellular, and nephrotic syndrome (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
Immunization, postpartum maternal—neonatal rubella following (Landes et al) (BCLO), 465
with RA27/3 live attenuated rubella virus vaccine during pregnancy—fetomaternal aspects of (Bernstein and Ogra) (BCLO), 467
Immunodeficiency, chronic rotavirus infection in (Saulsbury et al), 61
Immunoelectrophoresis, countercurrent, and latex agglutination test for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
Immunogenicity, improved, with few reactions following one high dose of split-product vaccine: Influenza vaccine in unprimed children (Gross et al), 56
Immunoglobulin G EA (early antigen) and IgM MA (membrane antigen) antibodies in CMV infection of healthy infants and in those with liver disease, demonstration of (Numazaki et al), 545
Immunologic, clinical, and pathologic investigations: Isolated IgG deficiency (Abo et al) (BCLO), 98
Immunoreactive protein correlated with coagulant activity: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
Immunoreactivity during puberty, LH bioactivity increases more than (Lucky et al), 205
Immunosorbent assay, indirect enzyme-linked, for quantitation of type-specific antigen of *Hemophilus influenzae* B: Preliminary report (Pepple et al), 233
Incubators, single- versus double-walled—oxygen consumption and insensible water loss in premature infants in (Yeh et al), 967
Indomethacin—the disposition in preterm babies (Yaffe et al), 1001
effects of inhibition of prostaglandin synthesis by: Renal prostaglandin E_2 in nephrogenic diabetes insipidus (Usberti et al) (BCLO), 476
intravenously administered, in premature infants—pharmacokinetics of (Thalji et al), 995
Infection *see* specific infection
Influenza A (H1N1) in Colorado—epidemic of Reye syndrome associated with (Halsey et al), 535
vaccine in unprimed children: Improved immunogenicity with few reactions following one high dose of split-product vaccine (Gross et al), 56

Infusion, albumin—acute effects on blood volume and renal function in premature infants with respiratory distress syndrome (Lay et al), 619
Inflammatory bowel disease presenting as liver disease (Kane et al) (BCLO), 775
Inguinoscrotal lesion, neonatal, produced by plastic umbilical clamp (Cigliano and Paludetto) (Letter), 866
Insulin-dependent diabetes mellitus—Addison disease and adrenal autoantibodies in (Riley et al), 191
Intellectual development and nutrition (Evans et al), 358
impairment and craniosynostosis in later years: Neonatal thyrotoxicosis (Daneman and Howard) (BCLO), 257
Intensive care nursery, new transfusion program for (Johnson et al), 806
Intervention, nursery-based, with prematurely born babies and their mothers: Are there effects? (Brown et al), 487
Intestinal morphology, lactose breath hydrogen test, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Intestine, small—glucoamylase and disaccharidaise activities in normal subjects and in patients with mucosal injury of (Lebenthal and Lee), 389
Intrauterine device, risks of contraception with (Schydlower and Otterson (Letter) 698; (Kulig and Rauh) (Reply), 698
Intravenous administration of aminophylline in asthmatic children taking theophylline orally (Canavan et al) (BCLO), 301
Iron deficiency, etiologic role of: Trichophagia and trichobezoar (McGehee and Buchanan) (BCLO), 946
Isoniazid-rifampin-induced fulminant liver disease in infant (Bistritzer et al) (BCLO), 480

J

Jaundice, obstructive—secretory IgA in serum of infants with (Goldblum et al), 33
Joint disease and treatment patterns, effect of home care on: Hemophilic arthropathy (Guenthner et al), 378
Juvenile renal osteodystrophy, early diagnosis of (Norman et al), 226
rheumatoid arthritis—renal papillary necrosis in (Wortmann et al), 37

K

Kawasaki disease, anterior uveitis in (Germain et al) (BCLO), 780
Kernicterus, risk of, albumin, and bilirubin (Wible) (Letter), 1038
Ketoacidosis, diabetic—cerebral edema in (James) (Letter), 873; (Mickle et al) (Reply), 873
Ketoconazole, successful treatment of chronic mucocutaneous candidiasis with (Rosenblatt et al), 657
Ketone body and serum carnitine concentrations, compared in breast- and formula-fed newborn infants (Warshaw and Curry), 122
Kinetics, dose-dependent, for theophylline: Observations among ambulatory asthmatic children (Sarrazin et al), 825
Klinefelter syndrome, tumor, and sexual precocity (Chaussain et al) (BCLO), 607

L

β-Lactamase-producing bacteria, infections caused by—rapid diagnosis by means of enzyme radioisotopic assay (Yolken and Hughes), 715
Lactase activity, intestinal morphology, and lactose breath hydrogen test—correlation of (Hyams et al) (BCLO), 609
Lactate dehydrogenase, serum—indicator of tumor activity in neuroblastoma (Quinn et al) (BCLO), 89
levels, CSF, and its relationship to hypoglycorrhachia: Neonatal intraventricular hemorrhage (Mathew and Volpe) (BCLO), 292
Lactose breath hydrogen test, intestinal morphology, and lactase activity—correlation of (Hyams et al) (BCLO), 609
malabsorption by premature infants: Magnitude and clinical significance (MacLean and Fink), 383
Laryngobronchial papillomatosis, juvenile—regression with systemic bleomycin therapy (Mehta and Herold) (BCLO), 479
Leukemia, acute lymphocytic—impact of isolated central nervous system relapse following initial complete remission of (Wells et al) (BCLO), 429
—intracranial hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of (Cairo et al), 829
mononucleosis syndrome following granulocyte transfusion with (Ritchey et al) (BCLO), 267
Leukemoid reaction, lymphocytic, associated with progressive cough in infant (Marks et al), 156
LH bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205
Lipid deposit, pulmonary arterial, in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
Lithium chloride, in vitro response to: Neutropenia with type 1B glycogen storage disease (McCabe et al) (BCLO), 944
Liver disease—CMV infection of healthy infants and those with: Demonstration of IgG EA (early antigen) and IgM MA (membrane antigen) antibodies (Numazaki et al), 545
inflammatory bowel disease presenting as (Kane et al) (BCLO), 775
isoniadzid-rifampin-induced fulminant, in infant (Bistritzer et al) (BCLO), 480
function and morphology—effects of phenobarbital and diphenylhydantoin on (Aiges et al), 22
Lumbar punctures, daily—failure to prevent development of hydrocephalus following intraventricular hemorrhage (Mantovani et al), 278
serial, and intraventricular hemorrhage (Behrman) (Editor's column), 250
treatment by: Post-hemorrhagic hydrocephalus in low-birth-weight infants (Papile et al), 273
Lung function testing, the standardization of (Taussig et al), 668
phosphatidylcholine, fetal lamb: Response to asphyxia and recovery (Brumley and Crenshaw), 631
Lupus erythematosus, systemic—protein-losing enteropathy in boy with (Tsukahara et al) (BCLO), 778
Luteinizing hormone bioactivity increases more than immunoreactivity during puberty (Lucky et al), 205

Luteinizing hormone—Cont'd
plasma, and testosterone in male infants—simultaneous postnatal rise of (Grendrel et al) (BCLC), 600
Lymphadenitis, *Yersinia enterocolitica* cervical (Jaffe and Smith) (BCLO), 937
Lymphocyte stimulation, in vitro, and monocyte chemotaxis—correlation with: Tetanus toxoid skin test (Borut et al), 567
Lymphocytic leukemia, acute—intracranial hemorrhage and focal seizures secondary to use of L-asparaginase during induction therapy of (Cairo et al), 829
—impact of isolated central nervous system relapse following initial complete remission of (Wells et al) (BCLO), 429
leukemoid reaction associated with progressive cough in infant (Marks et al), 156
Lysine and citrulline—two-year trial of dietary supplementation therapy with: Lysinuric protein intolerance (Rajantie et al), 927
Lysinuric protein intolerance: Two-year trial of dietary supplementation therapy with citrulline and lysine (Rajantie et al), 927

M

Malabsorption, lactose, by premature infants: Magnitude and clinical significance (MacLean and Fink), 383
Malnourished children—refeeding pancreatitis in (Gryboski et al) (BCLO), 441
Malnutrition and chronic diarrhea—nutritional management of: Primary reliance on oral feeding (MacLean et al), 316
protein-energy—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
Mandibular, costo-cerebro-, syndrome (Silverman et al), 406
Mauriac syndrome, somatomedin activity in (Winter et al) (BCLO), 598
Measurements—potential errors in neonatal blood gas measurements (Fan et al) (BCLO), 650
Mechanical ventilation—comparison of effects of high frequency-low tidal volume and low frequency-high tidal volume (Boros and Campbell), 108
Meningitis due to *H. influenzae* type b resistant to ampicillin and chloramphenicol (Uchiyama et al) (BCLO), 421
H. influenzae type b, treated in children with cerebrospinal fluid shunts (Rennels andt Wald) (BCLO), 424
tuberculous—radioactive bromide partition test in diagnosis of (Wiggelinkhuizen and Mann), 843
Meningococcal vaccine, indications for use of (Peltola) (Letter), 330; (Wilkins and Wehrle) (Reply), 331
Mercury toxicity (acrodynia) induced by long-term injection of gammaglobulin (Matheson et al), 153
Mesodermal and ectodermal structures—new familial syndrome of 46,XY gonadal dysgenesis with anomalies of (Brosnan et al), 586
Metabolic acidosis, late (Essin) (Letter), 509 (Spitzer) (Reply), 510
disease, screening for (Sepe) (Letter), 871; (Paul et al) (Reply), 872
Metabolism, growth, and body composition—effects of anabolic steroids in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
Methicillin-gentamicin-resistant *Staphylococcus aureus* infection, epidemic neonatal, associated with nonspecific topical use of gentamicin (Graham et al), 972
Microcomputer system, practical. III. Computerized newborn intensive care data recording, reporting, and research (Janik et al) (BCLO), 497
Milk, banked human—reduction of bacterial contamination in (Hewitt et al) (Letter), 873
human—sulfisoxazole secretion into (Kaufman et al) (BCLO), 839
samples, protein values of, from mothers without biologic pregnancies (Kleinman et al) (BCLO), 612
Mongolian spots, significance of (Smialek) (Letter), 504; (Alper and Holmes) (Reply), 505
Monitoring, continuous tissue ph, in critically ill neonates (Bhat et al), 445
techniques, fetal intrapartum—pediatric follow-up of randomized controlled trial of (Langendoerfer et al), 103
Monoclonal antibodies used in enzyme-linked inhibition assay for rapid detection of streptococcal antigen (Polin and Kenneth), 540
Monocyte chemotaxis and in vitro lymphocyte stimulation—correlation with: Tetanus toxoid skin test (Borut et al), 567
Mononucleosis syndrome following granulocyte transfusion with leukemia (Ritchey et al) (BCLO), 267
Monozygotic twinning, structural defects, and syndromes "of obscure etiology" (Jongbloet) (Letter), 868
Morphology and liver function—effects of phenobarbital and diphenylhydantoin on (Aiges et al), 22
intestinal, lactose breath hydrogen test, and lactase activity—correlation of (Hyams et al) (BCLO), 609
Mortality, neonatal, in industrialized populations—principal predictor of: Very low-birth-weight rate (Lee et al), 759
Mucocutaneous candidiasis, chronic, successfully treated with ketoconazole (Rosenblatt et al), 657
Mucosal injury of small intestine—glucoamylase and disaccharidase activities in normal subjects and in patients with (Lebenthal and Lee), 389
Myositis with staphylococcal infections (Saul and Osofsky) (Letter) 701; (Adamski and Shulman) (Reply), 701

N

Nafcillin, pseudoproteinuria, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Necrosis, renal papillary, in juvenile rheumatoid arthritis (Wortmann et al), 37
subcutaneous fat, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Necrotizing enterocolitis, neonatal—randomized, controlled study of oral gentamicin in treatment of (Hansen et al) (BCLO), 836
sarcoid granulomatosis with neurologic lesions (Beach et al) (BCLO), 950
venulitis, cutaneous, with cystic fibrosis (John et al) (Letter), 505
Nephroblastomatosis, management of bilateral diffuse (Haddy) (Letter), 501
Nephrogenic diabetes insipidus, renal prostaglandin E_2: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476

Nephrotic syndrome and cellular immunity (Menchaca) (Letter), 508; (Tanphaichitr et al) (Reply), 508
multiple tubular defects: Early sign of focal segmental glomerulosclerosis (McVicar et al), 918
minimal lesion—chlorambucil treatment in: Reappraisal of its gonadal toxicity (Callis et al), 653
sagittal sinus thrombosis in (Lau et al) (BCLO), 948
Nerve agenesis, phrenic, and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Nervous system, isolated central, relapse following initial complete remission in acute lymphocytic leukemia—impact of (Wells et al) (BCLO), 429
Neuroblastoma—serum lactate dehydrogenase, indicator of tumor activity in (Quinn et al) (BCLO), 89
Neurologic and endocrine outcome in craniopharyngioma: Review of effect of treatment in 42 patients (Thomsett et al), 728
Neutropenia and impaired neutrophil migration in type IB glycogen storage disease (Beaudet et al), 906
with type IB glycogen storage disease: In vitro response to lithium chloride (McCabe et al) (BCLO), 944
Neutrophil migration, impaired, and neutropenia in type IB glycogen storage disease (Beaudet et al), 906
New books received, 84, 444, 688, 994
Nosocomial acquisition, apparent, of neonatal herpes simplex—DNA fingerprinting in investigation of (Halperin et al) (BCLO), 91
Nursery-based intervention with prematurely born babies and their mothers: Are there effects? (Brown et al), 487
intensive care—new transfusion program for (Johnson et al), 806
Nutrition and intellectual development (Evans et al), 358
parenteral, and furosemide—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
total parenteral—changes in electrolyte content of urine and serum during (Aladjem et al) (BCLO), 437
zinc-supplemented parenteral—clinical zinc deficiency during (Latimer et al) (BCLO), 434
Nutritional management of chronic diarrhea and malnutrition: Primary reliance on oral feeding (MacLean et al), 316
therapy in cystic fibrosis—improved growth and clinical, nutritional, and respiratory changes in response to (Shepherd et al), 351

O

Obese boys—limited usefulness of standard gonadotropin-releasing hormone test in: Diagnosis of gonadotropin deficiency in adolescents (Kelch et al), 820
Obesity hypoventilation syndrome with Prader-Willi syndrome (Orenstein et al) (BCLO), 765
Oligomenorrhea in adolescent girls (Emans et al), 815
Ontogeny of immune response as basis of childhood disease (Pabst and Kreth), 519
Ornithine carbamoyl transferase deficiency—Reye-like syndrome associated with use of insect repellent in presumed heterozygote for (Heick et al) (BCLO), 471
Orthopedic immobilization, blood pressure elevation with (Chen) (Letter), 702
Osteodystrophy, juvenile renal—early diagnosis of (Norman et al), 226
Osteopetrosis: Further heterogeneity (Horton et al), 580
Otitis media caused by nontypable strains of *Haemophilus influenzae*—bactericidal antibody and susceptibility to (Shurin et al), 364
Oxygen consumption and insensible water loss in premature infants in single- viruses double-walled incubators (Yeh et al), 967

P

Pancreatic agenesis, functional—long-term survival in case of (Howard et al) (BCLO), 786
Pancreatitis, refeeding, in malnourished children (Gryboski et al) (BCLO), 441
Pancuronium bromide—effects on infants with hyaline membrane disease (Crone and Favorito) (BCLO), 991
Papillary necrosis, renal, in juvenile rheumatoid arthritis (Wortmann et al), 37
Paralysis, bilateral diaphragmatic, in newborn infant (Aldrich et al) (BCLO), 988
Parathyroid hormone in hypocalcemic and normocalcemic infants of diabetic mothers (Noguchi et al) (BCLO), 112
Parenteral nutrition and furosemide—cholelithiasis in premature infants treated with (Whitington and Black) (BCLO), 647
zinc-supplemented—clinical zinc deficiency during (Latimer et al) (BCLO), 434
Patent ductus arteriosus and circulating prostaglandin E_2 concentrations in fetal and neonatal lambs (Clyman et al), 455
to RDS, contribution of (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Pathologic, clinical, and immunologic investigations: Isolated IgG deficiency (Abo et al) (BCLO), 98
Pediatricians, certified—survey by American Board of Pediatrics up to 1975 (Wright), 1021
Penicillin, blocking coagulation inhibitors in children taking (Orris et al) (BCLO), 426
pneumococci relatively resistant to: Prevalence survey in children (Anderson et al) (BCLO), 939
semisynthetic (piperacillin), used in therapy of acute exacerbations of pulmonary disease in cystic fibrosis (Prince and Neu) (BCLO), 148
Peritoneography—diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as pleural effusion (Graviss et al) (BCLO), 119
Peritonitis, *Candida*, in newborn infant (Johnson et al) (BCLO), 298
PGE, hypercalcemia, and subcutaneous fat necrosis (Metz and Hassall) (Letter), 336
pH, continuous tissue, monitoring in critically ill neonates (Bhat et al), 445
Pharmacokinetics of intravenously administered indomethacin in premature infants (Thalji et al), 995
vancomycin (Baker et al) (Letter), 502; (Schaad et al) (Reply), 503
Pharmacology of furosemide in premature newborn infant (Peterson et al), 139

Phencyclidine poisoning in young children (Karp et al) (BCLO), 1006
Phenobarbital and diphenylhydantoin—effects on liver function and morphology (Aiges et al), 22
once daily doses of (Walson et al) (BCLO), 303
or placebo to prevent recurrence, antipyretic instruction plus either—first febrile seizure (Camfield et al), 16
Phenotypic expression, variable, in siblings: Embryonic testicular regression syndrome (Josso and Briard), 200
Phenytoin therapy and hemorrhagic disease (Keith et al) (Letter), 501
Phosphatidylcholine, fetal lamb lung: Response to asphyxia and recovery (Brumley and Crenshaw), 631
Phototherapy—effect on amino acid solutions (Moritani et al) (Letter), 699; (Mims) (Reply), 699
Phrenic nerve agenesis and diaphragmatic amyoplasia—pulmonary hypoplasia resulting from (Goldstein and Reid), 282
Piperacillin, semisynthetic penicillin, used in therapy of acute exacerbations of pulmonary disease in cystic fibrosis (Prince and Neu) (BCLO), 148
Pituitary-gonadal function—the variation in two adolescent boys with 46XX male syndrome (LaFranchi et al) (BCLO), 960
Placebo or phenobarbital to prevent recurrence, antipyretic instruction plus either—first febrile seizure (Camfield et al), 16
Plasma and red cell folate values in newborn infants and their mothers in relation to gestational age (Ek), 288
gonadotropin and testosterone values in infants with cryptorchidism (Gendrel et al), 217
LH and testosterone in male infants, simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
zinc values in children recovering from protein-energy malnutrition (Canfield et al) (BCLO), 87
Plasmapheresis, successful, in 4-year-old child with homozygous familial hypercholesterolemia (Witztum et al) (BCLO), 615
Pleural effusion, diagnosis of delayed-onset right-sided diaphragmatic hernias masquerading as—peritoneography (Graviss et al) (BCLO), 119
Pneumonia, adenovirus (Letter) (Goldenring), 329
Pneumococci relatively resistant to penicillin: Prevalence survey in children (Anderson et al) (BCLO), 939
Poisoning, phencyclidine, in young children (Karp et al) (BCLO), 1006
Polyneuropathy, steroid-responsive, with subacute onset (Colan et al), 374
Potassium and sodium content, low and high, compared in oral rehydration solutions (Nalin et al), 848
Potentials, sensory evoked: Clinical applications in pediatrics (Mizrahi and Dorfman), 1
Prader-Willi syndrome, obesity hypoventilation syndrome with (Orenstein et al) (BCLO), 765
Pregnancies, biologic—protein values of milk samples from others without (Kleinman et al) (BCLO), 512
twin: Incidence of group B streptococcal colonization and disease (Pass et al) (BCLO), 635
Progesterone, 17-OH, and HLA typing response to ACTH infusion—21-hydroxylase deficiency: Detection of heterozygotes for congenital adrenal hyperplasia (Mauseth et al), 749
Propionyl CoA carboxylase deficiency, "unresponsive"—reassessment of biotin-responsiveness in (Wolf) (BCLO), 964
ProSobee, chloride content of (Hermann) (Letter), 162; (Garfunkel) (Comment), 162
Prostaglandin E_1 administration, long-term low-dose (Sone et al) (Letter), 866
in infants with cyanotic congenital heart disease—cortical hyperostosis following long-term administration of (Ueda et al) (BCLO), 834
E_2 concentrations, circulating, and patent ductus arteriosus in fetal and neonatal lambs (Clyman et al), 455
renal, in nephrogenic diabetes insipidus: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
Protein A, staphylococcal, adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
energy malnutrition—plasma zinc values in children recovering from (Canfield et al) (BCLO), 87
immunoreactive, correlated with coagulant activity: Factor II (prothrombin) levels in cord blood (Corrigan and Kryc), 979
losing enteropathy in boy with systemic lupus erythematosus (Tsukahara et al) (BCLO), 778
lysinuric intolerance: Two-year trial of dietary supplementation therapy with citrulline and lysine (Rajantie et al), 927
values of milk samples from mothers without biologic pregnancies (Kleinman et al) (BCLO), 612
Proteinuria, pseudo-, nafcillin, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Prothrombin (Factor II) levels in cord blood: Correlations of coagulant activity with immunoreactive protein (Corrigan and Kryc), 979
Protoporphyrin, erythrocyte, in sickle cell disease (Yip) (Letter), 163; (Powars) (Reply), 163
Pseudomonas, anti-, therapy—is it warranted in acute respiratory exacerbations in children with cystic fibrosis? (Beaudry et al), 144; Commentary (Merrill), 148
Pseudoproteinuria, nafcillin, and hypokalemic alkalosis (Andreoli et al) (BCLO), 841
Psychologic effects of illness in adolescence. I. Anxiety, self-esteem, and perception of control (Kellerman et al), 126
II. Impact of illness in adolescents—crucial issues and coping styles (Zeltzer et al), 132
Psychomotor development in 65 home-reared children with cri-du-chat syndrome (Wilkins et al), 401
Psychotropic drugs—small left colon syndrome associated with maternal ingestion of (Falterman and Richardson) (BCLO), 308
Pubertal, pre-, brothers (3)—gonadotropin deficiency and cryptorchidism with congenital adrenal hypoplasia (Zachmann et al) (BCLO), 255
cryptorchid boys—plasma gonadotropin values in: Similar increase of FSH secretion in uni- and bilateral cases (Van Vliet et al) (BCLO), 253
Puberty, LH bioactivity increases more than immunoreactivity during (Lucky et al), 205
true precocious—test to discriminate from premature thelarche and adrenarche: Bioactive LH (Lucky et al), 214

Pulmonary arterial lipid deposit in newborn infants receiving intravenous lipid infusion (Dahms and Halpin), 800
disease in cystic fibrosis—use of piperacillin, semisynthetic penicillin, in therapy of acute exacerbations of (Prince and Neu) (BCLO) 148
hypertension, persistent, after congenital diaphragmatic hernia repair—tolazoline therapy for (Bloss et al), 984
hypoplasia resulting from phrenic nerve agenesis and diaphragmatic amyoplasia (Goldstein and Reid), 282
Punctures, daily lumbar—failure to prevent development of hydrocephalus following intraventricular hemorrhage (Mantovani et al), 278
Pyomyositis, gallium 67 citrate scintigraphy in (Hirano et al) (BCLO), 596
Pyretic, anti-, instruction plus either phenobarbital or placebo to prevent recurrence—first febrile seizure (Camfield et al), 16

R

Radioactive bromide partition test in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
Radioisotopic assay, enzyme—rapid diagnosis of infections caused by β-lactamase–producing bacteria by means of (Yolken and Hughes), 715
Reflux, gastroesophageal—mechanisms of (Werlin et al), 244
Rehydration solutions, oral—comparison of low and high sodium and potassium content in (Nalin et al), 848
simple sugar/salt oral—variability of sodium and sucrose levels prepared under optimal and field conditions (Levine et al) (BCLO), 324
therapy, oral, for diarrhea (Steinhoff) (Letter), 515; (Woodward) (Letter), 515; (Finberg) (Reply), 516; (Sack) (Reply), 517
Renal artery angioplasty, percutaneous transluminal, in 3½-year-old hypertensive girl (McCook et al) (BCLO), 958
failure, chronic—encephalopathy with (Geary et al), 41
on regular hemodialysis—effects of anabolic steroids on growth, body composition, and metabolism in boys with (Jones et al), 559
function and blood volume in premature infants with respiratory distress syndrome—acute effects of albumin infusion on (Lay et al), 619
lesion, cystic, in tuberous sclerosis (Stapleton et al), 574
osteodystrophy, juvenile—early diagnosis of (Norman et al), 226
papillary necrosis in juvenile rheumatoid arthritis (Wortmann et al), 37
prostaglandin E_2 in nephrogenic diabetes insipidus: Effects of inhibition of prostaglandin synthesis by indomethacin (Usberti et al) (BCLO), 476
Respiratory, clinical, and nutritional changes and improved growth in response to nutritional therapy in cystic fibrosis (Shepherd et al), 351
distress syndrome—acute effects albumin infusion on blood volume and renal function in premature infants with (Lay et al), 619
—contribution of PDA to (Daniëls et al) (Letter), 514; (Gluck) (Reply), 514
Respiratory—Cont'd
exacerbations, acute—is anti-*Pseudomonas* therapy warranted in children with cystic fibrosis? (Beaudry et al), 144; Commentary (Merrill), 148
failure treated with tolazoline—late morbidity among survivors of (Cohen et al) (BCLO), 644
illnesses—serum IgE levels and clinical expression of (Stempel et al), 185
tract infection, upper—effect on eustachian tube ventilatory function in preschool child (Sanyal et al), 11
, upper, carrier state, group A streptococcal: Enigma (Kaplan), 337
Reticulocytopenia, prolonged, in autoimmune hemolytic anemia (Greenberg et al) (BCLO), 784
Reye syndrome, epidemic of, associated with influenza A (H1N1) in Colorado (Halsey et al), 535
primary Epstein-Barr virus infection in association with (Fleisher et al) (BCLO), 935
like syndrome associated with use of insect repellent in presumed heterozygote for ornithine carbamoyl transferase deficiency (Heick et al) (BCLO), 471
Rheumatoid arthritis, juvenile—renal papillary necrosis in (Wortmann et al), 37
Rickets, vitamin D–resistant? (Rotenstein) (Letter), 696; (Sockalosky et al) (Reply), 697
Rifampin-isoniazid–induced fulminant liver disease in infant (Bistritzer et al) (BCLO), 480
Rotavirus infection, chronic, in immunodeficiency (Saulsbury et al), 61
RSV bronchiolitis—cell-mediated immunity in (Bertotto et al) (Letter), 334
Rubella antigens in late-onset rubella syndrome–circulating immune complexes containing (Tardieu et al), 370
neonatal, following postpartum maternal immunization (Landes et al) (BCLO), 465
in breast-fed infant after postpartum maternal infection (Klein et al) (BCLO), 774
virus vaccine, RA27/3 live attenuated, during pregnancy—fetomaternal aspects of immunization of (Bernstein and Ogra) (BCLO), 467

S

Sagittal sinus thrombosis in nephrotic syndrome (Lau et al) (BCLO), 948
Salmonella bacteremia in first year of life (Blaser et al) (Letter), 164; (Hyams et al) (Reply), 165
Sarcoid granulomatosis, necrotizing, with neurologic lesions (Beach et al) (BCLO), 950
Scan, transient positive post-ictal computed tomographic (Rumack et al) (BCLO), 263
Scintigraphy, gallium 67 citrate, in pyomyositis (Hirano et al) (BCLO), 596
Scleroderma, steroid-responsive variant of: Diffuse fasciitis with eosinophilia (Britt et al) (BCLO), 432
Sclerosis, tuberous—cystic renal lesion in (Stapleton et al), 574
Screening for biopterin deficiency (O'Brien) (Letter), 695
metabolic disease (Sepe) (Letter), 871; (Paul et al) (Reply), 872

Screening—Cont'd
strategy for neonatal hypothyroidism, means to reduce recall rate in: Blood spot thyroxine-binding globulin (Robertson et al) (BCLO), 604
urine, for aminoacidopathies: Is it beneficial? (Wilcken et al), 492
Scrotal, inguino-, lesion (neonatal), produced by plastic umbilical clamp (Cigliano and Paludetoo) (Letter), 866
Secretory IgA in serum of infants with obstructive jaundice (Goldblum et al), 33
Seizure(s), dehydration, and hypoglycemia in 4-month-old child (Balistreri and Buchino), 689
Febrile—Consensus Development Conference on: Commentary (Fishman) (Editor's column), 933
first febrile—antipyretic instruction plus either phenobarbital or placebo to prevent recurrence (Camfield et al), 16
focal, and intracranial hemorrhage secondary to use of L-asparaginase during induction therapy of acute lymphocytic leukemia (Cairo et al), 829
long-term experiences with carbamazepine (Tegretol) in children with (Huf and Schain) (BCLO), 310
pseudo-, evaluated using EEG telemetry and video tape monitoring (Holmes et al), 554
Sensory evoked potentials: Clinical applications in pediatrics (Mizrahi and Dorfman), 1
Sepsis, catheter-related (Andrassy) (Letter), 1040
Serum and urine during total parenteral nutrition, changes in electrolyte content of (Aladjem et al) (BCLO), 437
branched-chain amino acids in diagnosis of hyperinsulinism in infancy (Chaussain et al), 923
copper concentrations in sick and well preterm infants (Manser et al), 795
Sex, fetal, and prenatal bethamethasone therapy (Ballard et al), 451
Sexual precocity, tumor, and Klinefelter syndrome (Chaussain et al) (BCLO), 607
Shunts, cerebrospinal fluid—treatment of *Haemophilus influenzae* type b meningitis with (Rennels and Wald) (BCLO), 424
Siblings, variable phenotypic expression in: Embryonic testicular regression syndrome (Josso and Briard), 200
Sickle cell disease—erythrocyte protoporphyrin in (Yip) (Letter), 163; (Powars) (Reply), 163
fever with (Lobel) (Letter), 1038
significance of plasma beta-thromboglobulin values in (Mehta) (BCLO), 941
SIDS, aborted—heart rate and heart rate variability during sleep in (Leistner et al), 51
—sudden infant death syndrome: Repetitions in families (Peterson et al) (BCLO), 265
Sinus thrombosis, sagittal, in nephrotic syndrome (Lau et al) (BCLO), 948
Skin histidase activity related to blood histidine response to histidine intake in patients with histidinemia (Kuroda et al) (BCLO), 269
test, tetanus toxoid: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Sleep in aborted sudden infant death syndrome—heart rate and heart rate variability during (Leistner et al), 51
Sodium and potassium content, low and high, compared in oral rehydration solutions (Nalin et al), 848
Sodium and—Cont'd
sucrose levels of simple sugar/salt oral rehydration solutions prepared under optimal and field conditions—variability of (Levine et al) (BCLO), 324
Somatic growth of children of diabetic mothers with reference to birth size (Vohr et al), 196
Somatomedin activity in Mauriac syndrome (Winter et al) (BCLO), 598
Splenectomy and transfusion requirements in thalassemia major (Cohen et al) (BCLO), 100
Staphylococcal infections, myositis with (Saul and Osofsky) (Letter) 701; (Adamski and Shulman) (Reply), 701
protein A adsorption of neonatal serum to facilitate early diagnosis of congenital infection (Tuomanen and Powell), 238
Staphylococcus aureus infection, epidemic neonatal gentamicin-methicillin-resistant, associated with nonspecific topical use of gentamicin (Graham et al), 972
Sternum, spontaneous fracture of—in youth with cystic fibrosis (Mitchell and Elliott) (BCLO), 789
Steroid(s), anabolic—effects on growth, body composition, and metabolism in boys with chronic renal failure on regular hemodialysis (Jones et al), 559
responsive polyneuropathy with subacute onset (Colan et al), 374
variant of scleroderma: Diffuse fasciitis with eosinophilia (Britt et al) (BCLO), 432
Streptococcal antigen, group B—latex agglutination test and countercurrent immunoelectrophoresis for detection of (Kumar and Nankervis) (Letter), 328
—use of monoclonal antibodies in an enzyme-linked inhibition assay for rapid detection of (Polin and Kennett), 540
group A, upper respiratory tract carrier state; Enigma (Kaplan), 337
B, colonization and disease—incidence of: Twin pregnancies (Pass et al) (BCLO), 635
infection, rapid diagnosis of (Kramer and Goldstein) (Letter), 1039; (Bass and Harden) (Reply), 1040
Streptococci, group A—adherence to buccal epithelial cells from children of various ages (Ardati and Dajani) (BCLO), 781
Subcutaneous fat necrosis, PGE, and hypercalcemia (Metz and Hassall) (Letter), 336
Sucrose and sodium levels of simple sugar/salt oral rehydration solutions prepared under optimal and field conditions—variability of (Levine et al) (BCLO), 324
Sulfisoxazole secretion into human milk (Kauffman et al) (BCLO), 839
Supplementation therapy, dietary, with citrulline and lysine—two-year trial of: Lysinuric protein intolerance (Rajantie et al), 927
Syndrome *see* specific syndrome
Syndromes "of obscure etiology," monozygotic twinning, and structural defects (Letter) (Jongbloet), 868

T

Tachycardia, supraventricular—new technique for interruption of: Ice bag (Bisset et al) (BCLO), 593

Technetium 99m pertechnetate–labeled erythrocytes, in vivo–detection of acute gastrointestinal bleeding using (Riff et al) (BCLO), 956
Tegretol (carbamazepine)–long-term experiences in children with seizures (Huf and Schain) (BCLO), 310
Telemetry, EEG, and video tape monitoring–evaluation of pseudoseizures using (Holmes et al), 554
Temperament of asthmatic children: Preliminary study (Kim et al), 483
Temperature, optimal, for measurement of transcutaneous carbon dioxide tension in neonate (Herrell et al) (BCLO), 114
Teratogenicity of valproic acid (Dalens et al) (Letter), 332; (Dickinson and Gerber) (Reply), 333
Test(s), lactose breath hydrogen, intestinal morphology, and lactase activity–correlation of (Hyams et al) (BCLO), 609
latex agglutination, and countercurrent immunoelectrophoresis for detection of group B streptococcal antigen (Kumar and Nankervis) (Letter), 328
to discriminate true precocious puberty from premature thelarche and adrenarche: Bioactive LH (Lucky et al), 214
radioactive bromide partition, in diagnosis of tuberculous meningitis (Wiggelinkhuizen and Mann), 843
standard gonadotropin-releasing hormone–limited usefulness in obese boys: Diagnosis of gonadotropin deficiency in adolescents (Keich et al), 820
thyroid function–effects of hypoxia on (Moshang et al) (BCLO), 602
Testicular regression syndrome embryonic,: Variable phenotypic expression in siblings (Josso and Briard), 200
Testing, lung function–standardization of (Taussig et al), 668
Testosterone and plasma gonadotropin values in infants with cryptorchidism (Gendrel et al), 217
LH in male infants–simultaneous postnatal rise of (Grendrel et al) (BCLO), 600
Tetanus toxoid skin test: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Thalassemia, beta, trait, hematology of–age-related developmental aspects and intrafamilial correlations (Berman et al), 901
major–transfusion requirements and splenectomy in (Cohen et al) (BCLO), 100
Thelarche and adrenarche, premature–test to discriminate true precocious puberty from: Bioactive LH (Lucky et al), 214
Theophylline, dose-dependent kinetics for: Observations among ambulatory asthmatic children (Sarrazin et al), 825
orally, asthmatic children taking–intravenous administration of aminophylline in (Canavan et al) (BCLO), 301
Thrombocytopenia in high-risk infant (Mehta et al), 791
re intracranial hemorrhage in utero (Jesurun et al) (Letter), 695; (Zalneraitis et al) (Reply), 696
Thromboglobulin values, plasma beta-, significance with sickle cell disease (Mehta) (BCLO), 941
Thrombosis, sagittal sinus, in nephrotic syndrome (Lau et al) (BCLO), 948
Thymosin therapy in DiGeorge syndrome (Barrett et al), 66
Thyroid function tests–effects of hypoxia on (Moshang et al) (BCLO), 602
Thyrotoxicosis, neonatal: Intellectual impairment and craniosynostosis in later years (Daneman and Howard) (BCLO), 257
Thyroxine-binding globulin, blood spot: Means to reduce recall rate in screening strategy for neonatal hypothyroidism (Robertson et al) (BCLO), 604
Tidal volume, high frequency–low tidal, effects compared with low frequency–high tidal volume mechanical ventilation (Boros and Campbell), 108
Tissue pH, continuous, monitoring in critically ill neonates (Bhat et al), 445
Titer, high, multiple dose therapy with HBIG in newborn infants of HB_sAg positive mothers (Jhaveri et al) (BCLO), 305
Tolazoline–late morbidity among survivors of respiratory failure treated with (Cohen et al) (BCLO), 644
therapy for persistent pulmonary hypertension after congenital diaphragmatic hernia repair (Bloss et al), 984
Tomographic scan, computed–transient positive post-ictal (Rumack et al) (BCLO), 263
Toxicity, chloramphenicol–oral vs intravenous administration (Matthews and Shawver-Matthews) (Letter), 869; (Pickering et al) (Reply), 869
gonadal–reapprasial of: Chlorambucil treatment in minimal lesion nephrotic syndrome (Callis et al), 653
mercury (acrodynia), induced by long-term injection of gammaglobulin (Matheson et al), 153
Toxid skin test, tetanus: Correlation with in vitro lymphocyte stimulation and monocyte chemotaxis (Borut et al), 567
Toxigenic *Clostridium perfringens* type C, implication of: ampicillin-induced enterocolitis (Schwartz et al) (BCLO), 661
Toxiology Program, National, and pediatrician (Rogan and Rall) (Editor's column), 79
Transcutaneous carbon dioxide tension in neonate–optimal temperature for measurement of (Herrell et al) (BCLO), 114
Transfusion(s), exchange–calculation of volumes for (Levine) (Letter), 870; (Landaw) (Reply), 871
granulocyte, with leukemia–mononucleosis syndrome following (Ritchey et al) (BCLO), 267
neonatal–hematologic and bacteriologic assessment of autologous cord blood for (Golden et al) (BCLO), 810
program, new, for an intensive care nursery (Johnson et al), 806
reaction due to unrecognized ABO hemolytic disease of newborn infant (Falterman and Richardson) (BCLO), 812
requirements and splenectomy in thalassemia major (Cohen et al) (BCLO), 100
Transplant patients and pediatric dialysis, hepatitis B infection in: Significance of e antigen (Ettenger et al), 550
Trauma, severe closed head–physical recovery in children and adolescents after (Brink et al), 721
Trichobezoar and trichophagia: Etiologic role of iron deficiency (McGehee and Buchanan) (BCLO), 946
Trichophagia and trichobezoar: Etiologic role of iron deficiency (McGehee and Buchanan) (BCLO), 946
Tuberculous meningitis–radioactive bromide partition test in diagnosis of (Wiggelinkhuizen and Mann), 843
Tuberous sclerosis, cystic renal lesion in (Stapleton et al), 574

Tubular defects, multiple, and nephrotic syndrome: Early sign of focal segmental glomerulosclerosis (McVicar et al), 918
Tumor activity in neuroblastoma—serum lactate dehydrogenase, indicator of (Quinn et al) (BCLO), 89
Klinefelter syndrome, and sexual precocity (Chaussain et al) (BCLO), 607
Twin pregnancies: Incidence of group B streptococcal colonization and disease (Pass et al) (BCLO), 635
Twinning, monozygotic, structural defects, and syndromes "of obscure etiology" (Jongbloet) (Letter), 868

U

Ultrasonography, continuous wave Doppler—noninvasive detection of retrograde descending aortic flow in infants using (Serwer et al), 394
Ultrasound studies in preterm infants with hydrocephalus (Graziani et al), 624
Umbilical catheters, calculated lengths of (Phelps) (Letter), 870; (Rosenfeld) (Reply), 870
clamp, plastic—neonatal inguino-scrotal lesion produced by (Cigliano and Paludetoo) (Letter), 866
Urea synthesis—treatment of hyperammonemic coma in inborn errors of (Batshaw and Brusilow), 893
Uremic-hemolytic syndrome (Gomperts and Lieberman) (Editor's column), 419
—aspirin and dipyridamole therapy in (O'Regan et al) (BCLO), 473
Associated conditions (Adelman et al) (BCLO), 161
Urine and serum during total parenteral nutrition, changes in electrolyte content of (Aladjem et al) (BCLO), 437
screening for aminoacidopathies: Is it beneficial? (Wilcken et al), 492
Uveitis, anterior, in Kawasaki disease (Germain et al) (BCLO), 780

V

Vaccine, influenza, in unprimed children: Improved immunogenicity with few reactions following one high dose of split-product vaccine (Gross et al), 56
meningococcal—indications for use of (Peltola) (Letter), 330; (Wilkins and Wehrle) (Reply), 331
RA27/3 live attenuated rubella virus, during pregnancy—fetomaternal aspects of immunization with (Bernstein and Ogra) (BCLO), 467
Valproic acid, teratogenicity of (Dalens et al) (Letter), 332; (Dickinson and Gerber) (Reply), 333
Vancomycin, oral—treatment of antibiotic-associated *Clostridium difficile* diarrhea with (Batts et al) (BCLO), 151
pharmacokinetics (Baker et al) (Letter), 502; (Schaad et al) (Reply), 503
Vasopressin—hemodynamic significance in newborn infant (Phojavuori and Fyhrquist), 462
Ventilation, decreased, response to hypoxia in asthma (Smith and Hudgel), 736
mechanical—comparison of effects of high frequency–low tidal volume and low frequency–high tidal volume (Boros and Campbell), 108
defective dentition following (Wetzel) (Letter), 334; (Krous) (Letter), 334
Ventilation—Cont'd
negative pressure—bronchopulmonary dysplasia following (Brown and Sweet) (Letter), 332; (Stern) (Reply), 332
Ventilatory function, eustachian tube, in preschool child—effect of upper respiratory tract infection on (Sanyal et al), 11
Ventricular, intra, hemorrhage and serial lumbar punctures (Behrman) (Editor's column), 250
failure of daily lumbar punctures to prevent development of hydrocephalus following (Mantovani et al), 278
neonatal hemorrhage: Hypoglycorrhachia and its relationship to CSF lactate levels (Mathew and Volpe) (BCLO), 292
supra-, tachycardia—new technique for interruption of: Ice bag (Bisset et al) (BCLO), 593
Venulitis, cutaneous necrotizing, with cystic fibrosis (John et al) (Letter), 505
Video tape monitoring and EEG telemetry—evaluation of pseudoseizures using (Holmes et al), 554
Virus, primary Epstein-Barr, infection in association with Reye syndrome (Fleisher et al) (BCLO), 935
vaccine, RA27/3 live attenuated rubella, during pregnancy—fetomaternal aspects of immunization with (Berstein and Ogra) (BCLO), 467
Vitamin D relationships, fetomaternal, at term (Gertner et al) (BCLO), 637
resistant rickets? (Rotenstein) (Letter), 696; (Sockalosky et al) (Reply), 697
Volume, high frequency–low tidal, effects compared with low frequency–high tidal volume mechanical ventilation (Boros and Campbell), 108

W

Water loss, insensible, and oxygen consumption in premature infants in single- versus double-walled incubators (Yeh et al), 967
Weaver-Smith syndrome (Gemme et al) (BCLO), 962
Weight, low-birth-, infants—posthemorrhagic hydrocephalus in: Treatment by serial lumbar punctures (Papile et al), 273
rate, very low birth: Principal predictor of neonatal mortality in industrialized populations (Lee et al), 759
Wiskott-Aldrich syndrome in United States and Canada (1892-1979) (Perry et al), 72

Y

Yersinia enterocolitica cervical lymphadenitis (Jaffe and Smith) (BCLO), 937
gastroenteritis—Canadian disease? (Dajani and Maurer) (Letter), 165; (Marks and Pai) (Reply), 165

Z

Zinc deficiency and achondroplasia (Wassman et al) (Letter), 503; (Collipp) (Reply), 504
clinical, during zinc-supplemented parenteral nutrition (Latimer et al) (BCLO), 434
values, plasma, in children recovering from protein-energy malnutrition (Canfield et al) (BCLO), 87